

SPECIES PLANTARUM: FLORA OF THE WORLD

CUMULATIVE INDEX

Prepared by Alex S. George

Part (volume) numbers are in **bold** (sans serif) and are followed by a colon (:).

The Introduction is abbreviated to **Intro**

Accepted names are in roman, synonyms and doubtful names in *italic*.

Principal page references are in **bold**, figures in *italic*.

Infrageneric names are indexed in alphabetical sequence immediately after the generic name; infraspecific names are indexed under species

Unranked and informal infraspecific names are indexed after formal ranks (subsp., var. etc.).

Authors of Parts are included.

Parts indexed: **Introduction, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14**

The preferred form of citing parts is given on the verso of the title page of each Part.

The years of publication are given inside the back cover of each Part.

Authorship, pagination and dates of publication for *Species Plantarum* are as follows:

- Introduction to the Series, pp iv, 91 (22 January 1999)
- Introduction to the Series (Chinese), pp iv, 79 (12 May 2000)
- 1. Irvingiaceae, D.J.Harris, pp v, 25 (22 January 1999)
- 2. Stangeriaceae, E.M.A.Steyn, G.F.Smith & K.D.Hill, pp v, 9 (11 November 1999)
- 3. Welwitschiaceae, E.M.A.Steyn & G.F.Smith, pp v, 8 (11 November 1999)
- 4. Schizandraceae, Richard M.K.Saunders, pp v, 62 (26 March 2001)
- 5. Prioniaceae, Sioban L.Munro, Jan Kirschner & H.Peter Linder, pp v, 7 (26 March 2001)
- 6. Juncaceae: *Rostkovia* to *Luzula*, Jan Kirschner (compiler), pp vii, 237 (9 July 2002)
- 7. Juncaceae: *Juncus* subg. *Juncus*, Jan Kirschner (compiler), pp viii, 336 (30 August 2002)
- 8. Juncaceae: *Juncus* subg. *Agathryon*, Jan Kirschner (compiler), pp vii, 192 (23 December 2002)
- 9. Chrysobalanaceae 1: *Chrysobalanus* to *Parinari*, Ghilleen T.Prance & Cynthia A.Sothers, pp viii, 319 (8 December 2003)
- 10. Chrysobalanaceae 2: *Acioa* to *Magnistipula*, Ghilleen T.Prance & Cynthia A.Sothers, pp viii, 268 (8 December 2003)
- 11. Saururaceae, Anthony R.Brach & Xia Nian-he, pp viii, 12 (16 June 2005)

SPECIES PLANTARUM CUMULATIVE INDEX

12. Opiliaceae, Paul Hiepko, pp xi, 71, Conservatoire et Jardin botaniques de la Ville de Genève (2008)
13. Paracryphiaceae, Joël Jérémie, pp vii, 7, Conservatoire et Jardin botaniques de la Ville de Genève (2008)
14. Amborellaceae, Joël Jérémie, Porter P.Lowry II & Frédéric Tronchet, pp vii, 7, Conservatoire et Jardin botaniques de la Ville de Genève (2008)

Acia Schreb. **10**: 1, 5
amara Willd. **10**: 11
dulcis Willd. **10**: 2
Acioa Aubl. **9**: 3; **10**: **1**
subg. *Afracioa* Letouzey **10**: 76
amara Steud. **10**: 11
barteri (Hook.f. ex Oliv.) Engl. **10**: 85
bellayana Baill. **10**: 82
brazzae De Wild. **10**: 90
buchneri Engl. **10**: 87
campestris Engl. **10**: 82
chevalieri De Wild. **10**: 93
cinerea Engl. ex De Wild. **10**: 92
dawei Mendes **10**: 82
dewevrei De Wild. & T.Durand **10**: 89
var. *reygaertii* (De Wild.) Hauman **10**: 89
var. *seretii* (De Wild.) Hauman **10**: 89
var. *vanhouttei* (De Wild.) Hauman **10**: 89
dichotoma De Wild. **10**: 92
dinklagei Engl. **10**: 92
dulcis (Willd.) Steud. **10**: 2
edulis Prance **10**: 1, 2, 3, 199
eketensis De Wild. **10**: 91
floribunda (Welw.) Exell **10**: 84
gilletii De Wild. **10**: 81
goetzeana Engl. **10**: 4, 159
gossweileri Cavaco **10**: 87
guianensis Aubl. **10**: 1, 2, 4, 199
heteropetala (Scort. ex King) Kosterm. **10**: 175
hirsuta A.Chev. ex De Wild. **10**: 82
icondere Baill. **10**: 84
var. *welwitschii* De Wild. **10**: 84
johnstonei Hoyle **10**: 93
klaineana Pierre ex De Wild. **10**: 82
laevis Pierre ex De Wild. **10**: 90
lanceolata Engl. **10**: 85, 197
lehmbachii Engl. **10**: 90
letestui Letouzey **10**: 80
librevillensis Letouzey **10**: 81
lujae De Wild. **10**: 87
malayana Kosterm. **10**: 177
mannii (Oliv.) Engl. **10**: 91
pallescens Baill. **10**: 76, 87
parvifolia Engl. **10**: 79
percoriacea Kosterm. **10**: 177

SPECIES PLANTARUM CUMULATIVE INDEX

- pierrei* De Wild. **10**: 91
reygaertii De Wild. **10**: 89
rudatisii Engl. ex De Wild. **10**: 90, 197
 Acioa continued
sapinii De Wild. **10**: 85
scabrifolia Hua **10**: 80
schultesii Maguire **10**: 1, 3, **4**, 199
seretii De Wild. **10**: 89
smeathmannii Baill. **10**: 79
somnolens Maguire **10**: 1, **4**, 199
stapfiana De Wild. **10**: 80
staudtii Engl. **10**: 89
talbotii Baker f. **10**: 89
tenuiflora Dinkl. & Engl. **10**: 85, 197
tessmannii Engl. **10**: 80
thollonii De Wild. **10**: 87
trillesiana Pierre ex De Wild. **10**: 85
unwinii De Wild. **10**: 79
vanhouttei De Wild. **10**: 89
whytei Stapf **10**: 80
 Acorus L. **5**: 2
palmita Licht. **5**: 2
 Actinidia
miquelii King **4**: 47
 Afrolicania Mildbr. **9**: 3, **175**
elaeosperma Mildbr. **9**: **175**, 176, 299
 Agapatea Steud. **6**: 15
filamentosa Buchenau **6**: 17
peruviana Steud. **6**: 15
Agapatea Steud. ex Buchenau **6**: 15
 Aglaia
odorata Lour. **12**: 29
odoratissima Blume **12**: 29
 Agonandra Miers ex Benth. & Hook.f. **12**: 1, 2, 21, **41**
brasiliensis Miers ex Benth. & Hook.f. **12**: 41, 42, **43**, 49
 subsp. *brasiliensis* **12**: 43, **44**, 46, 63
 subsp. *racemigera* Hiepko **12**: 44, **46**, 63
conzattii Standl. **12**: 54
duckei Huber ex Ducke **12**: 44
engleri Hoehne **12**: 49, 51
excelsa **12**: 42, 43, 46, 48, **49**, 50, 51, 64
fluminensis Rizzini & Occhioni **12**: 41, 43, **46**, 63
goldbergiana **12**: 41, 43, **48**, 63
granatensis Rusby **12**: 44
lacera Toledo **12**: 44
loranthoides L.O.Williams **12**: 53
macedoi Toledo **12**: 44
macrocarpa L.O.Williams **12**: 41, **53**, 64
obtusifolia Standl. **12**: 42, **53**
 subsp. *conzattii* (Standl.) Hiepko **12**: **54**, 55, 64
 subsp. *obtusifolia* **12**: **54**, 64
ovatifolia Miranda **12**: 42, **55**, 64
peruviana Hiepko **12**: 41, 42, 43, 47, **48**, 49, 63
racemosa (DC.) Standl. **12**: 41, **51**, 52, 53, 54, 64

SPECIES PLANTARUM CUMULATIVE INDEX

- silvatica* Ducke **12**: 41, **42**, 43, 45, 46, 48, 49, 63
spgazzinii Molino **12**: 49
 Ahti, Teuvo **6**, **7**, **8**
 Amborellaceae Pichon **14**: **1**
Amborella Baill. **14**: 1, **3**
 trichopoda Baill. **14**: 1, **3**, 4, 6
Anacardium
 occidentale **10**: 76
Anarthria
 gracilis R.Br. **8**: 147
Andesia Hauman **6**: 9
 bisexualis (Kuntze) Hauman **6**: 9, 10
 haumaniana Barros **6**: 12
Anemia Nutt. **11**: 6
 californica Nutt. **11**: 6
 intermedia Copel. ex M.E.Jones **11**: 6
Anemopsis Hook. & Arn. **11**: **6**
 bolanderi C.DC. **11**: 6
 californica (Nutt.) Hook. & Arn. **11**: **6**, 11
 var. *subglabra* Kelso **11**: 6
 var. *typica* Kelso **11**: 7
 ludovici-salvatoris Willk. **11**: 6
Angelesia Korth. **9**: 98
 papuana Baker f. **9**: 192
 splendens Korth. **9**: 98
Antidesma
 cumingii Müll Arg. **12**: 40
 ghaesembilla Müll. Arg.
 var. *paniculatum* Müll. Arg. **12**: 40
Aponogeton L.f. **11**: 5
 natans (L.) Engl. & K.Krause. **11**: 5
Ascarina J.R. & G.Forst. **13**: 1
 alticola Schltr. **13**: 2
Atuna Raf. **9**: 4; **10**: **66**
 cordata Cockburn ex Prance **10**: 67, **74**, 223
 elata (King) Kosterm. **10**: 68
 elliptica (Kosterm.) Kosterm. **10**: 67, **70**, 222
 excelsa (Jack) Kosterm. **10**: 70
 indica (Bedd.) Kosterm. **10**: 67, **75**, 223
 latifolia Kosterm. **10**: 72
 latifrons (Kosterm.) Prance & F. White **10**: 67, **72**, 222
 nannodes (Kosterm.) Kosterm. **10**: 67, **72**, 73, 223
 nitida (Hook.f.) Panigrahi & K.M.Purohit **9**: 98
 penangiana (Kosterm. & Prance) Kosterm. **10**: 67, **74**, 223
 racemosa Raf. **10**: 66, 67, **68**
 subsp. *excelsa* (Jack) Prance **10**: 68, **70**, 71, 222
 subsp. *racemosa* **10**: **68**, 222
 scabra (Hassk.) Kosterm. **10**: 68
 travancorica (Bedd.) Kosterm. **10**: 67, **75**, 223
 villamilii (Merr.) Kosterm. **10**: 70
Atunus Lam. **10**: 66
 alba Rumph. **10**: 69
 Austrobaileyaceae **4**: 1

SPECIES PLANTARUM CUMULATIVE INDEX

- Bafodeya Prance ex F.White **9**: 3, **180**
 benna (Scott-Elliot) Prance **9**: **180**, 181, 300
 Balanopaceae **9**: 2
Balantium Desv. ex Buch.-Ham. **9**: 198
cordifolium Desv. ex Buch.-Ham. **9**: 198, 211
 Balslev, Henrik **6**, **7**, **8**
 Bennettitales **3**: 1
 Bowenia Hook. ex Hook.f. **2**: 1, **3**
 serrulata (W.Bull) Chamb. **2**: 3, **4**, 6, 8
 spectabilis Hook. ex Hook.f. **2**: 3, 6, 8
 var. *serrulata* W.Bull **2**: 4
Boweniaceae D.W.Stev. **2**: 1
 Brach, Anthony R. **11**
 Brooks, Ralph E. **8**
 Brosimum
rubescens Taub. **10**: 193
Brya Vell. **10**: 111
- Cajan* **9**: 199
Cajanus **9**: 199
 Canavali **9**: 199
 Canavalia **9**: 199
 Cansjera Juss. **12**: 1, 2, **37**
grossularioides Blanco **12**: 40
helferiana Valetton. **12**: 40
lanceolata Benth. **12**: 38
 leptostachya Benth. **12**: 37, **38**, 39, 62
madagascariensis Spreng. **12**: 40
malabarica Lam. **12**: 38
manillana Blume **12**: 3
monostachya (Willd.) M.Roem. **12**: 38
 parvifolia Kurz **12**: 37, 39, **40**, 62
pentandra Blanco **12**: 40
polystachya (Willd.) M.Roem. **12**: 38
 rheedei J.F.Gmel. **12**: 37, **38**, 39, 62
scandens Roxb. **12**: 38
timorensis Decne. **12**: 38
zizyphifolia Griff. **12**: 38
Causea Scop. **10**: 110
 Češka, Adolf **6**
 Champereia Griff. **12**: 1, 2, **3**
cumingiana (Baill.) Merr. **12**: 4
gaudichaudiana (Baill.) Tiegh. **12**: 4
gnetocarpa Kurz. **12**: 6
griffithiana Planch. ex Kurz. **12**: 3, 4
griffithii Planch. ex Kurz. **12**: 4
lanceolata Merr. **12**: 4
longistaminea (W.Z.Li) D.D.Tao **12**: 6
 manillana (Blume) Merr. **12**: 3, 6, 8
 var. *longistaminea* (W.Z.Li) H.S.Kiu **12**: 3, **6**, 58
 var. *manillana* **12**: 4, 5, 58
oblongifolia Merr. **12**: 4
perrottetiana Baill. **12**: 6
platyphylla Merr. **12**: 4

SPECIES PLANTARUM CUMULATIVE INDEX

- Chigua **2**: 2
 Chloranthaceae **13**: 1
 Chrysobalanaceae R.Br. **1**: 20; **9**: **1, 2**
 Chrysobalanus L. **9**: 1, 3, **4**
 americanus (L.) Morales **10**: 124
 atacorensis A.Chev. **9**: 7
 chariensis A.Chev. **9**: 7
 ciliatus Korth. ex Miq. **10**: 59
 cuspidatus Griseb. **9**: 8
 cuspidatus Griseb. ex Duss **9**: 4, **8**, 241
 ellipticus Sol. ex Sabine **9**: 5
 guianensis Klotzsch **9**: 5
 humilis (Cham. & Schltdl.) Kuntze **9**: 87
 icaco L. **9**: 4, **5**, 6, 239
 f. *albus* G.Klotz **9**: 5
 subsp. *atacorensis* (A.Chev.) F.White **9**: 5, **7**, 241
 subsp. *ellipticus* (Sol. ex Sabine) Souza **9**: 5
 subsp. *icaco* **9**: **5**, 241
 subsp. *orbicularis* (Schumach.) Souza **9**: 5
 subsp. *pellocarpus* (G.Mey.) E.Murray **9**: 5
 var. *chariensis* (A.Chev.) Souza **9**: 7
 var. *ellipticus* (Sol. ex Sabine) Hook.f. **9**: 5
 var. *genuinus* Stehlé, M.Stehlé & Quentin **9**: 5
 var. *luteus* (Sabine) Souza **9**: 5
 var. *macrocarpus* Souza **9**: 5
 var. *pellocarpus* (G.Mey.) Hook.f. **9**: 5
 var. *roseus* Souza **9**: 5
 incanus (Aubl.) M.Gómez **9**: 164
 incanus Raf. **9**: 35
 interior Small **9**: 5
 luteus Sabine **9**: 5
 macrophyllus Schott **10**: 32
 mollicoma (Kunth) M.Gómez **10**: 124
 montanus (Aubl.) M.Gómez **9**: 216
 oblongifolius Michx. **9**: 35
 orbicularis Schumach. **9**: 5
 ovalifolius Schott **10**: 31
 pallidus (Small) L.B.Sm. **9**: 35
 pellocarpus G.Mey. **9**: 5
 prunifolius Raf. **10**: 192
 purpureus Mill. **9**: 5
 racemosus Roxb. **10**: 68
 retusus Raf. **9**: 35
 rugosus (Thuill. ex Pers.) M.Gómez **10**: 169
 savannarum Britton **9**: 5
 splendens (Korth.) Miq. **9**: 98
 stuhmannii Engl. **10**: 192
 sublanatus Kuntze **9**: 87
 subundulatus Brign. **10**: 56
 triandra (Sw.) Morales **10**: 134
 venezuelanus Prance **9**: 4, **8**, **9**, 242
 Circaeocarpus C.Y.Wu **11**: 1
 Clematis, Steven E. **7**; **8**
 Cocomelia Ridl. **9**: 98

SPECIES PLANTARUM CUMULATIVE INDEX

- nitida* (Hook.f.) Ridl. **9**: 98
 Coffey Swab, Janice **6**
 Condry, Gillian **2**; **3**
Cosbaea Lem. **4**: 31, 32
 coccinea Lem. **4**: 32
Cosmibuena Ruiz & Pav. **10**: 111
Couepia Aubl. **9**: 4; **10**: 1, 5
 sect. *Hemicouepia* Benth. **10**: 5
 amaraliae Prance **10**: 9, 34, 35, 209
 amazonica Fritsch **10**: 26
 belemii Prance **10**: 7, 26, 205
 bernardii Prance **10**: 5, 8, 15, 16, 202
 bondarii Prance **10**: 6, 36, 210
 bracteosa Benth. **10**: 7, 25, 51, 205
 var. *grandifolia* Benoist **10**: 25
 var. *minor* Ducke **10**: 25
 calophlebia Standl. **10**: 33
 canescens (Gleason) Prance **10**: 6, 20, 203
 canomensis Mart. **10**: 21
 canomensis (Mart.) Benth. ex Hook.f. **10**: 6, 21, 203
 carautae Prance **10**: 7, 23, 204
 caryophylloides Benoist **10**: 8, 27
 subsp. *caryophylloides* **10**: 27, 206
 subsp. *glabra* Prance **10**: 27, 206
 cataractae Ducke **10**: 10, 29, 207
 chrysocalyx (Poepp. & Endl.) Benth. ex Hook.f. **10**: 7, 40, 212
 cidiana Prance **10**: 6, 36, 210
 coarctata Prance **10**: 10, 52, 53, 218
 cognata (Steud.) Fritsch **10**: 9, 45
 var. *cognata* **10**: 45, 214
 var. *major* Prance **10**: 45, 214
 var. *membranacea* Prance **10**: 45, 46, 214
 comosa Benth. **10**: 10, 47, 215
 dahlgrenii Standl. **10**: 28
 divaricata Huber **10**: 13
 var. *strictiuscula* Huber **10**: 13
 dodecandra (DC.) Hemsl. **10**: 48
 dolichopoda Prance **10**: 8, 43, 44, 214
 duckei Huber **10**: 14
 edulis (Prance) Prance **10**: 2
 elata Ducke **10**: 5, 33, 209
 eriantha Spruce ex Hook.f. **10**: 7, 41, 212
Couepia continued
 excelsa Ducke **10**: 8, 28, 206
 exflexa Fanshawe & Maguire **10**: 6, 22, 204
 floccosa Fritsch **10**: 48
 formosana Taub. **10**: 32
 foveolata Prance **10**: 6, 21, 203
 froesii Prance **10**: 11, 55, 219
 glabra Prance **10**: 8, 39, 211
 glandulosa Miq. **10**: 12
 glaucescens Spruce ex Hook.f. **10**: 14
 glazioviana Pilg. **10**: 49, 197
 grandiflora (Mart. & Zucc.) Benth. ex Hook.f. **10**: 10, 32, 209

SPECIES PLANTARUM CUMULATIVE INDEX

- guianensis* Aubl. **10**: 5, 7, 9, **11**
 subsp. *divaricata* (Huber) Prance **10**: 12, **13**, 200
 subsp. *glandulosa* (Miq.) Prance **10**: **12**, 200
 subsp. *guianensis* **10**: **12**, 200
habrantha Standl. **10**: 6, **22**, 204
hondurasensis Prance **10**: 5, 10, **48**, 216
hypoleuca Miq. **10**: 31
imprensa Prance **10**: 9, **51**
 subsp. *cabraliae* Prance **10**: **52**, 217
 subsp. *imprensa* **10**: **52**, 217
insignis Fritsch **10**: 6, **36**, 210
joaquinae Prance **10**: 8, **40**, 212
krukovii Standl. **10**: 7, **30**, 207
kunthiana (Mart. & Zucc.) Benth. **10**: 47
latifolia Standl. **10**: 7, **30**, 208
laurifolia Cuatrec. **10**: 193
leitaofilhoi Prance **10**: 10, **31**, 208
leptostachya Benth. ex Hook.f. **10**: 12
longipendula Pilg. **10**: 8, **43**, 213
longipetiolata Prance **10**: 11, **54**, 218
macrophylla Spruce ex Hook.f. **10**: 7, **29**, 32, 207
magnoliifolia Benth. ex Hook.f. **10**: 7, **22**, 203
maguirei Prance **10**: 8, **15**, 201
marleneae Prance **10**: 7, **40**, 212
martiana Hook.f. **10**: 28, 197
martinii Prance **10**: 6, **35**, 210
meridionalis Prance **10**: 10, **52**, 218
monteclarensis Prance **10**: 10, **17**, **18**, 202
morii Prance **10**: 11, **27**, 206
multiflora Benth. **10**: 9, **46**, 215
Couepia continued
 myrtifolia Benth. ex Hook.f. **10**: 12
 nutans Prance **10**: 10, **48**, 216
 obovata Ducke **10**: 7, **37**, 211
 ovalifolia (Schott) Benth. ex Hook.f. **10**: 11, **31**, 208
 ovatifolia (Schott) Benth. ex Hook.f. **10**: 31
 panamensis Standl. **10**: 63
 paraensis (Mart. & Zucc.) Benth. **10**: 8, **13**
 subsp. *cerradoana* Prance **10**: **14**, 201
 subsp. *glaucescens* (Spruce ex Hook.f.) Prance **10**: **14**, 201
 subsp. *paraensis* **10**: **14**, 200
 paraguariensis Hassl. **10**: 28
 parillo DC. **10**: 6, **17**, **19**, 202
 parvifolia Prance **10**: 9, **56**, 219
 pauciflora Huber **10**: 17
 pernambucensis Prance **10**: 9, **54**, 218
 platycalyx Cuatrec. **10**: 5, 11, **49**, **50**, 216
 polyandra (Kunth) Rose **10**: 5, 10, **47**, 216
 racemosa Benth. ex Hook.f. **10**: 9, **33**, 209
 var. *reticulata* Pilg. **10**: 33
 rankiniae Prance **10**: 11, **55**, 219
 recurva Spruce ex Prance **10**: 6, **37**, **38**, 211
 reflexa Ducke **10**: 9, **42**, 213
 rivalis Spruce **10**: 14

SPECIES PLANTARUM CUMULATIVE INDEX

- robusta* Huber **10**: 11, **51**, 217
rufa Ducke **10**: 11, **49**, **197**, 217
sandwithii Prance **10**: 10, **15**, 201
schottii Fritsch **10**: 11, **32**, 208
scottmorii Prance **10**: 5, 7, 9, **23**, **24**, 204
speciosa Pilg. **10**: 29
spicata Ducke **10**: 6, **25**, 205
steyermarii Maguire **10**: 6, **20**, 202
stipularis Ducke **10**: 8, **42**, 213
subcordata Benth. ex Hook.f. **10**: 7, 10, **26**, 205
suberosa Pilg. **10**: 32
surinamensis Kleinhoonte **10**: 12
thyrsiflora Hook.f. **10**: 12
trapezioana Cuatrec. **10**: 7, 11, **41**, 213
uiti (Mart. & Zucc.) Benth. ex Hook.f. **10**: 9, 11, **28**, 207
ulei Pilg. **10**: 10, **46**, 215
venosa Prance **10**: 10, **47**, 215
versicolor Benoist **10**: 12
villosa Maguire **10**: 17
vismioides Klotzsch ex Hook.f. **10**: 14
williamsii J.F.Macbr. **10**: 7, **39**, 211
Crudia
glaberrima (Steud.) Macbr. **10**: 193
Cycadales **2**: 1
Cyclandrophora Hassk. **10**: 66
asperula (Miq.) Prance ex Kosterm. **10**: 70
elata (King) Kosterm. **10**: 68
elliptica (Kosterm.) Kosterm. & Prance **10**: 70
excelsa (Jack) Kosterm. **10**: 70
glaberrima Hassk. **10**: 66, 68, 197
indica (Bedd.) Prance ex Kosterm. **10**: 75
latifolia Prance ex Kosterm. **10**: 72
laurina (A.Gray) Kosterm. **10**: 68
nannodes (Kosterm.) Kosterm. & Prance **10**: 72
penangiana Kosterm. & Prance **10**: 74
scabra (Hassk.) Kosterm. **10**: 68
travancorica (Bedd.) Prance ex Kosterm. **10**: 75
villamilii (Merr.) Prance ex Kosterm. **10**: 70
Cyperaceae **5**: 1; **6**: 1
Cyperales **5**: 1

Dactyladenia Welw. **9**: 3; **10**: 1, 4, **76**
barteri (Hook.f. ex Oliv.) Prance & F.White **10**: 76, 78, 80, **85**, **86**, 226
bellayana (Baill.) Prance & F.White **10**: 77, **82**, 83, 225
buchneri (De Wild.) Prance & Sothers **10**: 78, **87**, 226
campestris (Engl.) Prance & F.White **10**: 77, **82**, 225
chevalieri (De Wild.) Prance & F.White **10**: 79, **93**, 228
cinerea (Engl. ex De Wild.) Prance & F.White **10**: 79, **92**, 228
dewevrei (De Wild. & T.Durand) Prance & F.White **10**: 78, 81, **89**, 227
dichotoma (De Wild.) Prance & F.White **10**: 78, **92**, 228
dinklagei (Engl.) Prance & F.White **10**: 78, **92**, 228
eketensis (De Wild.) Prance & F.White **10**: 78, **91**, 227
floretii Breteler **10**: 77, **83**, 225
floribunda Welw. **10**: 76, 77, 82, **84**, 226

SPECIES PLANTARUM CUMULATIVE INDEX

- gilletii* (De Wild.) Prance & F.White **10**: 77, **81**, 82, 91, 224
hirsuta (A.Chev. ex De Wild.) Prance & F.White **10**: 77, **82**, 225
icondere (Baill.) Prance & F.White **10**: 77, 82, 83, **84**, 85, 225
johnstonei (Hoyle) Prance & F.White **10**: 79, **93**, 94, 228
jongkindii Breteler **10**: 77, **83**, 225
laevis (Pierre ex De Wild.) Prance & F.White **10**: 78, **90**, 227
lehmbachii (Engl.) Prance & F.White **10**: 78, **90**, 227
letestui (Letouzey) Prance & F.White **10**: 77, 79, **80**, 224
librevillensis (Letouzey) Prance & F.White **10**: 77, **81**, 224
lujae (De Wild.) Prance & F.White **10**: 87
mannii (Oliv.) Prance & F.White **10**: 78, **91**, 227
ndjoleensis Breteler **10**: 77, **79**, 224
pallescens (Baill.) Prance & F.White **10**: 78, **87**, 88, 89, 226
pierrei (De Wild.) Prance & F.White **10**: 78, **91**, 92, 227
sapinii (De Wild.) Prance & F.White **10**: 78, **85**, 87, 226
scabrifolia (Hua) Prance & F.White **10**: 77, **80**, 85, 224
smeathmannii (Baill.) Prance & F.White **10**: 76, **79**, 223
staudtii (Engl.) Prance & F.White **10**: 78, **89**, 226
whytei (Stapf) Prance & F.White **10**: 77, **80**, 224
Dahuronia Scop. **9**: 35
Daphne
monostachya Willd. **12**: 38
polystachya Willd. **12**: 38
Desbordesia Pierre ex Tiegh. **1**: 1, **2**
glaucescens (Engl.) Tiegh. **1**: **2**, 3, 22
insignis Pierre ex Tiegh. **1**: 2
oblonga (A.Chev.) Heitz **1**: 2
pallida Tiegh. **1**: 2
pierreana Tiegh. **1**: 2
soyauxii Tiegh. **1**: 2
spirei Tiegh. **1**: 2
Dichapetalaceae **9**: 1, 2; **10**: 193
Dichapetalum
pachypus (Tul.) Engl. **10**: 193
Diemenia Korth. **9**: 177
racemosa Korth. **9**: 177, 178
Diospyros
lobata Lour. **1**: 19
odoratissima Lecomte **1**: 19
Dipsacales **13**: 1
Dipterocarpaceae **10**: 193
Dipterocarpus
cornutus Dyer **10**: 193
Distichia Nees & Meyen **6**: 2, **15**
sect. *Goudotia* (Decne.) Benth. & Hook.f. **6**: 15
sect. *Oxychloë* (Phil.) Benth. & Hook.f. **6**: 9
sect. *Patosia* (Buchenau) Kuntze **6**: 13
acicularis Balslev & Laegaard **6**: 15, 16, **17**, 192
andina (Phil.) Benth. **6**: 9
clandestina (Phil.) Buchenau **6**: 13
filamentosa Buchenau **6**: 15, **17**, 192
filamentosa Griseb. **6**: 17
macrocarpa Wedd. ex Buchenau **6**: 9
muscoides Nees & Meyen **6**: 3, **15**, 16, 192

SPECIES PLANTARUM CUMULATIVE INDEX

- tolimensis* (Decne.) Buchenau **6**: 15
 Distribution description *see* Geographical system used in *Species Plantarum* **Intro**:
 73–91
 Donaldson, John S. **2**
Dulacia Neck. **10**: 1
Dulacia Vell. **10**: 1
- Ebingeria* Chrtek & Křisa **6**: 20
elegans (Lowe) Chrtek & Křisa **6**: 20
 Edgar, Elizabeth **6**
 Eleusine
indica (L.) Gaertn. **8**: 147
 Embelia
 sp. **12**: 29
urophylla Wall. **9**: 178
urophylla Wall. ex A.DC. **9**: 177
valbrayi H.Lév. **4**: 27
Entosiphon Bedd. **10**: 66
indicum Bedd. **10**: 66, 75
 Ephedra **3**: 1
 Ertter, Barbara **7**; **8**
 Erythrophleum
suaveolens **10**: 76
 Erythroxyloaceae **1**: 1; **9**: 1
 Eucryphiaceae **13**: 1
 Euphorbiaceae **12**: 29, 40
 Euphronia **9**: 1, 2
 Euphroniaceae **9**: 1, 2
 Exellodendron Prance **9**: 4, **182**
barbatum (Ducke) Prance **9**: 182, *184*, **185**, 301
cordatum (Hook.f.) Prance **9**: 182, **183**, 300
coriaceum (Benth.) Prance **9**: 182, **183**, *184*, 300
gardneri (Hook.f.) Prance **9**: 182, 183, *184*, **185**, 301
gracile (Kuhlm.) Prance **9**: 183, **186**, 301
Exitelia Blume **10**: 56
corymbosa (Blume) Span. **10**: 59
multiflora (Korth.) Walp. **10**: 59
- Fernandez Carvajal Álvarez, M.Carmen **7**; **8**
 Ferialia
amazonica (Mart. ex Hook.f.) Kuntze **9**: 233
asperula (Miq.) Kuntze **10**: 70
brasiliensis (Schott) Kuntze **9**: 225
campestris (Aubl.) Kuntze **9**: 211
capensis (Harv.) Kuntze **9**: 212
chrysophylla (Oliv.) Kuntze **10**: 58
cordata (Hook.f.) Kuntze **9**: 183
corymbosa (Blume) Kuntze **10**: 59
costata (Korth.) Kuntze **9**: 233
curatellifolia (Planch. ex Benth.) Kuntze **9**: 226
excelsa (Sabine) Kuntze **9**: 232
gardneri (Hook.f.) Kuntze **9**: 185
glaberrima (Hassk.) Kuntze **10**: 68
glabra (Oliv.) Kuntze **10**: 62

SPECIES PLANTARUM CUMULATIVE INDEX

- griffithiana* (Benth.) Kuntze **10**: 59
indica (Bedd.) Kuntze **10**: 75
jackiana (Benth.) Kuntze **10**: 70
macrophylla (Sabine) Kuntze **9**: 195
minutiflorum Kuntze **10**: 59
mobola (Oliv.) Kuntze **9**: 226
montana (Aubl.) Kuntze **9**: 216
nitida (Hook.f.) Kuntze **9**: 98
nonda (F.Muell. ex Benth.) Kuntze **9**: 221
oblongifolia (Hook.f.) Kuntze **9**: 223
obtusifolia (Hook.f.) Kuntze **9**: 211
pohlii (Hook.f.) Kuntze **9**: 225
polyandra (Benth.) Kuntze **10**: 65
polyneura (Miq.) Kuntze **9**: 235
robusta (Oliv.) Kuntze **10**: 65
salicifolia (C.Presl) Kuntze **10**: 59
scabra (Hassk.) Kuntze **10**: 68
sprucei (Hook.f.) Kuntze **9**: 231
subcordata (Oliv.) Kuntze **9**: 219
sumatrana (Jack) Kuntze **9**: 227
travancorica (Bedd.) Kuntze **10**: 75
 Fothergill, J.M. **9**; **10**
- Gaimardia
 boliviana Pax **6**: 15
 Garcia-Herran, Karmele **6**
Geobalanus Small **9**: 35
 oblongifolius (Michx.) Small **9**: 35
 pallidus Small **9**: 35
 Geographical system used in *Species Plantarum* **Intro**: 73–91
 Africa **Intro**: 76, 77
 Antarctic (including subantarctic islands) **Intro**: 90, 91
 Asia (including Malesia) **Intro**: 80, 81
 Australasia **Intro**: 82, 83
 Caribbean **Intro**: 86, 87
 Central America **Intro**: 86, 87
 Eastern Europe **Intro**: 78, 79
 Europe **Intro**: 74, 75
 Far East **Intro**: 78, 79
 Middle East **Intro**: 80, 81
 North America **Intro**: 86, 87
 Pacific **Intro**: 84, 85
 South America **Intro**: 88, 89
 Gjellerupia **12**: 1, 2, **21**
 papuana Lauterb. **12**: **21**, 22, 60
 Glossary for *Species Plantarum* **Intro**: 37–71
 Gnetales **3**: 1
 Gnetum **3**: 1
Goudotia Decne. **6**: 15
 tolimensis Decne. **6**: 15
Govantesia Llanos **12**: 3
 malulucban Llanos **12**: 3, 4
 Grangeria Commers. ex Juss. **9**: 3, **9**
 borbonica Lam. **9**: 9, *10*, **11**, 242

SPECIES PLANTARUM CUMULATIVE INDEX

- brasiliensis* Hoffmanns. ex Mart. & Zucc. **10**: 120
buxifolia Sm. **9**: 11
madagascariensis O.Hoffm. **9**: 11
porosa Boivin ex Baill. **9**: 10, **11**, 242
Griffonia Hook.f. **10**: 76
barteri Hook.f. ex Oliv. **10**: 76, 85
bellayana (Baill.) Oliv. **10**: 82
icondere (Baill.) Oliv. **10**: 84
mannii Oliv. **10**: 91
pallescens (Baill.) Oliv. **10**: 87
 var. *arborescens* Oliv. **10**: 87
 var. *scandens* Oliv. **10**: 87
Groutia Guill. & Perr. **12**: 23
celtidifolia Guill. & Perr. **12**: 23
Grymandia
 polyandra **10**: 5
Grymania C.Presl **10**: 5, 56
 polyandra (Kunth) Presl **10**: 47
 salicifolia C.Presl **10**: 59
Guide for contributors to *Species Plantarum* **Intro**: 5–36
 family treatment **Intro**: 9–17
 generic treatment **Intro**: 17–20
 species treatment **Intro**: 20–30
 illustrations **Intro**: 30, 31
Gymnodes (Griseb.) Fourn. **6**: 18, 91
 campestris (L.) Fourn. **6**: 104
 multiflora (Ehrh.) Fourn. **6**: 109
 spicata (L.) Fourn. **6**: 62
 sudetica (Willd.) Fourn. **6**: 106
Gymnotheca Decne. **11**: **5**
 chinesis Decne. **11**: 5, 8, 11
 involutrata C.P'ei **11**: 6, 11
 weinmannifolia hort. ex L.Gentil. **11**: 5

Hämet-Ahti, Leena **6**; **7**; **8**
Harris, D.J. **1**
Hedycrea Schreb. **9**: 12
 incana (Aubl.) J.F.Gmel. **9**: 164
Heritiera
 littoralis Lam. **10**: 67
Hiepko, Paul **12**
Hill, Kenneth D. **2**
Hirtella L. **9**: 1, 3; **10**: **95**
 sect. *Hirtella* **10**: 95, 96, 101, **110**
 sect. *Myrmecophila* Prance **10**: 95, **106**
 subg. *Afrohirtella* Hauman **10**: 179
 acayacensis Sessé & Moç. ex DC. **10**: 151
 acuminata Rusby **10**: 141
 adderleyi Prance **10**: 98, 99, **131**, 238
 adenophora Cuatrec. **10**: 104, **165**, 254
 aequatoriensis Prance **10**: 98, **125**, 236
 aggregata Poir. **10**: 127
 americana Aubl. **10**: 98
 americana Jacq. **10**: 135

SPECIES PLANTARUM CUMULATIVE INDEX

- americana* L. **10**: 95, 110, **124**, 149, 235
 var. *gracilipes* Hook.f. **10**: 146
 var. *hexandra* (Willd. ex Roem. & Schult.) Hook.f. **10**: 151
 var. *oblongifolia* (DC.) Hook.f. **10**: 151
amplexicaulis Pilg. **10**: 123
angustifolia Schott ex Spreng. **10**: 104, 105, **169**, 256
angustissima Sandwith **10**: 101, 105, **144**, 245
apetala E.Mey. **9**: 68
araguariensis Prance **10**: 97, **114**, 233
aramangensis Prance **10**: 101, **142**, 244
arenosa Prance **10**: 106, **147**, 148, 247
aureohirsuta Pilg. **10**: 123
bahiensis Prance **10**: 97, **136**, 241
bangweolensis (R.E.Fr) Greenway **10**: 187
 var. *glabriuscula* Hauman **10**: 187
barnebyi Prance **10**: 96, **115**, 116, 232
barrosoi Prance **10**: 100, **132**, 239
beckii Prance **10**: 98, **133**, 240
bicornis Mart. & Zucc. **10**: 100, 101, **143**
 var. *bicornis* **10**: **143**, 244
 var. *pubescens* Ducke **10**: 143, **144**, 245
brachystachya Spruce ex Hook.f. **10**: 102, **147**, 246
bracteata Mart. & Zucc. **10**: 135
bracteosa Steud. **10**: 127
bullata Benth. **10**: 98, 103, **123**, 235
burchellii Britton **10**: 103, **156**, 250
butayi (De Wild.) Brenan **10**: 179, 185
 var. *greenwayi* (Brenan) Hauman **10**: 187
Hirtella continued
caduca Fanshawe & Maguire **10**: 104, **166**, 254
canomensis (Mart.) Spreng. **10**: 21
carbonaria Little **10**: 97, **114**, 231
castanea DC. **10**: 135
castilloana Prance **10**: 97, 99, **128**, 237
caudata Kleinhoonte **10**: 144
cauliflora Huber **10**: 108
cerebriformis Capuron **10**: 192
ciliata Mart. & Zucc. **10**: 98, **120**, 121, 234
cliffortiana Vell. **10**: **172**
cognata Steud. **10**: 45
collina S.Moore **10**: 156
conduplicata Prance **10**: 106, **148**, 247
confertiflora Prance **10**: 99, **112**, 113, 231
conrauana (Engl.) A.Chev. **10**: 181, 197
coppenamensis Kleinhoonte **10**: 139
cordifolia Prance **10**: 97, **117**, 233
coriacea Mart. & Zucc. **10**: 151
corymbosa Cham. & Schltdl. **10**: 99, **132**, 239
cosmibuena Lam. **10**: 135
cotticaensis Kleinhoonte **10**: 108
couepiiflora Prance **10**: 103, 105, **166**, 255
cowanii Prance & Maguire **10**: 101, **140**, 243
cupheiflora (Mildbr.) Mildbr. ex A.Chev. **10**: 184, 197
damaziana Beauverd **10**: 122

SPECIES PLANTARUM CUMULATIVE INDEX

- davisii* Sandwith **10**: 97, **119**, 234
deflexa Maguire **10**: 99, **128**, 237
dodecandra Sessé & Moç. ex DC. **10**: 48, 197
dorvalii Prance **10**: 96, **109**, 229
duckei Huber **10**: 95, 96, **109**, 230
Hirtella continued
egensis Fritsch **10**: 163
eglandulosa Greenway **10**: 185
elliptica C.Presl **10**: 136
elongata Mart. & Zucc. **10**: 100, **138**, 242
enneandra Cuatrec. **10**: 105, **171**, 257
eriandra Benth. **10**: 99, 100, **126**, 237
excelsa Standl. ex Prance **10**: 104, **165**, 254
fasciculata Prance **10**: 104, **166**, 255
filiformis C.Presl **10**: 151
fleuryana A.Chev. **10**: 180
floribunda Cham. & Schltdl. **10**: 105, **168**, 255
formicaria Suess. **10**: 109, 197
fruticulosa Hauman **10**: 185
gardneri Benth. **10**: 170
glaberrima (Engl.) A.Chev. **10**: 183
glaberrima Steud. **10**: 193
glabrata Pilg. **10**: 97, 99, **112**, 231
glandistipula Ducke **10**: 104, **157**, 251
glandulosa Spreng. **10**: 98, *121*, **122**, 235
glaziovii Taub. **10**: 106, **172**, 257
gracilipes (Hook.f.) Prance **10**: 102, **146**, 246
guainiae Spruce ex Hook.f. **10**: 96, **109**, 230
guatemalensis Standl. **10**: 98, **125**, 236
guyanensis (Fritsch) Sandwith **10**: 101, **141**, 149, 243
hebeclada Moric. ex DC. **10**: 100, 105, **170**, 256
hevanda Mart. ex Colla **10**: 136
hexandra Willd. ex Roem. & Schult. **10**: 151
hirsuta Lam. **10**: 127
hispidula Miq. **10**: 104, **163**, 253
hoehnei Pilg. **10**: 98, **122**, 234
hookeri Pilg. **10**: 122, 197
indecora Schott ex Spreng. **10**: 127
Hirtella continued
insignis Briq. ex Prance **10**: 97, **117**, 233
jamaicensis Urb. **10**: 135, 197
juruensis Pilg. **10**: 102, **152**, 248
katangensis Hauman **10**: 187
kuhlmannii Pilg. **10**: 102, **152**, 248
lanceolata Kleinhoonte **10**: 139
lancifolia Ducke **10**: 103, **155**, 250
latifolia Prance **10**: 100, **137**, 241
lemsii L.O.Williams & Prance **10**: 103, **154**, 249
leonotis Pittier **10**: 100, 102, **133**, 239
liesneri Prance **10**: 99, **117**, 232
lightioides Rusby **10**: 101, **141**, 243
longifolia Benth. ex Hook.f. **10**: 103, **153**, 249
longipedicellata Prance **10**: 104, 105, **157**, 251
macrophylla Benth. ex Hook.f. **10**: 99, **129**, *130*, 238

SPECIES PLANTARUM CUMULATIVE INDEX

- macrosepala* Sandwith **10**: 96, **111**, 230
magnifolia Prance **10**: 100, **138**, 242
maguirei Prance **10**: 101, **146**, 246
manigera Kleinhoonte **10**: 164, 197
margae Prance **10**: 96, **115**, 232
martiana Hook.f. **10**: 104, *121*, **158**, 251
media Standl. **10**: 136
megacarpa R.A.Graham **10**: 159
melinonii Benoist **10**: 164
mollicoma Kunth **10**: 124
mollissima Hemsl. **10**: 124
montana Hauman **10**: 189
mucronata Prance **10**: 103, **157**, 250
multiflora Urb. **10**: 135, 197
mutisii Killip & Cuatrec. **10**: 100, 105, **134**, 240
myrmecophila Pilg. **10**: 96, **106**, *107*, 229
 var. *tetrandra* Huber **10**: 106
nemorosa Hoffmanns. ex Roem. & Schult. **10**: 149
nitida Humb. & Bonpl. ex Roem. & Schult. **10**: 151
Hirtella continued
obidensis Ducke **10**: 98, 101, **139**, 242
oblongifolia DC. **10**: 151
octandra Hoffmanns. ex Roem. & Schult. **9**: 88
olivaeformis Poir. **10**: 193
orbicularis Prance **10**: 101, **140**, 243
paniculata Lam. **10**: 135
paniculata Sw. **10**: 99, 104, **127**, 237
papillata Prance **10**: 97, **126**, 236
paraensis Prance **10**: 103, **154**, 249
parviunguis Prance **10**: 105, **162**, 253
pauciflora Little **10**: 106, **171**, 257
pendula Sol. ex Lam. **10**: 99, **132**, 239
peruviana Pers. **10**: 135
physophora Mart. & Zucc. **10**: 96, **108**, 229
pilosissima Mart. & Zucc. **10**: 102, **145**, 246
pimichina Lasser & Maguire **10**: 104, **162**, 253
piresii Prance **10**: 97, **118**, 233
plumbea Pilg. **10**: 156
pohlii Hook.f. **10**: **172**
polyandra Kunth **10**: 47
porosa (Boivin ex Baill.) Drake **9**: 11
portoricensis Humb. & Bonpl. ex Roem. & Schult. **10**: 169
praealta Sagot **10**: 143
pulchra Fritsch **10**: 156
Hirtella continued
punctillata Ducke **10**: 99, **131**, 238
punctulata Miq. **10**: 136
purusana Huber **10**: 145
racemosa Lam. **10**: 102, 103, 105, 106, **149**
 var. *glandipedicellata* Prance **10**: 117
 var. *hexandra* (Willd. ex Roem. & Schult.) Prance **10**: 149, **151**, 247
 var. *hispida* Prance **10**: 149, **152**, 248
 var. *metallica* Cuatrec. **10**: 149
 var. *oblongifolia* (DC.) Standl. **10**: 151

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *racemosa* **10**: 110, **149**, 150, 247
racemosa Ruiz & Pavon **10**: 135
radamii Prance **10**: 102, **145**, 245
rasa Standl. **10**: 101, **142**, 244
revillae Prance **10**: 96, **110**, 230
rodriguesii Prance **10**: 101, 102, **139**, 242
roraimae Klotzsch **10**: 192
rosea Sessé & Moc. ex DC. **10**: 151
rotundata Pilg. **10**: 120
rubra Benth. **10**: 120
rugosa Thuill. ex Pers. **10**: 105, **169**, 256
santosii Prance **10**: 104, **124**, 235
sapinii (De Wild.) A.Chev. **10**: 185
 var. *greenwayi* Brenan **10**: 187
scaberula Spruce ex Hook.f. **10**: 105, **170**, 256
scabra Benth. **10**: 101, **142**, 244
scandens Hoffmanns. ex Roem. & Schult. **10**: 149
Hirtella continued
schultesii Prance **10**: 103, **154**, 249
selloana Hook.f. **10**: 170
silicea Griseb. **10**: 104, **164**, 254
sprucei Benth. ex Hook.f. **10**: 103, **155**, 250
 subsp. *meridionalis* Hassl. **10**: 156
standleyi Baehni & J.F.Macbr. **10**: 102, **153**, 248
stipitadenia Rusby **10**: 123
strigulosa Steud. **10**: 152
subglanduligera Pilg. **10**: 97, **119**, 234
subscandens Spruce ex Hook.f. **10**: 104, **163**, 253
subsetosa Fanshawe & Maguire **10**: 163
suffulta Prance **10**: 100, **137**, 241
tamenaka Capuron **10**: 191
tentaculata Poepp. **10**: 98, **128**, 238
tenuifolia Prance **10**: 102, **144**, 245
thouarsiana Baill. ex Laness. **10**: 95, 96, **161**
 subsp. *abrupte-acuminata* (F.White) Prance **10**: **161**, 252
 subsp. *obtusifolia* (F.White) Prance **10**: 161, **162**, 252
 subsp. *parvifolia* (F.White) Prance **10**: 161, **162**, 252
 subsp. *thouarsiana* **10**: **161**, 252
tisserantii (Aubrév. & Pellegr.) Aubrév. & Pellegr. **10**: 190
tocantina Ducke **10**: 97, **118**, 233
tomentella Schott ex Spreng. **10**: 170
triandra Sw. **10**: 99, 100, **134**
 subsp. *media* (Standl.) Prance **10**: 135, **136**, 241
 subsp. *punctulata* (Miq.) Prance **10**: 135, **136**, 240
 subsp. *triandra* **10**: 111, **135**, 240
trichotoma Prance **10**: 98, **125**, 236
tubiflora Cuatrec. **10**: 105, 167, **168**, 255
ulei Pilg. **10**: 96, **111**, 231
velutina Pilg. **10**: 122
vesiculosa Suess. **10**: 96, **108**, 229
violacea Steud. **10**: 149
wachenheimii Benoist **10**: 122
zanzibarica Oliv. **10**: 95, 96, **159**, 160, 161
 subsp. *abrupte-acuminata* F.White **10**: 161

SPECIES PLANTARUM CUMULATIVE INDEX

- subsp. *megacarpa* (R.A.Graham) Prance **10**: **159**, 252
 subsp. *obtusifolia* F.White **10**: 162
 subsp. *parvifolia* F.White **10**: 162
 subsp. *thouarsiana* (Baill. ex Laness.) F.White **10**: 161
 subsp. *zanzibarica* **10**: **159**, 251
 var. *cryptadenia* Brenan **10**: 159
zenkeri (Engl.) A.Chev. **10**: 180
Hirtellaceae Horan. **9**: 1
Houttuynia Thunb. **11**: **7**
bolanderi (C.DC.) Benth. & Hook.f. **11**: 6
californica (Nutt.) Benth. & Hook.f. **11**: 6
cordata Thunb. **11**: **7**, 8, 11
 f. *polypetaloidea* T.Yamaz **11**: 9
 f. *viridis* J.Ohara **11**: 9
foetida hort. ex Loudon **11**: 7
Hugoniaceae **1**: 1
Humiriaceae **10**: 193
Hunga Pancher ex Prance **9**: 3, **186**
cordata Prance **9**: 186, **194**, 303
fusicarpa Kosterm. **9**: 100
gerontogea (Schltr.) Prance **9**: **187**, 188, 301
guillauminii Prance **9**: 187, **194**, 303
lifouana (Däniker) Prance **9**: 187, 188, **189**, 302
longifolia Prance **9**: 187, **189**, 191, 302
mackeeana Prance **9**: 197, **189**, 302
minutiflora (Baker f.) Prance **9**: 187, 188, **190**, 302
myrsinoides (Schltr.) Prance **9**: 187, **194**, 303
novoguineensis Prance **9**: 187, **190**, 193, 302
papuana (Baker f.) Prance **9**: 187, **192**, 193, 302
rhamnoides (Guillaumin) Prance **9**: 186, 187, 191, **192**, 303
rhamnoides Pancher ex Guillaumin **9**: 192

Icacina
senegalensis Juss. **10**: 193
Icacinaceae **10**: 193
Icaco Plum. ex Adans. **9**: 4
Illiciaceae **4**: 1
Illiciales **4**: 1
Irvingella Tiegh. **1**: 8
 boto Tiegh. **1**: 19
 chevalieri Tiegh. **1**: 16
 grandifolia (Engl.) Hallier f. **1**: 16
 harmandiana Tiegh. **1**: 15
 klainei Tiegh. **1**: 19
 malayana (Oliv. ex A.W.Benn.) Tiegh. **1**: 15
 rubra Tiegh. **1**: 16
 smithii (Hook.f.) Tiegh. **1**: 16
 spirei Tiegh. **1**: 2
 thollonii Tiegh. **1**: 16
Irvingia Hook.f. **1**: 1, **8**
 barteri Hook.f. **1**: 11
 var. *tenuifolia* (Hook.f.) Oliv. **1**: 19
 caerulea Tiegh. **1**: 11
 duparquetii Tiegh. **1**: 11

SPECIES PLANTARUM CUMULATIVE INDEX

erecta Tiegh. **1**: 11
 excelsa Mildbr. **1**: **9**, 10, 22
 fusca Tiegh. **1**: 19
 gabonensis (Aubry-Lecomte ex O'Rorke) Baill. **1**: 8, **11**, 13, 22
 var. *excelsa* (Mildbr.) Okafor **1**: 9
 var. *wombulu* Vermoesen **1**: 15
 glaucescens Engl. **1**: 2
 grandifolia (Engl.) Engl. **1**: 8, **16**, 17, 23
 griffonii Tiegh. **1**: 11
 harmandiana Pierre ex Laness. **1**: 15
 hookeriana Tiegh. **1**: 11
 laeta Tiegh. **1**: 19
 lobata (Lour.) A.Chev. **1**: 19
 longipedicellata Gagnep. **1**: 15
 malayana Oliv. ex A.W.Benn. **1**: 8, **15**, 16, 23
 mossambicensis Sims **1**: 20
 nodosa Tiegh. **1**: 16
 oblonga A.Chev. **1**: 2
 oliveri Pierre **1**: 15
 pauciflora Tiegh. **1**: 11
 platycarpa Tiegh. **1**: 19
 robur Mildbr. **1**: **9**, 12, 22
 smithii Hook.f. **1**: 8, **16**, 18, 23
 tenuifolia Hook.f. **1**: 19
 tenuinucleata Tiegh. **1**: 19
 velutina Tiegh. **1**: 11
 wombulu Vermoesen **1**: 9, 14, **15**, 23
 Irvingiaceae Exell & Mendonça **1**: **1**
Izabalaea excelsa Lundell **12**: 48
 Ixonanthaceae **1**: 1

Jérémie, Joël **13**, **14**
 Juncaceae Juss. **5**: 1; **6**: **1**
Juncastrum Fourr. **7**: 1
Juncinella Fourr. **7**: 1
pygmaea (Rich. ex Thuill.) Fourr. **7**: 159
Juncoides Ség. **6**: 18
 sect. *Anthelaea* (Griseb.) Kuntze **6**: 21
 sect. *Gymnodes* (Griseb.) Kuntze **6**: 18
 sect. *Pterodes* (Griseb.) Kuntze **6**: 164
alopecurus (Desv.) Kuntze **6**: 74
antarctica (Hook.f.) Macloskie **6**: 80
arcuata (Wahlenb.) Druce **6**: 86
boliviensis (Buchenau) Kuntze **6**: 78
bulbosa (A.W.Wood) Small **6**: 157
caespitosa (E.Mey.) Kuntze **6**: 69
campestris (L.) Kuntze **6**: 104
 var. *bulbosa* (A.W.Wood) Coville & Blake **6**: 157
 var. *comosa* (E.Mey.) Kuntze **6**: 155
 var. *congesta* (S.Watson) Piper **6**: 156
 var. *echinata* (Small) Coville & Blake **6**: 157
 var. *hawaiiensis* (Buchenau) Kuntze **6**: 158
 var. *longiflora* (Benth.) Kuntze **6**: 151
 var. *multiflora* (Ehrh.) E.Sheld. **6**: 109

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *picta* (A.Rich.) Kuntze **6**: 135
 var. *sudetica* (Willd.) Coville **6**: 106
 var. *vulgaris* E.Sheld. **6**: 104
canariensis (Poir.) Kuntze **6**: 24
caricina (E.Mey.) Kuntze **6**: 160
carolinae (S.Watson) Kuntze **6**: 174
chilensis (Kunth) Kuntze **6**: 75
comosa (E.Mey.) E.Sheld. **6**: 155
 var. *macranthera* (S.Watson) Parish **6**: 155
 var. *subsessilis* (S.Watson) E.Sheld. **6**: 155
confusa (Lindeb.) A.Heller **6**: 89
divaricata (S.Watson) Coville **6**: 45
echinata Small **6**: 157
erecta Boulger **6**: 110
excelsa (Buchenau) Kuntze **6**: 70
forsteri (Sm.) Kuntze **6**: 166
gigantea (Desv.) E.Sheld. **6**: 40
glabrata (Hoppe) E.Sheld. **6**: 48
hieronymi (Buchenau) Kuntze **6**: 70
hyperborea (R.Br.) Coville **6**: 89
 var. *minor* (Hook.) E.Sheld. **6**: 91
intermedia (Thuill.) Rydb. **6**: 110
 var. *echinata* (Small) House **6**: 157
japonica (Buchenau) Kuntze **6**: 176
johnstonii (Buchenau) Kuntze **6**: 166
lactea (Link) Kuntze **6**: 23
leiboldii (Buchenau) Kuntze **6**: 77
lutea (All.) Kuntze **6**: 26
luzulina (Vill.) Kuntze **6**: 169
macusaniensis (Buchenau) Kuntze **6**: 78
major (Hook.) Piper **6**: 46
multiflora (Ehrh.) Druce **6**: 109
 Juncoides continued
nemorosa (Pollich) Kuntze **6**: 28
nivalis (Laest.) Coville **6**: 90
nivea (Nathh.) Kuntze **6**: 25
nodulosa (E.Mey.) Kuntze **6**: 38
nutans (Vill.) Kuntze **6**: 68
pallescens (Sw.) Druce **6**: 98
parviflora (Ehrh.) Coville **6**: 49
 subsp. *melanocarpa* (Michx.) Cockerell **6**: 51
 var. *melanocarpa* (Michx.) E.Sheld. **6**: 51
 var. *subcongesta* (S.Watson) E.Sheld. **6**: 83
patagonica (Speg.) Kuntze **6**: 74
pedemontana (Boiss. & Reut.) Kuntze **6**: 26
peruviana (Desv.) Kuntze **6**: 78
pilosa (L.) Kuntze **6**: 170
 var. *michiganensis* Farw. **6**: 174
 var. *saltuensis* (Fernald) Farw. **6**: 172
piperi Coville **6**: 45
plumosa (E.Mey.) Kuntze **6**: 175
pumila (Hook.f.) Macloskie **6**: 133
purpurea (E.Mey.) Kuntze **6**: 20
racemosa (Desv.) Kuntze **6**: 77

SPECIES PLANTARUM CUMULATIVE INDEX

- rufescens* (Fisch. ex E.Mey.) Kuntze **6**: 183
saltuensis (Fernald) F.Heller **6**: 172
seubertii (Lowe) Kuntze **6**: 22
spadicea Kuntze **6**: 53
 var. *effusa* (Buchenau) Kuntze **6**: 51
 var. *gigantea* (Desv.) Kuntze **6**: 40
 var. *parviflora* (Ehrh.) Kuntze **6**: 49
spicata (L.) Kuntze **6**: 62
subcapitata Rydb. **6**: 44
subcongesta Coville **6**: 83
subsessilis (S.Watson) Piper **6**: 155
sylvatica (Huds.) Druce **6**: 32
Juncus L. **5**: 1, 2; **6**: 1, 2; **7**: 1; **8**: 1
 sect. *Acuti* [Fr. ex] T.Marsson **7**: 5
 sect. *Allioidei* K.F.Wu **7**: 75
 sect. *Alpini* (Engelm.) Vierh. **7**: 74
 sect. *Aphylli* (Spenn.) Cout. **8**: 57
 sect. *Arthrophyllon* (K.Koch) Satake **7**: 151
 sect. *Articulati* (Engelm.) Rouy **7**: 151
 sect. *Articulati* T.Marsson **7**: 151
 sect. *Bufonii* K.F.Wu **8**: 2
 sect. *Caespitosi* Cout. **6**: vii; **7**: 4, **57**; **8**: 1
 sect. *Castanei* (Rydb.) Satake **7**: 75
 sect. *Cephaloxys* ([Desv.] Rchb.) Post & O.Kuntze **7**: 27
 sect. *Communes* (Engelm.) Satake **8**: 57
 sect. *Compressi* (Boiss.) Rouy **8**: 17
 sect. *Concinni* K.F.Wu **7**: 75
 sect. *Effusi* K.F.Wu **8**: 57
 sect. *Ensifolii* Snogerup **7**: 135
 sect. *Falcati* Novikov **7**: 27
 sect. *Forskalina* Kuntze **7**: 4; **8**: 1, **145**
 sect. *Genuini* Engelm. **8**: 57
 sect. *Graminei* (Engelm.) Engelm. **7**: 27
 sect. *Graminifolii* Engelm. **7**: 4, **27**, **57**; **8**: 1
 sect. *Hexandri* Satake **7**: 151
 sect. *Inflexi* K.F.Wu **8**: 57
 sect. *Iridifolii* Snogerup & Kirschner **7**: 4, **135**; **8**: 1
 sect. *Juncastrum* [Fourr. ex] Kuntze **7**: 5
 sect. *Juncinella* (V.I.Krecz. & Gotsch.) Weim. **7**: 57
 sect. *Juncotypus* Dumort. **6**: vii; **7**: 4; **8**: 1, 18, **57**, 112, 113
 sect. *Juncus* **6**: vii; **7**: 3, 4, **5**; **8**: 1, 111
Juncus continued
 sect. *Lateriflori* [Fr. ex] T.Marsson **8**: 57
 sect. *Maritimi* (Engelm.) Rouy **7**: 5
 sect. *Marsippospermum* (Desv.) E.Mey. **6**: 5
 sect. *Minimi* K.F.Wu **7**: 75
 sect. *Nigroviolacei* K.F.Wu **7**: 75
 sect. *Nodulosi* Cout. **7**: 151
 sect. *Obtusiflori* Rouy **7**: 151
 sect. *Ochracei* Novikov **7**: 75
 sect. *Ozophyllum* Dumort. **7**: 3, 4, **151**; **8**: 1
 sect. *Poiophylli* (Buchenau) Rouy **8**: 2
 sect. *Pungentes* Cout. **7**: 5
 sect. *Pygmaei* Rouy **7**: 151

SPECIES PLANTARUM CUMULATIVE INDEX

- sect. *Scheuchzerioidei* Novikov **7**: 152
 sect. *Septati* (Buchenau) Vierh. **7**: 151
 sect. *Sikkimenses* K.F.Wu **7**: 75
 sect. *Singulares* (Buchenau) Kuntze **7**: 27
 sect. *Sphacelati* K.F.Wu **7**: 75
 sect. *Squarrosi* [Fr. ex] Rouy **8**: 18
 sect. *Steirocaulos* Griseb. **8**: 57, 112
 sect. *Steirochloa* Griseb. **7**: 3, 4; **8**: 1, **17**, 56
 sect. *Stygii* [Fr. ex] Rouy **7**: 75
 sect. *Stygiopsis* [Gand. ex] Kuntze **6**: vii; **7**: 3, 4, **74**, 75, 106, 135
 sect. *Stygiopsis* Kuntze **8**: 1 ***
 sect. *Subnodulosi* Weim. **7**: 151
 sect. *Subsegregatiflores* Cout. **8**: 2
 sect. *Subulati* (Buchenau) Rouy **8**: 145
 sect. *Supini* Rouy **7**: 151
 sect. *Tenageia* Dumort. **7**: 1, 4; **8**: 1, **2**
 sect. *Tenues* [Engelm.] Rouy **8**: 17
 sect. *Teretes* Satake **7**: 151
 sect. *Terminiflori* (Peterm.) Novikov **7**: 75
 sect. *Thalassici* (Buchenau) Vierharpper **7**: 5
 sect. *Trifidi* Rouy **8**: 18
 sect. *Triglumes* K.F.Wu **7**: 75
 ser. [ryad] *Cephalophora* (K.Koch) V.I.Krecz. & Gontsch. **7**: 151
 ser. *Alati* Satake **7**: 135
 ser. *Articulati* (Engelm.) Satake **7**: 151
 ser. *Auriculati* Satake **7**: 135
 ser. *Benghalenses* K.F.Wu **7**: 75
 ser. *Ensifolii* (Engelm.) Satake **7**: 135
 ser. *Filiformes* Satake **7**: 75
 ser. *Monocephali* Satake **7**: 151
 ser. *Perennes* Buchenau **7**: 27
 ser. *Triandri* Satake **7**: 151
 ser. *Triglumes* [K.F.Wu] K.F.Wu **7**: 75
 Juncus continued
 subg. *Agathryon* Raf. **8**: **2**, 148
 subg. *Alpini* (Engelm.) Buchenau **7**: 74
 subg. *Cephaloxys* [Desv.] Rchb. **7**: 27
 subg. *Ensifolii* [Snogerup] Snogerup **7**: 135
 subg. *Forskalina* (Kuntze) V.I.Krecz. & Gontsch. **8**: 145
 subg. *Genuini* (Engelm.) Buchenau **8**: 58
 subg. *Graminifolii* (Engelm.) Buchenau **7**: 27
 subg. *Juncastrum* (Kuntze) V.I.Krecz. & Gontsch. **7**: 5
 subg. *Juncinella* [Fourr. ex] V.I.Krecz. & Gontsch. **7**: 57
 subg. *Juncotypus* (Dumort.) V.I.Krecz. & Gontsch. **8**: 57
 subg. *Juncus* **7**: 5
 subg. *Ozophyllum* (Dumort.) V.I.Krecz. & Gontsch. **7**: 151
 subg. *Poiophylli* Buchenau **8**: 2
 subg. *Prionoschoenus* Rchb. **5**: 2
 subg. *Pseudotenageia* V.I.Krecz. & Gontsch. **8**: 17
 subg. *Septati* Buchenau **7**: 151
 subg. *Singulares* Buchenau **7**: 27, 57
 subg. *Stygiopsis* (Kuntze) V.I.Krecz. & Gontsch. **7**: 75
 subg. *Subulati* Buchenau **8**: 145
 subg. *Tenageia* (Dumort.) V.I.Krecz. & Gontsch. **8**: 2

SPECIES PLANTARUM CUMULATIVE INDEX

- subg. *Thalassici* Buchenau **7**: 5
- Juncus continued
- subsect. *Acuti* [V. I.Krecz. & Gontsch. ex] Novikov **7**: 5
- subsect. *Ambigui* Novikov **8**: 2
- subsect. *Ancipiti* Satake **7**: 135
- subsect. *Baltici* Novikov **8**: 58
- subsect. *Beringenses* Novikov **8**: 58
- subsect. *Bracteati* Novikov **7**: 75
- subsect. *Castanei* [Rydb.] Novikov **7**: 75
- subsect. *Chilenses* Novikov **7**: 152
- subsect. *Compressi* (Boiss.) Novikov **8**: 17
- subsect. *Cyperoidei* Novikov **7**: 27
- subsect. *Dregeani* Novikov **7**: 28
- subsect. *Drummondii* Novikov **8**: 58
- subsect. *Effusoidei* Satake **8**: 58
- subsect. *Ensifolii* [Snogerup] Novikov **7**: 135
- subsect. *Falcati* [Novikov] Novikov **7**: 27
- subsect. *Faurienses* Novikov **7**: 152
- subsect. *Genuini* (Engelm.) Novikov **8**: 58
- subsect. *Gerardii* Novikov **8**: 18
- subsect. *Graminifolii* (Buchenau) Novikov **7**: 27
- subsect. *Grisebachii* Novikov **7**: 75
- subsect. *Juncinella* (V.I.Krecz. & Gontsch.) Novikov **7**: 57
- subsect. *Longistyli* Novikov **7**: 27
- subsect. *Luzuliformes* Novikov **7**: 75
- subsect. *Maritimi* (Engelm.) Novikov **7**: 5
- subsect. *Membranacei* Novikov **7**: 75
- subsect. *Mertensiani* Novikov **7**: 151
- subsect. *Nodosi* [Rydb.] Novikov **7**: 151
- subsect. *Obtusiflori* (Rouy) Novikov **7**: 151
- subsect. *Oronenses* Novikov **8**: 18
- subsect. *Ozophyllum* (Dumort.) Novikov **7**: 151
- subsect. *Plebeji* Novikov **8**: 2
- subsect. *Poiophylli* (Buchenau) Novikov **8**: 2
- subsect. *Pygmaei* (Rouy) Novikov **7**: 151
- subsect. *Pyramidati* [V.I.Krecz. & Gontsch. ex] Novikov **7**: 151
- subsect. *Regelii* Novikov **7**: 27
- subsect. *Repentes* Novikov **7**: 27
- subsect. *Roemeriani* Novikov **7**: 5
- subsect. *Scheuchzerioidei* [Novikov] Novikov **7**: 152
- subsect. *Septati* (Buchenau) Novikov **7**: 151
- subsect. *Singulares* (Buchenau) Novikov **7**: 27
- subsect. *Squarrosi* [Rouy] Novikov **8**: 18
- subsect. *Stygii* (Rouy) Novikov **7**: 75
- subsect. *Tenageia* Novikov **8**: 2
- subsect. *Tenues* [Engelm.] Novikov **8**: 17
- subsect. *Thomsonii* Novikov **7**: 75
- subsect. *Uniflori* Novikov **7**: 75
- Juncus continued
- [unranked, 'Abtheilung'] *Terminiflori* Peterm. **7**: 74
- [unranked] *Alpini* Engelm. **7**: 74
- [unranked] *Annui* Boiss. **8**: 2
- [unranked] *Aphylli* Spenn. **8**: 57
- [unranked] *Arctici* Engelm. **8**: 57

SPECIES PLANTARUM CUMULATIVE INDEX

- [unranked] *Arthrophyllon* K.Koch **7**: 151
 [unranked] *Articulati* Engelm. **7**: 151
 [unranked] *Bufonii* Rydb. **8**: 2
 [unranked] *Capituliflori* Peterm. **7**: 151
 [unranked] *Castanei* Rydb. **7**: 75
 [unranked] *Caudati* Engelm. **7**: 151
 [unranked] *Cephalophora* K.Koch **7**: 151
 [unranked] *Communes* Engelm. **8**: 57
 [unranked] *Compressi* Boiss. **8**: 17
 [unranked] *Cyeroidei* Boiss. **7**: 27
 [unranked] *Effusi* Rydb. **8**: 58
 [unranked] *Ensifolii* Engelm. **7**: 135
 [unranked] *Foliati* Spenn. **7**: 151
 [unranked] *Graminei* Engelm. **7**: 27
 [unranked] *Isophyllum* K.Koch **8**: 2
 [unranked] *Lateriflori* Peterm. **8**: 57
 [unranked] *Maritimi* Engelm. **7**: 5
 [unranked] *Nodosi* Rydb. **7**: 151
 [unranked] *Sparsiflori* Peterm. **8**: 17
 [unranked] *Subtriflori* Rydb. **8**: 58
 [unranked] *Tenuis* Engelm. **8**: 17
- Juncus continued
- abjectus* F.J.Herm. **7**: 70
abortivus Chapm. **7**: 165
achalensis Barros **7**: 187
acicularis H.Roux **8**: 7
acuminatus Balb. **8**: 64
acuminatus Michx. **7**: 155, 187, 203, **217**, 315
 f. *obtusatus* F.J.Herm. **7**: 217
 f. *sphaerocephalus* F.J.Herm. **7**: 217
 var. *debilis* (Gray) Engelm. **7**: 218
 var. *diffusissimus* (Buckley) Engelm. **7**: 218
 var. *legitimus* Engelm. **7**: 217
 var. *multiceps* (Kunth) Barros **7**: 217
 var. *robustus* Engelm. **7**: 219
acuminatus Salzm. ex Kunth **7**: 161
acutangulus Buchenau **7**: 36
acutiflorus Benth. **7**: 137
acutiflorus Ehrh. ex Hoffm. **7**: 151, 156, **230**, 231, 233, 252, 264, 266, 268
 subsp. *acutiflorus* **7**: **231**, 318
 subsp. *genuinus* (Cout.) Cout. **7**: 230
 subsp. *rugosus* (Steud.) Cout. **7**: 3, 231, **232**, 268, 318
 var. *alpinus* [Vill.] Gaudin **7**: 239
 var. *brevirostris* Bluff, Nees & Schauer **7**: 230
 var. *capensis* 'Spreng.' ex Buchenau **7**: 170
 var. *exoletus* Rchb. **7**: 231
 var. *genuinus* Cout. **7**: 230
 var. *laxus* Spenn. **7**: 231
 var. *microcephalus* Husn. **7**: 230
 var. *minor* Hook. **7**: 269
 var. *minor* J.Gay ex Laharpe **7**: 231
 var. *multiflorus* Weihe ex Spenn. **7**: 231
 var. *pauciflorus* Spenn. **7**: 231
 var. *repens* J.Gay ex Laharpe **7**: 231

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *rugosus* (Steud.) Cout. **7**: 232
 var. *viviparus* Spenn. **7**: 231
 [Spielart] *coarctatus* G.Mey. **7**: 232
 [Spielart] *effusus* G.Mey. **7**: 231
 a. [unranked] *pallidiflorus* Schur **7**: 250
 B. [unranked] *multiflorus* Asch. & Graebn. **7**: 231
 β [unranked] *hagenbachianus* Gaudin **7**: 231
 γ. *tenuifolius* Gaudin **7**: 250
 γ [unranked] *tenuifolius* Gaudin **7**: 231
 II. [unranked] *rufus* Asch. & Graebn. **7**: 231
 III. [unranked] *wulfenii* Asch. & Graebn. **7**: 232
 Juncus continued
acutissimus (Buchenau) Adamson **8**: 103
acuto-maritimus E.Mey. **7**: 8
acutus L. **7**: 1, 5, **6**, 25
 f. *xanthosus* Jeps. **7**: 8
 subsp. *acutus* **7**: 3, **6**, 7, 27, 274
 subsp. *decompositus* (Guss.) Arcang. **7**: 6
 subsp. *leopoldii* (Parl.) Snogerup **7**: 6, 7, **8**, 274
 subsp. *littoralis* (C.A.Mey.) Feinbrun **7**: 8
 subsp. *multibracteatus* (Tineo) K.Richt. **7**: 6
 subsp. *tommasinii* (Parl.) Arcang. **7**: 8
 subsp. *tyraicus* (Pacz.) I. Grint. **7**: 9
 subsp. *variegatus* (Caruel) Nyman **7**: 27
 var. *conglobatus* Trautv. **7**: 6
 var. *conglomeratus* Buchenau **7**: 6
 var. *decompositus* Guss. **7**: 6
 var. *effusus* Buchenau **7**: 6
 var. *gallicus* (Asch. & Graebn.) Rouy **7**: 9
 var. *heldreichianus* (Parl.) Halácsy **7**: 9
 var. *leopoldii* (Parl.) Buchenau **7**: 8
 var. *littoralis* (C.A.Mey.) Trautv. **7**: 8
 var. *longibracteatus* Buchenau **7**: 6
 var. *microcarpus* (Loret & Barrandon) Husn. **7**: 9
 var. *sphaerocarpus* Engelm. **7**: 8
 var. *tommasinii* (Parl.) Buchenau **7**: 8
 proles *tommasinii* (Parl.) Rouy **7**: 8
 Rasse *megalocarpus* Asch. & Graebn. **7**: 6
 [Rasse] *megalocarpus* Asch. & Graebn. **7**: 6
 [unranked] *tyraicus* Pacz. **7**: 9
 B.II. [unranked] *gallicus* Asch. & Graebn. **7**: 9
 β [unranked] *microcarpus* Loret & Barrandon **7**: 9
adriaticus Gand. **7**: 9
adscendens Host **7**: 249
aemulans Liebm. **8**: 61, **96**, 174
affinis R.Br. **7**: 244
affinis Gaudin **7**: 249
 Juncus continued
afghanicus Snogerup **7**: 125
agrostophyllus F.Muell. **7**: 49
alatus Franch. & Sav. **7**: 135, 137, **145**, 304
albescens (Lange) Fernald **7**: 99
albescens Satake **7**: 80
albicans Fernald **8**: 32

SPECIES PLANTARUM CUMULATIVE INDEX

- albidus* Hoffm. **6**: 28
 var. *cuprinus* **6**: 30
aletaiensis K.F.Wu **8**: 10
alexandri L.A.S.Johnson **8**: 61, 99, **113**, 138
 subsp. *alexandri* **8**: **113**, 138, 139, 178
 subsp. *melanobasis* L.A.S.Johnson **8**: **114**, 179
allioides Franch. **7**: 75, 77, **89**, 90, 91 92, 94, 96, 102, 106, 290
alpestris Bubani **8**: 43
alpestris Hartm. **7**: 243
alpigenus K.Koch **7**: 151, 153, **182**, 308
 ×*alpiniformis* Fernald **7**: 263
alpinoarticulatus Chaix **7**: 158, **239**, 240, 241, 254, 263, 264, 269, 270
 subsp. *alpestris* (Hartm.) Hämet-Ahti **7**: 240, **243**, 320
 subsp. *alpinoarticulatus* **7**: **240**, 242, 263, 319
 subsp. *americanus* (Farw.) Hämet-Ahti **7**: 240, **244**, 246, 263, 321
 subsp. *arthrophyllus* (Brenner) Reichg. **7**: 241
 subsp. *atricapillus* (Drejer ex Lange) Reichg. **7**: 247
 subsp. *fischerianus* (Turcz. ex V.I.Krecz.) Hämet-Ahti **7**: 240, **241**, 320
 subsp. *fuscescens* (Fernald) Hämet-Ahti **7**: 240, **246**, 321
 subsp. *fuscoater* (Schreb.) O.Schwarz **7**: 240
 subsp. *nodulosus* (Wahlenb.) Hämet-Ahti **7**: 244, 246, 263
 subsp. *rariflorus* (Hartm.) Holub **7**: 240, **243**, 245, 263, 320
 var. *marshallii* (Pugsley) P.D.Sell **7**: 244
alpinopilosus Chaix **6**: 53
alpinus Vill. **7**: 151, 239, 244, 263
 f. *acicularis* Lindq. **7**: 241
 f. *carpathicus* Racib. **7**: 241
 f. *giganteus* Erdner **7**: 241
 f. *grandiceps* Lindq. **7**: 244
 f. *obtusatus* (Hartm.) Lindq. **7**: 243
 f. *pygmaeus* Lindq. **7**: 244
 subsp. *alpestris* (Hartm.) Á.Löve & D.Löve **7**: 243
 subsp. *arthrophyllus* (Brenner) Hyl. **7**: 241
 subsp. *australis* Hyl. **7**: 239
 subsp. *carpaticus* (Simonk.) Borza **7**: 240
 subsp. *nodulosus* (Wahlenb.) Lindm. **7**: 244
 subsp. *rariflorus* (Hartm.) K.Richt. **7**: 243
 subsp. *requienii* (Parl.) Nyman **7**: 246
 subsp. *turczaninowii* (Buchenau) Worosch. **7**: 254
 var. *alpestris* (Hartm.) C.Hartm. **7**: 243
 var. *americanus* Farw. **7**: 244
 var. *carpaticus* (Simonk.) T.Georgiev & Kozhukhov. **7**: 240
 var. *cuspidatus* Simonkai **7**: 240
 var. *erectus* [Besser] Racib. **7**: 167
 var. *fuscescens* Fernald **7**: 246
 var. *fuscoater* (Schreb.) Rchb. **7**: 240
 var. *grandiflorus* Beyer **7**: 241
 var. *insignis* Fr. ex Buchenau **7**: 244
 var. *macrocephalus* Hyl. **7**: 241
 var. *marshallii* (Pugsley) Lindq. **7**: 244
 var. *rariflorus* (Hartm.) Hartm. **7**: 243
 var. *requienii* (Parl.) Husn. **7**: 246
 A. [unranked] *mucroniflorus* [Clairv.] Asch. & Graebn. **7**: 239
 A. II. [unranked] *carpaticus* (Simonk.) Degen ex Asch. & Graebn. **7**: 240

SPECIES PLANTARUM CUMULATIVE INDEX

- γ [unranked] *uniceps* (Wahlenb.) Hartm. **7**: 243
 II. [unranked] *pygmaeus* (Salis) Asch. & Graebn. **7**: 240
altus Buchenau **7**: 73
amabilis Edgar **8**: 62, **114**, 117, 179
 Juncus continued
ambiguus Guss. **8**: 12, 15
 subsp. *turkestanicus* (V.I.Krecz. & Gontsch.) Novikov **8**: 13
 var. *ossoraicus* (Novikov) Novikov **8**: 15
ambiguus auct. non Guss. **8**: 15
amblyocarpus Rydb. **7**: 251
amplifolius A.Camus **7**: 80, 86, **115**, 116, 118, 297
 var. *pumilus* A.Camus **7**: 115
amuricus (Maxim.) V.I.Krecz. & Gontsch. **8**: 2, **7**, 151
 var. *wui* Novikov **8**: 8
anatolicus Snogerup **7**: 153, **182**, 269, 267, 309
anceps Laharpe **7**: 156, 158, 159, **247**, 248, 267, 268, 322
 f. *coarctatus* Lindq. **7**: 247
 f. *herzegovinus* (Sagorski) Lindq. **7**: 247
 f. *pumilus* Lindq. **7**: 247
 subsp. *herzegovinus* Sagorski **7**: 247
 var. *atricapillus* (Drejer ex Lange) Buchenau **7**: 247
 var. *congestus* Lange **7**: 247
 var. *genuinus* Buchenau **7**: 247
 var. *sparsiflorus* Lange **7**: 247
 Rasse B. *atricapillus* (Drejer) Asch. & Graebn. **7**: 247
andersonii Buchenau **7**: 157, 158, **196**, 311
andicola Hook. **8**: 74
 var. *schulz-korthii* J.F.Macbr. **8**: 74
andrianus Weath. **8**: 38
angelisii Ten. **8**: 104
angustifolius Wulfen **6**: 28
annuus Krock. **7**: 269
annuus Milleri **7**: 269
anonymus Steud. **7**: 36
antarcticus Hook.f. **7**: 28, 39, **40**, 279
anthelatus (Wiegand) R.E.Brooks & Whittem. **8**: 20, **35**, 159
antonianus Steud. **8**: 74
apiculatus Adamson **7**: 37
 Juncus continued
aquaticus (L.) All. **7**: 247
 subsp. *fuscoater* (Schreb.) Hagenb. **7**: 240
arabicus (Asch. & Buchenau) Adamson **7**: 16
arcticus Willd. **8**: 57, 58, **64**, 66
 subsp. *alaskanus* Hultén **8**: 64, **66**, 167
 subsp. *arcticus* **8**: **64**, 65, 139, 140, 166
 subsp. *ater* (Rydb.) Hultén **8**: 73
 subsp. *balticus* (Willd.) Hyl. **8**: 67
 subsp. *grubovii* (Novikov) Novikov, Kirschner & Snogerup **8**: 64, **67**, 167
 subsp. *littoralis* (Engelm.) Hultén **8**: 71
 subsp. *pyrenaicus* (Timb.-Lagr. & Jeanb.) Rivas Goday & Borja **8**: 70
 subsp. *sitchensis* Engelm. **8**: 75
 var. *alaskanus* (Hultén) Novikov **8**: 66
 var. *andicola* (Hook.) Balslev **8**: 74
 var. *depauperatus* Trautv. **8**: 64

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *gracilis* Hook. **8**: 80
 var. *inundatus* (Drejer) Trautv. **8**: 141
 var. *littoralis* (Engelm.) B.Boivin **8**: 71
 var. *mexicanus* (Willd.) Balslev **8**: 72
 var. *montanus* (Engelm.) Welsh **8**: 73
 var. *muelleri* (Trautv.) Kovt. **8**: 64
 var. *sitchensis* Engelm. **8**: 75
 var. *tuvinicus* Polozhij **8**: 64
arcuatus Wahlenb. **6**: 86
arequipensis Balslev **8**: 24
arianus V.I.Krecz. **7**: 236
aridicola L.A.S.Johnson **8**: 62, 115, **116**, 136, 139, 179
aristatus Anonymous **8**: 146
aristiflorus Clairv. **7**: 249
aristulatus Michx. **7**: 46
arizonicus Wiegand **8**: 36
 var. *curtiflorus* Wiegand **8**: 38
 Juncus continued
articulatus L. **7**: 151, 156, 158, 159, 240, **247**, 263, 264, 267–269; **8**: 146
 f. *alpicola* (Asch. & Graebn.) Sóo **7**: 251
 f. *alpigenus* (Schur) Sóo **7**: 250
 f. *macrocarpus* (Döll) Sóo **7**: 250
 f. *natans* (Glück) Sóo **7**: 251
 f. *nigrescens* (Zapał.) Sóo **7**: 251
 f. *pauciflorus* (Sond.) Sóo **7**: 250
 f. *stolonifer* (Wohll.) Raymond **7**: 249
 f. *submersus* (Glück) Sóo **7**: 251
 f. *subobtusatus* (Asch. & Graebn.) Sóo **7**: 251
 f. *viridiflorus* I.Grinț. **7**: 251
 f. *zapalowiczii* Sóo **7**: 251
 subsp. *articulatus* **7**: 2, **249**, 252, 253, 263, 265, 266, 267, 322
 subsp. *limosus* (Worosch.) Worosch. **7**: 249, **254**, 323
 subsp. *macrocephalus* (Viv.) K.Richt. **7**: 250, 252
 subsp. *nigritellus* (D.Don) K.Richt. **7**: 250
 subsp. *tatewakii* (Satake) Vorosch. **7**: 249
 var. *adscendens* [Host] Beck **7**: 249
 [var.] *aquaticus* L. **7**: 247
 var. *brachycarpus* (Trab.) Maire **7**: 251
 var. *cuspidatus* (Brenner) Maire **7**: 251
 var. *fluitans* G.Mey. **7**: 250
 var. *fluitans* Wahlenb. **7**: 249
 var. *hylandri* Hämet-Ahti **7**: 252
 var. *lindhardii* (Wiinst.) Wiinst. **7**: 251
 var. *littoralis* Patze, E.Mey. & Elkan **7**: 250
 var. *maritimus* G.Mey. **7**: 250
 var. *nigrescens* Lindem. **7**: 251
 var. *obtusatus* Engelm. **7**: 251
 var. *pallescens* Lindem. **7**: 251
 var. *pelocarpus* (E.Mey.) A.Gray **7**: 163
 var. *setiformis* Patze, E.Mey. & Elkan **7**: 250
 var. *stolonifer* (Wohll.) House **7**: 249
 var. *subalpinus* Borbás **7**: 251
 var. *sylvaticus* L. **7**: 167, 231
 [Spielart] *coarctatus* G.Mey. **7**: 252

SPECIES PLANTARUM CUMULATIVE INDEX

- [Spielart] *fluitans* G.Mey. **7**: 250
 [Spielart] *maritimus* G.Mey. **7**: 250
 [Spielart] *radicans* G.Mey. **7**: 250
articulifolius Larrañaga **7**: 270
 Juncus continued
asper Engelm. **7**: 171
asper Sauzè **7**: 183
astreptus L.A.S.Johnson **8**: 63, **116**, 117, 139, 179
ater Rydb. **8**: 73
atlanticus Laharpe **7**: 229
atratus Krock. **7**: 153, **178**, 179, 183, 267, 308
 f. *divaricatus* (Heuffel) Sóo **7**: 178
 f. *fuscescens* Racib. **7**: 178
 f. *hungaricus* Borb. **7**: 178
 var. *pauciflorus* [Racib. ex] Zapał. **7**: 178
atratus Lam. **8**: 81
atricapillus Drejer ex Lange **7**: 247
 subsp. *anceps* (Laharpe) K.Richt. **7**: 247
atrofuscus Rupr. **8**: 52
atropurpureus Adamson **7**: 37
attenuatus Viv. 51
aureus Pourr. **6**: 26
auritus K.F.Wu **7**: 226
austerus Buchenau **7**: 22
australis Hook.f. **8**: 63, 117, **118**, 179
bachitii Hochst. ex Steud. **7**: 34
badius Suksd. **7**: 224
balansae Trab. **7**: 170
balticus Willd. **8**: 58, **67**, 68, 79, 139, 141
 f. *contractus* Neuman **8**: 68
 f. *dissitiflorus* Engelm. ex Fernald & Wiegand **8**: 71
 f. *flavidior* Lepage **8**: 71
 f. *laxior* Neuman **8**: 68
 f. *opulentus* Lepage **8**: 71
 f. *pusillus* (Fr.) Neuman **8**: 107
 subsp. *andicola* (Hook.) Snogerup **8**: 68, **74**, 131, 169
 subsp. *ater* (Rydb.) Snogerup **8**: 68, **73**, 78, 169
 subsp. *balticus* **8**: **68**, 69, 140, 141, 167
 subsp. *cantabricus* (T.E.Díaz, Fern.-Carv. & Fern.Prieto) Snogerup **8**: 68, **70**, 167
 subsp. *inundatus* (Drejer) Nyman **8**: 141
 subsp. *littoralis* (Engelm.) Snogerup **8**: 68, **71**, 167
 subsp. *mexicanus* (Willd. ex Roem. & Schult.) Snogerup **8**: 68, **72**, 141, 168
 subsp. *pacificus* Engelm. **8**: 76
 subsp. *pyrenaeus* (Timb.-Lagr. & Jeanb.) Fourn. **8**: 68, **70**, 167
 subsp. *sitchensis* (Engelm.) Hultén **8**: 75
 var. *columnaris* Buchenau **8**: 72, 73
 var. *condensatus* Suksd. **8**: 73
 var. *crassiculmis* Buchenau **8**: 72
 var. *durangensis* Buchenau **8**: 72
 var. *eremicus* Jeps. **8**: 73
 var. *europaeus* Engelm. **8**: 67
 var. *haenkei* (E.Mey.) Buchenau **8**: 75
 var. *inundatus* (Drejer) Fr. **8**: 141
 var. *japonicus* Buchenau **8**: 77

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *laxus* Hook. **8**: 71
 var. *littoralis* Engelm. **8**: 71
 var. *melanogenus* Fernald & Wiegand **8**: 71
 var. *mexicanus* (Willd.) O.Kuntze **8**: 72
 var. *montanus* Engelm. **8**: 73
 var. *pictus* (F.Phil.) Grisebach **8**: 74
 var. *stenocarpus* Fernald & Buchenau **8**: 71
 var. *tenuis* H.Linb. **8**: 68
 var. *vallicola* Rydb. **8**: 73
 B. [unranked] *pseudoinundatus* Asch. & Graebn. **8**: 68
 monstrositas *spiralis* Asch. & Graebn. **8**: 68
 Rasse *europaeus* (Engelm.) Asch. & Graebn. **8**: 67
 Rasse *littoralis* (Engelm.) Asch. & Graebn. **8**: 71
 bassianus L.A.S.Johnson **8**: 61, 99, **118**, 139, 142, 179
 Juncus continued
 benghalensis Kunth **7**: 75, 77, 91, **101**, 102, 104, 293
 beringensis Buchenau **8**: 58, 59, 77, **110**, 177
 bhutanensis Satake **7**: 99
 bicephalus Viv. **7**: 159
 bicornis Michx. **8**: 33
 var. *williamsii* Vict. **8**: 33
 biflorus Elliott **7**: 46
 f. *adinus* Fernald & Griseb. **7**: 48
 bifolius Hoppe **7**: 167
 biglumis L. **7**: 76, **112**, 114, 115, 135, 296
 var. *ajonskensis* Novikov **7**: 112, 113
 biglumoides H.Hara **7**: 76, **109**, 110, 111, 294
 bilineatus Gand. **8**: 9
 biluoshanensis K.F.Wu **7**: 118
 bogotensis Humb., Bonpl. & Kunth **8**: 89
 var. *compactus* (Lej. & Courtois) Farw. **8**: 89
 bolanderi Engelm. **7**: 154, 215, **216**, 315
 var. *riparius* Jeps. **7**: 217
 bombonzanensis Satake **7**: 149
 bottnicus Wahlenb. **8**: 52
 brachyanthus (Trab.) T.Durand & B.D.Jacks. **7**: 237
 brachycarpus Engelm. **7**: 154, **214**, 315
 brachycephalus (Engelm.) Buchenau **7**: 153, **176**, 307
 f. *hexandrus* R.F.Martin **7**: 176
 brachyphyllus Wiegand **8**: 20, **29**, 30, 156
 brachyspathus Maxim. **8**: 59, **109**, 177
 var. *curvatus* (Buchenau) Satake **8**: 110
 var. *magadanicus* Novikov **8**: 109
 brachystigma Sam. **7**: 77, 91, **95**, 104, 291
 brachystylus (Engelm.) Piper **7**: 64
 var. *uniflorus* (Engelm.) M.Peck **7**: 68
 brachytepalus Trautv. ex V.I.Krecz. & Gontsch. **8**: 107
 bracteatus Buchenau **7**: 75, 101
 bracteosus Kit. ex Kanitz **8**: 146
 brasiliensis Breistr. **7**: 154, 200, **201**, 202, 312
 brevibracteus L.A.S.Johnson **8**: 63, 99, **119**, 180
 brevicaudatus (Engelm.) Fernald **7**: 153, **174**, 263, 264, 307
 breviculmis Balslev **7**: 157, **191**, 192, 310
 brevifolius Kirk **7**: 40

SPECIES PLANTARUM CUMULATIVE INDEX

- brevifolius* Liebm. **7**: 191
 var. *mexicanus* Buchenau **7**: 191
 var. *quitensis* Buchenau **7**: 193
brevifolius Link ex Rostk. **6**: 23
brevirostris Nees **7**: 230
brevistilus Buchenau **7**: 238
breweri Engelm. **8**: 59, **75**, 76, 139, 169
broteroi Steud. **7**: 14
brownii F.Muell. **8**: 39
brueggeri Domin **8**: 142
brunnescens Rydb. **7**: 141
brunneus Buchenau **7**: 195
bryoides F.J.Herm. **7**: 58, **67**, 69, 286
bryophilus Noltie **7**: 76, 93, 110, 111, **112**, 295
Juncus continued
buchenau Sved. **7**: 48
 ×*buchenau* Dörf. **7**: 48, 263
buckleyi Engelm. **7**: 46
bufonius aggregate species **8**: 8
bufonius L. **7**: 74, 269; **8**: 2, 3, **9**, 10, *11*, 13, 14, 17, 152
 f. *alpinus* (Schur) I.Grint. **8**: 9
 f. *bracteatus* Pamp. **8**: 10
 f. *divaricatus* [Gilib. ex] Racib. **8**: 9
 f. *filiformis* Klinge **8**: 9
 f. *frondescens* Miszczenko **8**: 9
 f. *giganteus* (Asch. & Graebn.) Nyár. **8**: 9
 f. *minutulus* Albert & Jahand. **8**: 10
 f. *mutabilis* [Savi] Neuman **8**: 12
 f. *scoparius* (Asch. & Graebn.) Nyár. **8**: 8
 subsp. *ambiguus* (Guss.) Schinz & Thell. **8**: 12, 15
 subsp. *fasciculatus* K.Richt. **8**: 12
 subsp. *foliosus* (Desf.) Arcang. **8**: 4
 subsp. *hybridus* (Brot.) Arcang. **8**: 12
 subsp. *insulanus* (Viv.) Briq. ex Jahand. & Maire **8**: 12
 subsp. *juzepczukii* (V.I.Krecz. & Gontsch.) Sóo **8**: 10
 subsp. *minutulus* [V.I.Krecz. & Gontsch.] Sóo **8**: 12
 subsp. *mogadorensis* H.Lindb. **8**: 12
 subsp. *mutabilis* (Neuman) H.Lindb. **8**: 12
 subsp. *nastanthus* (V.I.Krecz. & Gontsch.) Sóo **8**: 15
 subsp. *ranarius* (Songeon & E.P.Perrier) Hiitonen **8**: 14
 subsp. *turkestanicus* (V.I.Krecz. & Gontsch.) Sóo **8**: 13
 var. *alpinus* Schur **8**: 9
 var. *ambiguus* (Guss.) Husn. **8**: 12
 var. *amuricus* Maxim. **8**: 7
 var. *capillaris* Rchb. **8**: 9
 var. *compactus* Čelak. **8**: 8
 var. *condensatus* Cout. **8**: 14
 var. *congestus* Wahlenb. **8**: 9
 var. *dolichophyllus* Zapał. **8**: 9
 var. *fasciculatus* Koch **8**: 15
 var. *fasciculiflorus* Boiss. **8**: 12
 var. *filiformis* Lojac. **8**: 9
 var. *flaccidus* Maire **8**: 4
 var. *foliosus* (Desf.) Buchenau **8**: 4

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *genuinus* Cout. **8**: 9
 var. *gracilis* St.-Amans **8**: 17
 var. *gramineus* Lojac. **8**: 9
 var. *grandiflorus* Schult. & Schult.f. **8**: 8
 var. *halophilus* Buchenau & Fernald **8**: 15
 var. *hybridus* (Brot.) Husn. **8**: 12
 var. *jadarensis* Bryhn **8**: 4
 var. *juzepeczukii* (V.I.Krecz. & Gontsch.) Vorosch. **8**: 10
 var. *kochii* Buchenau **8**: 12
 var. *laxus* Čelak. **8**: 9
 var. *major* Boiss. **8**: 4
 var. *mogadorensis* (H.Lindb.) Maire & Weiller **8**: 13
 var. *occidentalis* F.J.Herm. **8**: 7
 var. *parvulus* Hartm. **8**: 10
 var. *procerior* Roth **8**: 8
 var. *pumilio* Griseb. **8**: 9
 var. *ranarius* (Sondeon & E.P.Perrier) Farw. **8**: 14
 var. *rechingeri* (Snogerup) Jafri **8**: 3, 55
 var. *rhiphaenus* (Pau & Font-Quer) Maire & Weiller **8**: 4
 var. *sorrentinii* (Parl.) Husn. **8**: 14
 var. *subauriculatus* Buchenau **8**: 9
 var. *suffocatus* Lojac. **8**: 9
 var. *susianus* Nábělek **8**: 8
 var. *tuberifer* Krylov **8**: 8
 var. *typicus* Husn. **8**: 9
 var. *vulgaris* Boiss. **8**: 9
 [Abart] *scoparius* Asch. & Graebn. **8**: 8
 [unranked] *congestus* [Schousb. ex] Döll **8**: 15
 [Unterabart] *parviflorus* Asch. & Graebn. **8**: 8
 A.II [unranked] *giganteus* Asch. & Graebn. **8**: 9
 A.II [unranked] *leucanthus* Asch. & Graebn. **8**: 9
 b. [unranked] *frondescens* Döll **8**: 9
 b. [unranked] *hybridus* (Brot.) Asch. **8**: 12
 B. [unranked] *mutabilis* (Neuman) Asch. & Graebn. **8**: 12
bufonum Bubani **8**: 9
 Juncus continued
bulbosus L. **7**: 2, 152, **161**, 164, 249, 264, 265, 269, 305
 f. *fluitans* (Lam.) F.Navarro **7**: 162
 f. *geniculatus* (Asch. & Graebn.) Sóo **7**: 162
 f. *maroccanus* (Font Quer) Maire **7**: 162
 f. *nanus* (Peters.) Sóo **7**: 162
 f. *pygmaeus* (T.Marsson) Fern.-Carv. & F.Navarro **7**: 162
 f. *submersus* (Glück) Sóo **7**: 162
 f. *uliginosus* (Roth) Fern.-Carv. **7**: 162
 f. *welwitschii* (Hochst. ex Steud.) Sóo **7**: 162
 subsp. *kochii* (F.W.Schultz) Reichg. **7**: 162, 163
 var. *acutiflorus* Regel **8**: 54
 var. *alpinus* Schur **8**: 57
 var. *atrofuscus* (Rupr.) Regel **8**: 52
 var. *compressus* (Jacq.) Regel **8**: 44
 var. *eusupinus* Maire **7**: 161
 var. *fluitans* (Lam.) Beck **7**: 162
 var. *gerardii* (Loisel.) A.Gray **8**: 49
 var. *lychnocarpus* Wallr. **8**: 49

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *maroccanus* Font Quer **7**: 162
 var. *nigricans* Regel & Herder **8**: 53
 var. *phaeocarpus* Wallr. **8**: 51
 var. *salinus* Schur **8**: 49
 var. *salsuginosus* (E.Mey.) Regel **8**: 47
 var. *soranthus* (Schrenk) Regel **8**: 48
 var. *uliginosus* (Roth) Beck **7**: 162
burkartii Barros **7**: 155, **202**, 312
caesariensis Coville **7**: 152, **171**, 307
caespiticius E.Mey. **7**: 29, **38**, 39, 279
 var. *bracteatus* Buchenau **7**: 38
caffer Bertol. **7**: 20
campestris L. **6**: 104
 var. *lapponicus* Retz. **6**: 97
 var. *multiflorus* Ehrh. **6**: 109
 var. *nivalis* (Laest.) Sommerf. **6**: 90
 var. *strictus* Retz. **6**: 108
 var. *tenuis* Retz. **6**: 110
camptotropus V.I.Krecz. **7**: 236
Juncus continued
canadensis J.Gay ex Laharpe **7**: 153, 166, **173**, 263, 307
 f. *apertus* Fernald **7**: 173
 f. *conglobatus* Fernald **7**: 173
 var. *brachycephalus* Engelm. **7**: 176
 var. *brevicaudatus* Engelm. **7**: 174
 var. *coarctatus* Engelm. **7**: 174
 var. *euroauster* Fernald **7**: 173
 var. *kuntzei* Buchenau **7**: 174
 var. *longicaudatus* Engelm. **7**: 173
 var. *paradoxus* Farw. **7**: 173
 var. *sparsiflorus* Fernald **7**: 173
 var. *subcaudatus* Engelm. **7**: 175
canaliculatus Engelm. **7**: 55
canaliculatus Liebm. **7**: 48
canariensis Willd. ex E.Mey. **8**: 91
cantabricus T.E.Díaz, Fern.-Carv. & Fern.Prieto **8**: 70
capensis Thunb. **7**: 29, 32, **36**, 57, 278
 f. *depauperatus* Buchenau **7**: 36
 f. *frondescens* Buchenau **7**: 36
 subsp. *angustifolius* Buchenau **7**: 36
 subsp. *delicatulus* (Steud.) Buchenau **7**: 36
 subsp. *geniculatus* Buchenau **7**: 37
 subsp. *longifolius* Buchenau **7**: 37
 subsp. *parviflorus* Buchenau **7**: 37
 var. *angustifolius* E.Mey **7**: 36
 var. *delicatulus* (Steud.) Adamson **7**: 36
 var. *ecklonii* Buchenau **7**: 36
 var. *flaccidus* (Steud.) Buchenau **7**: 36
 var. *gracilior* Buchenau **7**: 37
 var. *latifolius* E.Mey. **7**: 31
 var. *macranthus* Adamson **7**: 37
 var. *minimus* Laharpe **7**: 73
 var. *sphagnetorum* Buchenau **7**: 36
 var. *strictissimus* Buchenau **7**: 37

SPECIES PLANTARUM CUMULATIVE INDEX

- capillaceus* Hook.f. **7**: 255
capillaceus Lam. **8**: 18, 19, **21**, 22, 25, 155
 var. *montevidensis* Buchenau **8**: 21
 var. *chilensis* Buchenau **8**: 21
capillaris F.J.Herm. **7**: 58, 65, **66**, 286
capitatus Weigel **7**: 57, 58, **59**, 61, 285
 f. *physcomitrioides* (Baen.) Neuman **7**: 59
 f. *umbelliformis* Merino **7**: 59
 subsp. *setaceus* [Ten. ex] K.Richt. **7**: 59
 var. *congestus* Ten. **7**: 59
 var. *physcomitrioides* Baen. **7**: 59
 var. *triandrus* [Gouan] Asch. **7**: 59
 A.I.a.2. [unranked] *versicolor* Asch. & Graebn. **7**: 59
 A.I.a.2. [unranked] *virescens* Asch. & Graebn. **7**: 59
 A.I.b. [unranked] *triandrus* [Gouan] Asch. & Graebn. **7**: 59
caricinus Durieu **7**: 234
carpaticus Simonk. **7**: 240
 f. *minor* Zapał. **7**: 241
castaneus Clairv. **8**: 81
castaneus s. lat. **7**: 123
castaneus Sm. **7**: 75, 79, **119**, 135
 f. *pallidus* (Buchenau) Boivin **7**: 119
 subsp. *borealis* **7**: 121
 subsp. *castaneus* **7**: **120**, 122, 298
 subsp. *leucochlamys* (V.J.Zinger ex V.I.Krecz.) Hultén **7**: 119, 120, **121**, 299
 subsp. *triceps* (Rostk.) Novikov **7**: **120**, 298
 var. *borealis* **7**: 121
 var. *koreanus* Ohwi **7**: 120
 var. *pallidus* [Hook. ex] Buchenau **7**: 119
castelli Tineo **7**: 250
caudatus Chapm. **7**: 151, 173
Juncus continued
cephalostigma Sam. **7**: 77, 92, **94**, 95, 102, 135, 291
 var. *dingjieensis* K.F.Wu **7**: 94
cephalotes Thunb. **7**: 32, 58, 72, **73**, 74, 288
 var. *minimus* Hochst. **7**: 73
 var. *ustulatus* Buchenau **7**: 73
 var. *varius* Buchenau **7**: 73
cespifolius Raf. **8**: 17
chamissonis Kunth **8**: 20
 f. *pusillus* Buchenau **8**: 21
chiapasensis Balslev **7**: 155, 190, **195**, 311
chilensis Gay. **7**: 152, 257
chlorocephalus Engelm. **7**: 156, **222**, 316
chloroticus Schult. & Schult.f. **8**: 33
chrysocarpus Buchenau **7**: 77, 78, **82**, 289
clarkei Buchenau **7**: 79, **83**, 84, 289
 var. *marginatus* A.Camus **7**: 83
clausonis Trab. **7**: 183
coarctatus (Engelm.) Buchenau **7**: 174
coarctatus Willd. ex Spreng. **8**: 38
coenosus Bicheno **8**: 49
cognatus Kunth **8**: 32
collinus Steud. **8**: 20

SPECIES PLANTARUM CUMULATIVE INDEX

- columbianus* Coville **7**: 224
commixtus Steud. **7**: 187
communis E.Mey. **8**: 88
 subsp. *conglomeratus* (L.) Čelak. **8**: 85
 subsp. *effusus* (L.) Celak **8**: 88
 subvar. *viridiflorus* (Buchenau) Rouy **8**: 85
 var. *conglomeratus* (L.) E.Mey. **8**: 85
 var. *japonicus* Miq. **8**: 145
 var. *parviflorus* (Lej. & Courtois) Rouy **8**: 89
 γ. [unranked] *robustus* E.Mey. **8**: 144
commutatus Steud. **7**: 148
complanatus Schult. & Schult.f. **8**: 72
compressus Humb., Bonpl. & Kunth **8**: 72
compressus Jacq. **8**: 17, 19, **44**, 45, 49, 56, 163
 f. *alpinus* (Schur) Sáo **8**: 57
 f. *euxinus* (Velen.) Hayek **8**: 44
 f. *longirepens* Zapal. **8**: 46
 f. *tenuifolius* Zapal. **8**: 46
 subsp. *elatiior* (Lange) Nyman **8**: 51
 subsp. *gerardii* (Loisel.) Hartm. **8**: 49
 var. *coarctatus* E.Mey. ex Buchenau **8**: 48
 var. *dianthelus* C.Koch **8**: 44
 var. *ellipsoideus* Neilr. **8**: 51
 var. *euxinus* Velen. **8**: 44
 var. *gracillimus* Buchenau **8**: 46
 var. *haenkei* (E.Mey.) Laharpe **8**: 75
 var. *metzleri* (F.W.Schultz) I.Grint. **8**: 44
 var. *nudiculmis* F.W.Schultz **8**: 44
 var. *pseudogerardii* Jafri **8**: 46
 var. *subcompressus* (Zakirov & Novopokr.) Novikov **8**: 54
 var. *subtriflorus* E.Mey. **8**: 80
 A.II. [unranked] *metzleri* (F.W.Schultz) Asch. & Graebn. **8**: 44
 2. [unranked] *condensatus* Asch. & Graebn. **8**: 44
 3. [unranked] *elongatus* Asch. & Graebn. **8**: 44
 4. [unranked] *laxus* Asch. & Graebn. **8**: 44
 4.b. [unranked] *viridis* Asch. & Graebn. **8**: 44
 4.c. [unranked] *viridiflorus* Asch. & Graebn. **8**: 46
conceptionis Steud. **8**: 74
concinus D.Don **7**: 75, 78, 79, **80**, 81, 82, 135, 288
 var. *turbidus* Buchenau **7**: 80, 90
concolor Sam. **7**: 78, **102**, 103, 293
confervaceus St. Lager **7**: 162
confusus Coville **8**: 20, **29**, 30, 157
congdonii S.Watson **8**: 12
congestus Thuill. **6**: 108
Juncus continued
conglomeratus L. **7**: 270; **8**: 57, 61, **85**, 86, 88, 142, 143, 171
 subsp. *subuliflorus* (Drejer) Nyman **8**: 85
 var. *effusus* (L.) Kostel. **8**: 88
 var. *laxus* (Beck) I.Grint. **8**: 85
 var. *umbrosus* (Asch. & Graebn.) I.Grint. **8**: 85
 a. [‘Spielart’] *laxus* G.Mey. **8**: 89
 A.I. [unranked] *typicus* Asch. & Graebn. **8**: 85
 b. [unranked] *viridiflorus* (Buchenau) Asch. & Graebn. **8**: 85

SPECIES PLANTARUM CUMULATIVE INDEX

- I. [unranked] *laxus* (Beck) Asch. & Graebn. **8**: 85
 II. [unranked] *subuliflorus* (Drejer) Asch. & Graebn. **8**: 85
 II. [unranked] *umbrosus* Asch. & Graebn. **8**: 85
conradii Tuck. **7**: 163
consanguineus Ziz **8**: 49
continuus L.A.S.Johnson **8**: 61, 62, 99, **119**, 139, 180
convolutus Raf. **8**: 57
cooperi Engelm. **7**: 5, **25**, 26, 277
cordobensis Barros **8**: 18, 19, **24**, 156
coriaceus Mack. **8**: 18, **25**, 26, 156
corralensis Phil. **7**: 257
correctus Steud. **8**: 144
covillei Piper **7**: 28, **50**, 51, 53
 var. *covillei* **7**: 50, **51**, 52, 283
 var. *obtusatus* [Engelm.] C.L.Hitchc. **7**: 50, **51**, 52, 284
crassiculmis (Buchenau) Herter **8**: 72
crassifolius Buchenau **7**: 211
 var. *fascinatus* (M.C.Johnst.) Waterf. **7**: 212
crassistylus A.Camus **7**: 79, 83, **84**, 86, 289
creticus Raf. **8**: 17
cupreus H.Lév. & Vaniot **7**: 134
curtisiae L.A.S.Johnson **7**: 156, **261**, 324
curvatus Buchenau **8**: 59, **110**, 178
cylindricus M.A.Curtis **7**: 48
cymosus Lam. **7**: 31
cyperoides Laharpe **7**: 27, 29, **45**, 47, 281
cyprius H.Linb. **8**: 105
czetzii Schur **7**: 120
deangelisii Bertol. **8**: 104
debilis Gray **7**: 155, **218**, 220, 315
decipiens (Buchenau) Nakai **8**: 61, **96**, 101
 f. *spiralis* (Makino) Satake **8**: 97
 f. *utilis* (Makino) Satake **8**: 97
 subsp. *decipiens* **8**: **97**, 174
 subsp. *medianus* L.A.S.Johnson & K.L.Wilson **8**: 97, **98**, 99, 174
 subsp. *sundaicus* (Ridl.) L.A.S.Johnson & K.L.Wilson **8**: 97, **98**, 174
 var. *glomeratus* (Makino) Satake **8**: 97
 var. *gracilis* [Buchenau ex Matsum.] Nakai **8**: 97
 var. *robustior* Satake **8**: 97
decipiens auct. amer., non (Buchenau) Nakai **8**: 87
 ×*degenianus* Boros **7**: 267
delicatulus Steud. **7**: 36
demissus Steud. **7**: 41
densiflorus Humb., Bonpl. & Kunth **7**: 154, **196**, 199, 202, 312
 var. *cyperinus* [Willd. ex] Buchenau **7**: 196
 var. *pohlii* (Steud.) Buchenau **7**: 196
deosaicus Noltie **7**: 79, 87, 88, **123**, 299
depauperatus Phil. **7**: 259
depauperatus Ten. **8**: 104
deserticola F.Phil. **8**: 74
Juncus continued
diaphanus Buchenau **7**: 33, 34
diaphragmarius Brot. **8**: 104
diastrophanthus Buchenau **7**: 137, **146**, 304

SPECIES PLANTARUM CUMULATIVE INDEX

- dichotomus* Elliott **8**: 20, 23, **32**, 34, 35, 158
 var. *platyphyllus* Wiegand **8**: 32
diemii Barros **7**: 158, **203**, 313
diffusissimus Buckley **7**: 155, **218**, 220, 315
 ×*diffusus* Hoppe **8**: 142
digeneus Borbás **7**: 270
dinteri Poelln. **7**: 74; **8**: 13
dioicus Steud. **8**: 147
distegus Edgar **8**: 60, 63, **120**, 121, 180
divaricatus Gilib. **8**: 10
divaricatus Wolff **7**: 269
divergens Koch **7**: 167
dolichanthus L.A.S.Johnson **8**: 60, **120**, 134, 180
dombeyanus J.Gay ex Laharpe **7**: 187
 var. *achalensis* (Barros) Novara **7**: 187
 var. *elatus* Buchenau **7**: 187
 var. *pycnanthus* Buchenau **7**: 187
dongchuanensis K.F.Wu **7**: 78, 106, **134**, 135, 136, 302
 ×*donyanae* Fern.-Carv. **7**: 268
dregeanus Kunth **7**: 28, 29, **31**, 34, 36, 57
 subsp. *bachitii* (Steud.) Hedberg **7**: 33, **34**, 35, 278
 subsp. *dregeanus* **7**: **33**, 278
 var. *conglomeratus* Buchenau **7**: 33
 var. *genuinus* Buchenau **7**: 31
 var. *longistylus* Adamson **7**: 57
 var. *sphaerocephalus* Adamson **7**: 33
 var. *submonocephalus* (Steud.) Buchenau **7**: 33
drummondii E.Mey. **8**: 58, 79, **80**, 170
 f. *davisonii* H.St.John **8**: 80
 var. *humilis* Engelm. **8**: 80
 var. *longifructus* H.St.John **8**: 80
 var. *parryi* (Engelm.) M.E.Jones **8**: 78
 var. *subtriflorus* (E.Mey.) C.L.Hitchc. **8**: 80
dubius Engelm. **7**: 156, **225**, 316
 f. *rugulosus* (Engelm.) Hoover **7**: 225
dudleyi Wiegand **8**: 20, 28, **38**, 55, 56, 160
Juncus continued
dulongjiongensis Novikov **8**: 144
duranii Ewan **7**: 221, 222
durus L.A.S.Johnson & K.L.Wilson **8**: 62, **101**, 117, 175
duthiei (C.B.Clarke) Noltie **7**: 76, 91, **110**, 111, 112, 126, 294
duvalii Loret **7**: 235
ebracteatus E.Mey. **7**: 157, **195**, 196, 197, 311
echinatus Elliott **7**: 208
echinatus Muhl. **7**: 144
echinocephalus Balslev **7**: 154, **198**, 200, 202, 312
echinuloides Brot. **7**: 234
ecuadoriensis Balslev **7**: 155, **189**, 190, 310
edgariae L.A.S.Johnson & K.L.Wilson **8**: 62, 63, 101, 117, **124**, 181
effusus L. **8**: 57, 61, **88**, 97, 144
 ‘Aureus Striatus’ **8**: 91
 ‘Spiralis’ **8**: 91
 ‘Vittatus’ **8**: 91
 ‘Zebrinus’ **8**: 91

SPECIES PLANTARUM CUMULATIVE INDEX

- f. *conglomeratus* (L.) Reichg. **8**: 85
 f. *glomeratus* Makino **8**: 97
 f. *gracilis* Buchenau ex Matsum. **8**: 97
 f. *spiralis* Makino **8**: 97
 f. *utilis* Makino **8**: 97
 f. *zebrinus* (André) Hegi **8**: 89
 subsp. *austrocalifornicus* Lint **8**: 89, **93**, 94, 173
 subsp. *conglomeratus* (L.) Husn. **8**: 85
 subsp. *decipiens* (Buchenau) Weim. **8**: 96
 subsp. *effusus* **8**: **89**, 90, 94, 141, 142, 143, 172
 subsp. *fistulosus* (Guss.) Richt. **8**: 89
 subsp. *hesperius* Piper **8**: 95
 subsp. *laxus* (Robyns & Tournay) Snogerup **8**: 89, **91**, 173
 subsp. *pacificus* (Fernald & Wiegand) Lint **8**: 89, **92**, 94, 173
 subsp. *solutus* (Fernald & Wiegand) Hämet-Ahti **8**: 89, **92**, 142, 173
 var. *aemulans* (Liebm.) Buchenau **8**: 96
 var. *bruneus* Engelm. **8**: 95
 var. *caeruleomontanus* H.St.John **8**: 92
 var. *canariensis* (E.Mey.) Buchenau **8**: 91
 var. *compactus* (Hoppe ex Mert. & W.D.J.Koch) Lej. & Courtois **8**: 89
 var. *compactus* (Lej. & Courtois) I.Grint. **8**: 89
 var. *conglomeratus* (L.) Bosch **8**: 85
 var. *costulatus* Fernald **8**: 87
 var. *dasyanthelus* K.Koch **8**: 89
 var. *decipiens* Buchenau **8**: 96
 var. *elatus* (Asch. & Graebn.) I.Grint. **8**: 89
 var. *exiguus* Fernald & Wiegand **8**: 94
 var. *fistulosus* (Guss.) Buchenau **8**: 89
 var. *gracilis* Hook. **8**: 94
 var. *longibracteatus* A.Fern. & R.Fern. **8**: 89
 var. *macranthelus* K.Koch **8**: 88
 var. *pacificus* Fernald & Wiegand **8**: 92
 var. *pauciflorus* Lej. & Courtois **8**: 89
 var. *pauciflorus* (Lej. & Courtois) I.Grint. **8**: 89
 var. *prolifer* Sond. **8**: 89
 var. *pylaei* (Laharpe) Fernald & Wiegand **8**: 87
 var. *solutus* Fernald & Wiegand **8**: 92
 var. *subglomeratus* DC. **8**: 89
 A. [Forma principalis] *laxiflorus* Cout. **8**: 91
 Abart *compactus* Hoppe ex Mert. & W.D.J.Koch **8**: 89
 b. [unranked] *atratus* Asch. & Graebn. **8**: 89
 B. [unranked] *pauciflorus* (Lej. & Courtois) Asch. & Graebn. **8**: 89
 b.1. [unranked] *elatus* Asch. & Graebn. **8**: 89
 C. [Forma principalis] *compactus* Cout. **8**: 89
elatior Lange **8**: 51
elatus Steud. **8**: 104
 Juncus continued
elbrusicus Galushko **7**: 79, **123**, 299
elegans Royle ex Sam. **7**: 80
elliottii Chapm. **7**: 155, **221**, 316
 var. *polyanthemus* C.Mohr **7**: 221
ellmanii C.E.Hubb., Sandwith & Turrill **8**: 41
emmanuelis A.Fern. & J.G.Garcia **7**: 3, 157, **230**, 317
 var. *inflatifolius* A.Fern. & J.G.Garcia **7**: 230

SPECIES PLANTARUM CUMULATIVE INDEX

- engelmannii* Buchenau **7**: 144
engleri Buchenau **7**: 29, **30**, 278
ensifolius Wikstr. **7**: 135, 137, *139*, **140**, 141, 149, 303
 var. *major* Hook. **7**: 140
 var. *minor* E.Mey. **7**: 221
 var. *montanus* (Engelm.) C.L.Hitchc. **7**: 140
epimetrocarpus V.I.Krecz. & Gontsch. **8**: 53
equisetinus Proskur. **7**: 152, **171**, 306
equisetosus Dumort. **8**: 104
erectus Besser **7**: 167
erectus Pers. **6**: 110
ericetorum Pollich **7**: 59
ernesti-barrosi Barros **7**: 155, **203**, 313
erythropodus V.I.Krecz. **8**: 9
exaltatus Decne. **7**: 170
 var. *capensis* Kunth **7**: 170
exiguus (Fernald & Wiegand) Lint ex Snogerup & P.F.Zika **8**: 62, **94**, 173
exilis Osterh. **8**: 29
exploratorum E.H.Walker **7**: 119
exsertus Buchenau **7**: 158, **239**, 319
 subsp. *lesuticus* Burt **7**: 239
falcatus E.Mey. **7**: 27, 29, **49**, 53
 subsp. *falcatus* **7**: 39, **49**, 283
 subsp. *sitchensis* (Buchenau) Hultén **7**: 49, **50**, 283
 var. *alaskensis* Coville **7**: 50
 var. *paniculatus* Engelm. **7**: 50
 var. *prominens* Buchenau **7**: 51
 var. *sitchensis* Buchenau **7**: 50
×fallax Trab. **7**: 268
fasciatus Lojac. **8**: 8
fasciculatus Bertol. **8**: 12
fasciculatus Schousb. ex E.Mey. **7**: 161
fasciculatus Schrank **7**: 161
fasciculiflorus Adamson **7**: 20
fauriei Lév. & Vaniot **8**: 58, **77**, 78, 110, 169
fauriensis Buchenau **7**: 151–153, **177**; **8**: 77
 subsp. *fauriensis* **7**: **177**, 308
 subsp. *kamschatcensis* (Buchenau) Novikov **7**: 177, **178**, 308
 var. *iwatensis* Satake **7**: 177
 var. *kamschatcensis* Buchenau **7**: 178
fernandezianus Steud. **7**: 187
 Juncus continued
filicaulis Buchenau **8**: 62, *121*, **122**, 142, 180
filifolius Adamson **7**: 74
filiformis L. **8**: 58, 59, **107**, *108*, 139, *140*, 141, 177
 f. *flaccidus* Borza & Nyár. **8**: 107
 f. *flaccidus* Zapał. **8**: 107
 f. *prostratus* Freiberg **8**: 107
lulus prolifer Asch. & Graebn. **8**: 107
 var. *aphyllus* E.Mey. **8**: 107
 var. *brachyspathus* (Maxim.) Regel **8**: 109
 var. *curvatus* (Buchenau) R.R.Kudo **8**: 110
 var. *foliatus* E.Mey. **8**: 107
 var. *kulczynskii* Racib. **8**: 107

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *pluriflorus* Krylov **8**: 107
 var. *pusillus* Fr. **8**: 107
 var. *transsilvanicus* (Schur) Buchenau **8**: 107
 Abart *transsilvanicus* (Schur) Asch. & Graebn. **8**: 107
filipendulus Buckley **7**: 28, **46**, 281
fimbristylodes Noltie **7**: 75, **86**, 87, 88, 289
firmus L.A.S.Johnson **8**: 61, 99, **122**, 180
fischerianus Turcz. ex V.I.Krecz. **7**: 241
fistulosus Guss. **8**: 89
flaccidus Steud. **7**: 36
flavescens Host **6**: 169
flavidus L.A.S.Johnson **8**: 63, 121, **123**, 144, 181
flexilis Turcz. **8**: 145
floribundus Humb. **7**: 186
floribundus Phil. **7**: 186
floridanus Rafin. **8**: 51
fluitans Lam. **7**: 162
fluitans Michx. **7**: 165
fockeii Buchenau **7**: 157, 184, **185**, 309
foliosus Desf. **8**: 2, **4**, 150
foliosus Hoppe **7**: 230
fominii Zoz **8**: 52, 55
fontanesii J.Gay ex Laharpe **7**: 157, **234**, 238, 268
 subsp. *brachyanthus* Trab. **7**: 235, **237**, 319
 subsp. *fontanesii* **7**: **235**, 318
 subsp. *kotschyi* (Boiss.) Snogerup **7**: 235, **236**, 318
 subsp. *pyramidatus* (Laharpe) Snogerup **7**: 235, **236**, 238, 267, 318
 var. *distortus* Lojac. **7**: 235
 var. *kotschyi* (Boiss.) Buchenau **7**: 236
 var. *melanocephalus* Trab. **7**: 237
 var. *pyramidatus* (Laharpe) Buchenau **7**: 236
 var. *typicus* Buchenau **7**: 234
forsteri Sm. **6**: 166
 Juncus continued
fraternus Kunth **7**: 217
 ×*friscus* Dörfl. **7**: 267
fucensis H.St.John **8**: 51
 ×*fulvescens* Fernald **7**: 263
fuscatus Raf. **8**: 56
fuscoater Schreb. **7**: 240
 [Spielart] *coarctatus* G.Mey. **7**: 240
 f. *subatricapillus* Neuman **7**: 241
 subsp. *arthrophyllus* Brenner **7**: 241
 var. *microcarpus* Brenner **7**: 241
 var. *minor* Spenn. **7**: 239
fuscocapitatus Balslev **7**: 187
ganeshii Miyam. & H.Ohba **7**: 79, **125**, 127, 300
gayanus Steud. **7**: 259
geniculatus Schrank **7**: 249
gentilis N.E.Br. **7**: 238
georgianus Coville **8**: 19, **31**, 157
gerardii Loisel. **7**: 2; **8**: 17–19, **49**, 52, 55–57
 subsp. *atrofuscus* (Rupr.) Printz **8**: 49, **52**, 165
 subsp. *gerardii* **8**: **49**, 50, 164

SPECIES PLANTARUM CUMULATIVE INDEX

- subsp. *libanoticus* (Thiébaud) Snogerup **8**: 54
 subsp. *montanus* Snogerup **8**: 49, **52**, 165
 subsp. *persicus* (Boiss.) Snogerup **8**: 53
 subsp. *salsuginosus* (Turcz. ex E.Mey.) Printz **8**: 47
 subsp. *soranthus* (Schrenk) K.Richt. **8**: 48
 subsp. *vvedenskii* (V.I.Krecz.) Novikov **8**: 54
 var. *acutiflorus* (Regel [ex?]) Buchenau **8**: 54
 var. *atrofusus* (Rupr.) Trautv. **8**: 52
 var. *crisoflei* Litard. & Maire **8**: 52
 var. *pedicellatus* Fernald **8**: 51
 var. *salsuginosus* (E.Mey.) Buchenau **8**: 47
 var. *sparsiflorus* H.Mort. ex Lange **8**: 51
 var. *soranthus* (Schrenk) Trautv. **8**: 48
 var. *ubsunuricus* Novikov **8**: 49
 b. [unranked] *chaucorum* Asch. & Graebn. **8**: 51
 1.b. [unranked] *pallidus* Asch. & Graebn. **8**: 51
 2. [unranked] *maximus* Asch. & Graebn. **8**: 51
 2. [unranked] *persicus* (Boiss.) Asch. & Graebn. **8**: 53
germanorum Steud. **8**: 33
gesneri Sm. **8**: 33
 Juncus continued
gibraltarius Salzm. ex Boiss. **7**: 183
giganteus Sam. **7**: 79, 80, **119**, 297
glabratus Hoppe **6**: 48
glaucescens Laharpe **8**: 103
glaucoturgidus Noltie **7**: 78, **90**, 93, 102, 106, 290
glaucus Ehrh. ex P.Gaertn., B.Mey. & Scherb. **8**: 58, 104
 f. *macrocarpus* Zapal. **8**: 105
 f. *virescens* Neuman **8**: 105
 subsp. *angelisii* (Ten.) Arcang. **8**: 104
 subsp. *depauperatus* (Ten.) Richt. **8**: 104
 subsp. *diffusus* (Hoppe) Bonnier & Layens **8**: 142
 subsp. *longicornis* (Bastard) Richt. **8**: 104
 subsp. *paniculatus* (Schult. & Schult.f.) Trab. **8**: 104
 var. *acutissimus* Buchenau **8**: 103
 var. *fasciculatus* Buchenau **8**: 104
 var. *inflexus* (L.) Spenn. **8**: 103
 var. *laxiflorus* Lange **8**: 104
 var. *leptocarpus* (Buchenau) Buchenau **8**: 104
 var. *littoralis* Wahlenb. **8**: 67
 var. *longicornis* (Bastard) Grognot **8**: 104
 var. *pallidus* Sond. **8**: 104
 var. *paniculatus* (Schult. & Schult.f.) Bosch **8**: 104
 var. *prolifer* Sond. **8**: 104
 var. *strictus* Spenn. **8**: 104
 var. *subglomeratus* G.Mey. **8**: 104
 var. *yokoscensis* Franch. & Sav. **8**: 77
 Rasse B. *longicornis* (Bastard) Asch. & Graebn. **8**: 104
 a. [‘Spielart’] *melanocarpus* G.Mey. **8**: 104
 β. [unranked] *equisetosus* (Dumort.) Asch. & Graebn. **8**: 104
 γ. [unranked] *farctus* Asch. & Graebn. **8**: 105
 1. [unranked] *microcarpus* Asch. & Graebn. **8**: 105
 1. [unranked] *typicus* Asch. & Graebn. **8**: 104
 1.a. [unranked] *strictus* Asch. & Graebn. **8**: 105

SPECIES PLANTARUM CUMULATIVE INDEX

- 1.b. [unranked] *curvatus* Asch. & Graebn. **8**: 105
 2. [unranked] *depauperatus* (Ten.) Asch. & Graebn. **8**: 104
 2. [unranked] *melanocarpus* (G.Mey.) Asch. & Graebn. **8**: 104
 2. [unranked] *oligocarpus* Asch. & Graebn. **8**: 105
 3. [unranked] *brunneus* Asch. & Graebn. **8**: 105
 II. [unranked] *magnagutii* Asch. & Graebn. **8**: 105
 II.a. [unranked] *aggregatus* Asch. & Graebn. **8**: 105
glaucus Sibth. **8**: 103
 Juncus continued
globiceps Bajtenov **7**: 59
glomeratus K.F.Wu **7**: 80
glomeratus Thunb. **8**: 85
gonggae Miyam. & H.Ohba **7**: 78, 104, **106**, 107, 294
gontscharovii Schischk. **7**: 98
 ×*gracilescens* F.J.Herm. ex Wadmond **7**: 264
gracilicaulis A.Camus **7**: 79, **81**, 288
gracilis R.Br. **7**: 38
 var. *humilis* Benth. **7**: 38
gracilis (Hook.f.) Walp. **6**: 6
gracilis Lej. **8**: 5
gracilis Roth **7**: 59
 var. *capitatus* Roth **7**: 59
gracilis Sm. **8**: 33
gracillimus (Buchenau) V.I.Krecz. & Gontsch. **8**: 19, **46**, 163
graecus Chaub. & Bory **6**: 38
gramineus Dumort. **8**: 44
 var. *coenosus* (Bicheno) Dumort. **8**: 49
 var. *compressus* (Jacq.) Dumort. **8**: 44
graminifolius E.Mey. **7**: 45
grandiflorus L.f. **6**: 5
greenei Oakes & Tuck. **8**: 20, **27**, 156
gregiflorus L.A.S.Johnson **8**: 63, 101, 117, **123**, 142, 181
griscomii Fernald **8**: 92
grisebachii Buchenau **7**: 75, 78, **82**, 83, 289
grubovii Novikov **8**: 67
guadeloupensis Buchenau & Urb. **7**: 153, **176**, 195, 308
gubanovii Novikov **8**: 60, **102**, 175
gunnii Hook.f. **8**: 125
gussonii Parl. **7**: 250
gymnocarpus Coville **8**: 60, **83**, 84, 171
 Juncus continued
haenkei E.Mey. **8**: 58, **75**, 169
hallasanensis Chung **7**: 151
hallii Engelm. **8**: 58, 79, **80**, 170
hamulus Miyam. & H.Ohba *mss* **7**: 86
hancockii Hance **7**: 98
harae Miyam. & H.Ohba **7**: 76, 106, **110**, 111, 294
haussknechtii Ruhmer **8**: 8
 ×*haussknechtii* P.Fourn. **8**: 142
heldreichianus T.Marsson ex Parl. **7**: 5, **9**, 25, 27
 subsp. *heldreichianus* **7**: 11, **12**, 275
 subsp. *orientalis* Snogerup **7**: **12**, 13, 275
helodes Link **8**: 67
hemiendytus F.J.Herm. **7**: 58, **68**

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *abjectus* (Herm.) Ertter **7**: 68, 69, **70**, 287
 var. *hemiendytus* **7**: **68**, 69, 287
heptopotamicus V.I.Krecz. & Gontsch. **8**: 19, **53**, 165
 var. *yiningensis* K.F.Wu **8**: 57
hesperius (Piper) Lint **8**: 61, **95**, 96, 174
heteranthos Nutt. **7**: 48
heterophyllus Dufour **7**: 151, 156, **229**, 317
himalensis Klotzsch **7**: 79, **123**, 125, 126, 135, 300
 var. *genuinus* Buchenau **7**: 123
 var. *schlagintweitii* (Buchenau) Buchenau **7**: 123
hizenensis Satake **7**: 149
hochstetteri Steud. **7**: 235
hoffmeisteri Klotzsch **7**: 90
holoschoenus R.Br. **7**: 157, 184, **185**, 268, 309
 var. *multiflorus* Carse **7**: 185
homalocaulis F.Muell. ex Benth. **8**: 18, 23, **40**, 56, 161
homalophyllus Steud. **7**: 41
hookeridis Steud. **6**: 6
hostii Tausch **8**: 41
 var. *monanthos* (Jacq.) Tausch **8**: 41
howellii F.J.Herm. **7**: 28, **42**, 44, 280
husnotii (Rouy) Prain **7**: 162
hybridus Brot. **8**: 3, 8, 9, **12**, 13, 14, 153
 subsp. *nastanthus* (V.I.Krecz. & Gontsch.) V.Novikov **8**: 15
hydrophilus Noltie **7**: 79, 83, **84**, 85, 289
Juncus continued
imbricatus Laharpe **7**: 3; **8**: 19, **20**, 22, 23, 25, 155
 var. *chamissonis* (Kunth) Buchenau **8**: 20
 var. *lechleri* (Steud.) Buchenau **8**: 21
inaequalis Buchenau **7**: 73
 var. *altus* (Buchenau) Adamson **7**: 73
 var. *genuinus* Buchenau **7**: 73
 var. *squarrosus* Adamson **7**: 74
 var. *viridescens* Buchenau **7**: 73
inconspicuus d'Urv. **7**: 254
indescriptus Steud. **7**: 36
indicus Royle ex D.Don **7**: 225
 var. *nanus* Royle **7**: 148
inflexus L. **8**: 57, 60, **103**, 142
 f. *aggregatus* (Asch. & Graebn.) I.Grint. **8**: 105
 f. *melanocarpus* (G.Mey.) I.Grint. **8**: 104
 f. *pallidus* (Sond.) I.Grint. **8**: 104
 f. *strictus* (Asch. & Graebn.) S6o **8**: 105
 subsp. *austrooccidentalis* K.F.Wu **8**: 103
 subsp. *brachytepalus* (V.I.Krecz. & Gontsch.) Novikov **8**: 103, 104, **107**, 176
 subsp. *inflexus* **8**: **104**, 106, 141–144, 176
 subvar. *laxiflorus* (Lange) Rouy **8**: 104
 var. *acutissimus* **8**: 103
 var. *depauperatus* (Ten.) I.Grint. **8**: 104
 var. *longicornis* (Bastard) Briq. **8**: 104
 var. *oligocarpus* (Asch. & Graebn.) I.Grint. **8**: 105
 var. *prolifer* Cout. **8**: 105
 var. *trimenii* Cout. **8**: 105
 Race *longicornis* (Bastard) Rouy **8**: 104

SPECIES PLANTARUM CUMULATIVE INDEX

- ingens* N.A.Wakef. **8**: 59, **125**, 134, 181
insulanus Viv. **8**: 12
interior Wiegand **8**: 18, 20, 35, **36**, 159
 var. *arizonicus* (Wiegand) F.J.Herm. **8**: 36
 var. *billingtonii* Farw. **8**: 38
 var. *neomexicanus* (Wiegand) F.J.Herm. **8**: 38
 var. *uniflorus* Farw. **8**: 38
intermedius Host **6**: 48
intermedius Tarassov **8**: 57
 subsp. *macrocarpus* Tarassov **8**: 57
 subsp. *microcarpus* Tarassov **8**: 57
intermedius Thuill. **6**: 110
 ×*inundatus* Drejer **8**: 141
inventus L.F.Hend. **7**: 224
involucratus Kirk **8**: 33
involucratus Steud. ex Buchenau **7**: 186, 187
isthmiacus Neck. **7**: 269
istriacus Gand. **8**: 8
Juncus continued
jacquini L. **8**: 59, **81**, 170
 var. *biceps* Beck **8**: 81
jaxarticus V.I.Krecz. & Gontsch. **8**: 20, **55**, 166
jeholensis Satake **7**: 254
jonesii Rydb. **7**: 41
juzepczukii V.I.Krecz. & Gontsch. **8**: 10
kamschatcensis (Buchenau) Kudo **7**: 151, 178
kangdingensis K.F.Wu **7**: 102
kangpuensis K.F.Wu **7**: 109
kansanus F.J.Herm. **8**: 29
karelinii Steud. **7**: 6
kelloggii Engelm. **7**: 58, **64**, 65, 286
 ×*kern-reichgeltii* Jansen & Wacht. ex Reichg. **8**: 142
khasiensis Buchenau **7**: 77, 80, **81**, 288
kingii Rendle **7**: 77, **95**, 291
kleinii Barros **8**: 59, **112**, 113, 178
kochii F.W.Schultz **7**: 162, 163
koidzumii Satake **7**: 226
kotschyi Boiss. **7**: 151, 236
 var. *arianus* (V.I.Krecz.) Novikov **7**: 236
krameri Franch. & Sav. **7**: 158, **227**, 317
kraussii Hochst. **7**: 5, **187**:
 subsp. *austerus* (Buchenau) Snogerup **7**: 18, **22**, 23, 277
 subsp. *australiensis* (Buchenau) Snogerup **7**: 18, **20**, 21, 277
 subsp. *kraussii* **7**: 18, **20**, 21, 277
 var. *effusus* Adamson **7**: 20
 var. *parviflorus* Adamson **7**: 20
kuntzei (Buchenau) Vierh. **7**: 174
laccatus P.F.Zika **8**: 61, **94**, 173
lacteus Link **6**: 23
laevis Wallr. **8**: 88
 var. *diffusus* Wallr. **8**: 89
 var. *effusus* (L.) Wallr. **8**: 88
laeviusculus L.A.S.Johnson **8**: 61, 63, **126**
 subsp. *illawarrensensis* L.A.S.Johnson **8**: **126**, 182

SPECIES PLANTARUM CUMULATIVE INDEX

- subsp. *laeviusculus* **8**: 99, **126**, 138, 181
lagenarius J.Gay ex Laharpe **7**: 235
Juncus continued
lampocarpus Ehrh. ex Hoffm. **7**: 151, 249
 f. *acutipetalus* Marcet **7**: 264
 f. *aquaticus* (L.) Neuman **7**: 247
 f. *brachycarpus* Trab. **7**: 251
 f. *maximus* Erdner **7**: 251
 f. *nanus* Neuman **7**: 251
 f. *natans* Glück **7**: 251
 f. *nigrescens* Zapał. **7**: 251
 f. *parviflorus* Racib. **7**: 251
 f. *submersus* Glück **7**: 251
 f. *viridiflorus* Zapał. **7**: 251
 f. *viviparus* Neuman **7**: 250
subsp. *macrocephalus* (Viv.) Rouy **7**: 250
subsp. *nigritellus* (Macreight) Nyman **7**: 249
var. *acutiflorus* (Hoffm.) Neilr. **7**: 230
var. *adscendens* [Host] Čelak. **7**: 249
var. *alpinus* Spenn. **7**: 250
var. *caespitosus* Zapał. **7**: 251
var. *corymbosus* Neuman **7**: 251
var. *cuspidatus* Brenner **7**: 251
var. *erectus* Čelak. **7**: 250
var. *fluitans* W.D.J.Koch **7**: 250
var. *heterophyllus* (Dufour) Duby **7**: 229
var. *lindhardii* Wiinst. **7**: 251
var. *littoralis* (Patzé, E.Mey. & Elkan) Buchenau **7**: 250
var. *macrocarpus* Döll **7**: 250
var. *macrocephalus* (Viv.) Döll **7**: 250
var. *microcephalus* Peterm. **7**: 240
var. *multiflorus* Lange **7**: 250
var. *nigritellus* [D.Don] Macreight **7**: 249
var. *obtusiflorus* Neilr. **7**: 240
var. *parviflorus* (Racib.) Zapał. **7**: 251
var. *pauciflorus* Sond. **7**: 250
var. *prolifer* Parl. **7**: 250
var. *pygmaeus* Salis-Marschl. ex Buchenau **7**: 240
var. *repens* Parl. **7**: 250
var. *repens* Sond. **7**: 250
var. *senescens* Buchenau **7**: 251
var. *suberectus* Spenn. **7**: 250
var. *subobtusus* Neuman **7**: 251
var. *turczaninowii* Buchenau **7**: 254
[unranked] *alpicola* Asch. & Graebn. **7**: 251
[unranked] *congestus* Asch. & Graebn. **7**: 251
[unranked] *niger* Asch. & Graebn. **7**: 251
[unranked] *olympicus* Asch. & Graebn. **7**: 269
[unranked] *pallescens* Asch. & Graebn. **7**: 251
[unranked] *pallidiflorus* Asch. & Graebn. **7**: 251
[unranked] *stolonifer* (Wohll.) Asch. & Graebn. **7**: 249
[unranked] *subobtusatus* Asch. & Graebn. **7**: 251
[unranked] *virescens* Döll **7**: 250
[unranked] *viridiflorus* Asch. & Graebn. **7**: 251

SPECIES PLANTARUM CUMULATIVE INDEX

- a. [unranked] *eulampocarpus* Asch. & Graebn. **7**: 249
- a. [unranked] *salinus* Schur **7**: 270
- B. [unranked] *friscicus* Buchenau ex Asch. & Graebn. **7**: 267
- b. [unranked] *pallidus* Schur **7**: 250
- B. [unranked] *repens* Asch. & Graebn. **7**: 250
- B. [unranked] *roeperi* Asch. & Graebn. **7**: 263
- B. [unranked] *viviparus* Gaudin **7**: 250
- γ [unranked] *patens* Ser. ex Gaudin **7**: 250
- d. [unranked] *alpigenus* Schur **7**: 250
- δ [unranked] *affinis* (Gaudin) Gaudin **7**: 249
- e. [unranked] *prolifer* Schur **7**: 250
- e. [unranked] *viviparus* Schur **7**: 250
- ×*langii* Erdner **7**: 264
- lanpinguensis* Novikov **7**: 80
- laterifolius* Anonymous **8**: 146
- latifolius* (Engelm.) Buchenau **7**: 53
- var. *paniculatus* (Engelm.) Buchenau **7**: 50
- latifolius* Wulfen **6**: 33
- latior* Satake **7**: 149
- laxus* Robyns & Tournay **8**: 91
- Juncus continued
- lechleri* Steud. **8**: 21
- leersii* T.Marsson **8**: 85
- f. *subuliflorus* (Drejer) Neuman **8**: 85
- f. *viridiflorus* (Buchenau) Buchenau **8**: 85
- var. *laxus* Beck **8**: 85
- var. *praeflorens* Ade & Vollm. **8**: 85
- var. *subuliflorus* (Drejer) Buchenau **8**: 85
- var. *viridiflorus* Buchenau **8**: 85
- leiospermus F.J.Herm. **7**: 58, **63**
- var. *ahartii* Ertter **7**: 62, **63**, 286
- var. *leiospermus* **7**: 62, **63**, 285
- ×*lemieuxii* Boivin **7**: 263
- leopoldii* Parl. **7**: 8
- leptocarpus* Buchenau **8**: 104
- leptocaulis* Torr. & A.Gray ex Engelm. **7**: 46
- leptocladus Hayata **8**: 9
- leptospermus Buchenau **7**: 153, 155, **227**, 317
- lesbiacus* C.Candargy **8**: 51
- leschenaultii* Gay ex Laharpe **7**: 148
- var. *major* Miq. **7**: 148
- var. *radicans* Franch. & Savat. **7**: 149
- var. *unitubulosus* (Buchenau) Novikov **7**: 226
- lesueurii Bol. **8**: 59, **76**, 141, 145, 169
- var. *elatus* S.Watson **8**: 101
- var. *stenocaulon* Buchenau **8**: 145
- var. *tracyi* Jeps. **8**: 75
- leucanthus Royle ex D.Don **7**: 78, **91**, **92**, 94, 95, 102, 104, 290
- var. *alpinus* Buchenau **7**: 92, 94
- leucochlamys* V.J.Zinger ex V.I.Krecz. **7**: 121
- subsp. *borealis* (Tolm.) Novikov **7**: 121
- var. *borealis* Tolm. **7**: 121
- leucomelas Royle ex D.Don **7**: 77, **99**, 293
- var. *thomsonii* (Buchenau) Buchenau **7**: 96

SPECIES PLANTARUM CUMULATIVE INDEX

- leucophobus* Ehrh. **6**: 28
libanoticus Thiébaud **8**: 54
liebmannii J.F.Macbr. **7**: 158, **191**
 var. *liebmannii* **7**: **193**, 310
 var. *polycephalus* Balslev **7**: **193**, 194, 311
 var. *quitensis* (Buchenau) Balslev **7**: **193**, 194, 311
limosus Worosch. **7**: 254
liniger With. **6**: 108
litorum Rydb. **8**: 71
littoralis C.A.Mey. **7**: 5, **8**, 10, 25, 27, 275
littoralis (Engelm.) Smyth & L.C.Smyth **8**: 71
 ×*livetianus* H.Lév. **7**: 267
llanquihuensis Barros **7**: 158, 196, **204**, 313
Juncus continued
lomatophyllus Spreng. **7**: 27, 28, 30, **31**, 32, 36, 278
 var. *aristatus* Buchenau **7**: 31
 var. *congestus* Adamson **7**: 31
 var. *lutescens* Buchenau **7**: 31
 var. *typicus* Buchenau **7**: 31
longibracteatus A.M.Lu & Z.Y.Zhang **7**: 95
longicapsularis Chevall. **7**: 250
longicaudatus (Engelm.) Mack. **7**: 173
longicornis Bastard **8**: 104
longiflorus (A.Camus) Noltie **7**: 79, **126**, 128, 129, 300
longifolius Steud. **7**: 187
longii Fernald **7**: 46, 48
longirostris Kuvaev **7**: 76, **113**, 296
longistamineus A.Camus **7**: 76, **133**, 302
longistylis Torr. **7**: 27, 29, **53**, 56, 284
 var. *latifolius* Engelm. **7**: 53
 var. *scabratus* F.J.Herm. **7**: 55
loureiroanus Schult. & Schult.f. **8**: 147
lucens Burnham ex Anonymous **8**: 89
lucidus Hochst. **8**: 33
luciensis Ertter **7**: 59, **64**, 65, 286
luctuosus Sennen **7**: 183
luetkei Buchenau **8**: 104
luteocarpus Satake **7**: 80
luteus All. **6**: 26
luxurians Colenso **8**: 89
luzula Krock. **6**: 28
luzulaeformis **7**: 133
luzuliformis Franch. **7**: 75, 76, 105, **133**, 302
 var. *modestus* (Buchenau) Buchenau **7**: 132
 var. *potaninii* (Buchenau) Buchenau **7**: 130
luzuliformis Gennari **7**: 133
luzulinus Vill. **6**: 169
luzuloides Lam. **6**: 27
luzuloxiphium Griseb. **7**: 186
Juncus continued
macedonicus Beauverd **7**: 180
macer Gray **8**: 33
 f. *anthelatus* (Wiegand) F.J.Herm. **8**: 35
 f. *discretiflorus* F.J.Herm. **8**: 35

SPECIES PLANTARUM CUMULATIVE INDEX

- f. williamsii* (Fernald) F.J.Herm. **8**: 33
 var. *antheatus* (Wiegand) Fernald **8**: 35
 var. *williamsii* Fernald **8**: 33
macrandrus Coville **7**: 137, **144**, 304
macrantherus V.I.Krecz. & Gontsch. **7**: 79, **125**, 300
macranthus Buchenau **7**: 89
macrocephalus Viv. **7**: 250
macrophyllus Coville **7**: 29, **55**, 284
macrostemon J.Gay ex Laharpe **7**: 208
macrostigma Colenso **8**: 129
magellanicus Lam. **6**: 4
mairei H.Lév. **7**: 227
manasiensis K.F.Wu **8**: 54
mandonii Buchenau **7**: 257
marginatus Rostk. **7**: 27, 28, **46**, 47, 282
 var. *aristulatus* (Michx.) Coville **7**: 46
 var. *biflorus* (Elliott) Chapm. **7**: 46
 var. *odoratus* Torr. **7**: 48
 var. *paucicapitatus* Engelm. **7**: 48
 var. *setosus* Coville **7**: 48
 var. *vulgaris* Engelm. **7**: 46
maritimus Lam. **7**: 3, 5, **14**, 17, 276
 subsp. *rigidus* (Desf.) Nyman **7**: 16
 var. *arabicus* Asch. & Buchenau **7**: 16
 var. *atlanticus* J.W.White **7**: 16
 var. *australiensis* Buchenau **7**: 20
 var. *biancae* Lojac. **7**: 16
 var. *congestus* L.B.Hall **7**: 14, 16
 var. *luxurians* Lojac. **7**: 27
 var. *nervatus* Lojac. **7**: 27
 var. *rigidus* (Desf.) Rouy **7**: 16
 var. *socotranus* Buchenau **7**: 14
 B. [unranked] *ponticus* (Steven) Asch. & Graebn. **7**: 14
marshallii Pugsley **7**: 244
matthioli Bubani **8**: 85
mauritanicus Trab. **7**: 170
mauritanus Bojer **8**: 91
maximowiczii Buchenau **7**: 76, **134**, 302
 f. *rostratus* Satake **7**: 134
maximus Reichard **6**: 33
 var. *angustifolius* Roth **6**: 28
 Juncus continued
megacephalus M.A.Curtis **7**: 154, 207, **208**, 313
megacephalus (Torr.) A.W.Wood **7**: 213
megakoleos Steud. **7**: 187
megaspermus F.J.Herm. **7**: 60
meianthus L.A.S.Johnson ex K.L.Wilson **7**: 29, **38**, 39, 279
meiguensis K.F.Wu **7**: 135
melananthos Rchb. **7**: 178
melanocarpus Michx. **6**: 51
melanocephalus Boiss. & Kotschy ex Boiss. **7**: 182
melanocephalus Friv. **7**: 180
membranaceus Royle **7**: 75, 77, 78, 81, **89**, 92, 290
mendocinus Barros **7**: 204

SPECIES PLANTARUM CUMULATIVE INDEX

- menziesii* R.Br. ex Hook. **7**: 49
 var. *californicus* Hook. & Arn. **7**: 55
meridionalis (Buchenau) Herter **7**: 201
mertensianus Bong. **7**: 151, 158, **221**, 223, 316
 subsp. *gracilis* (Engelm.) F.J.Herm. **7**: 224
 var. *badius* (Suksd.) F.J.Herm. **7**: 224
 var. *columbianus* (Coville) F.J.Herm. **7**: 224, 225
 var. *duranii* (Ewan) F.J.Herm. **7**: 221
 var. *filifolius* Suksd. **7**: 221
 var. *paniculatus* Engelm. **7**: 140
 var. *suksdorfii* (Rydb.) F.J.Herm. **7**: 224
metzleri F.W.Schultz **8**: 44
mexicanus Willd. ex Schult. & Schult.f. **8**: 72
 Juncus continued
micranthus Desv. **7**: 264
micranthus Schrad. ex E.Mey. **7**: 154, 199, **201**, 312
microcephalus Humb. **7**: 157, **186**, 188, 189, 310
 f. *conglobatus* Barros **7**: 186
 var. *floribundus* (Humb., Bonpl. & Kunth) E.Mey. **7**: 186
 var. *intermedius* E.Mey. **7**: 186
 var. *major* Schult. & Schult.f. **7**: 186
 var. *pusillus* E.Mey. **7**: 257
 var. *virens* Griseb. **7**: 186
milashanensis A.M.Lu & Z.Y.Zhang **7**: 80, **115**, 116, 117, 297
militaris Bigelow **7**: 156, **204**, 313
 f. *bifrons* Fernald **7**: 204
 f. *subnudus* Fernald **7**: 204
minae Strobl ex Nyman **7**: 159
minimus Buchenau **7**: 75, 80, 105, **116**, 118, 297
minutulus (Albert & Jahand.) Prain **8**: 2, **10**, 17, 153
minutulus V.I.Krecz. & Gontsch. **8**: 12
modestus Buchenau **7**: 132
modicus N.E.Br. **7**: 78, 106, **109**, 135, 294
mogadorensis (H.Lindb.) A.W.Hill **8**: 12
mollifolius Hilliard & B.L.Burt **7**: 33, 34
mollis L.A.S.Johnson **8**: 63, 115, **127**, 144, 182
monanthos Jacq. **8**: 18, **41**, 44, 162
monostichus Bartlett **8**: 38
montanus Lam. **6**: 33
 ×*montellii* Vierh. **8**: 139
monticola Steud. **7**: 225
 ×*montserratensis* Marcet **7**: 264
mucroniflorus Clairv. **7**: 239
muehlenbergii Spreng. **7**: 163
muelleri Trautv. **8**: 64, 66
 subsp. *grubovii* (Novikov) Novikov **8**: 67
multibracteatus Tineo, **7**: 6
multicapitatus Schult. & Schult.f. **7**: 249
multiceps Kunze **7**: 217
multiflorus Desf. **8**: 145
 subvar. *salinus* (Durieu) Coss. & Durieu **8**: 145
 var. *siculus* (Tineo) Lojac. **8**: 145
multiflorus (Ehrh.) Hoffm. **6**: 109
multiflorus Retz. **6**: 26

SPECIES PLANTARUM CUMULATIVE INDEX

- ×*murbeckii* Sagorski **7**: 264
- mutabilis* Lam. **7**: 59
- mutabilis* Savi **8**: 12
 - subsp. *ambiguus* (Guss.) Nyman **8**: 12
- Juncus continued
- nanus* Dubois **7**: 159
- nastanthus* V.I.Krecz. & Gontsch. **8**: 15, 17
- nebrodensis* Lojac. **7**: 270
- neesii* F.Heller **7**: 167
- nematocaulon* Hook.f. **7**: 81
- nemorosus* Host **6**: 110
- nemorosus* Lam. **6**: 170, 188
- nemorosus* Pollich **6**: 28
- nemorosus* Sibth. **7**: 231
- neomexicanus* Wiegand **8**: 38
- nepalicus* Miyam. & H.Ohba **7**: 80, **116**, 297
- nevadensis* S.Watson **7**: 157, 196, 222, 223, **224**, 316
 - var. *badius* (Suksd.) C.L.Hitchc. **7**: 224
 - var. *columbianus* H.St.John **7**: 224
 - var. *inventus* (L.F.Hend.) C.L.Hitchc. **7**: 224, 225
- nevskii* V.I.Krecz. & Gontsch. **7**: 16
- nigricans* Wolff ex Schreb. **7**: 269
- nigritellus* D.Don **7**: 249
- nigritellus* Koch *non* D.Don **7**: 161
- nigroviolaceus* K.F.Wu **7**: 75, 111
- nikkoensis* Satake **7**: 228
 - var. *minor* Satake **7**: 228
 - var. *pinifolius* Satake **7**: 226
- niponensis* Buchenau **7**: 228
 - var. *hakodatensis* H.Lév. **7**: 228
- nitidiflorus* Dufour **8**: 51
- nitidus* Phil. **7**: 269
- niveus* Nathh. **6**: 25, 28
- Juncus continued
- nodatus* Coville **7**: 155, **219**, 315
- nodifolius* Larrañaga **7**: 270
- ×*nodosiformis* Fernald **7**: 264
- nodosus* L. **7**: 151, 154, 158, 206, 208, **212**, 263, 264, 314
 - f. *intermedius* Kneuck. **7**: 212
 - var. *genuinus* Engelm. **7**: 212
 - var. *megacephalus* Torr. **7**: 213
 - var. *meridianus* F.J.Herm. **7**: 212
 - var. *meridionalis* **7**: 213
 - var. *multiflorus* Torr. **7**: 208
 - var. *prolifer* Lunell **7**: 212
 - var. *texanus* Engelm. **7**: 214
 - var. *vulgaris* Torr. **7**: 212
- nodulosus* Bory & Chaub. **6**: 38
- nodulosus* Wahlenb. **7**: 244
 - f. *dissolutus* Lindm. **7**: 244
 - f. *uniceps* (Laest.) Shljakov **7**: 243
 - var. *alpestris* (Hartm.) Shljakov **7**: 243
 - var. *biceps* Laest. ex Wahlenb. **7**: 243
 - var. *marshallii* (Pugsley) P.W.Richards **7**: 244

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *uniceps* Laest. ex Wahlenb. **7**: 243
novae-zelandiae Hook.f. **7**: 155, 260, **261**, 324
novikovii A.P.Khokhr. **7**: 149
nupela Veldkamp **8**: 59, **77**, 134, 170
nutans Chaix ex Vill. **6**: 68
obliquus Adamson **7**: 58, **71**, 287
 ×*obotritorum* Rothm. **8**: 141
obtusatus Engelm. **7**: 51
obtusatus Kit. ex Schult. **7**: 167
obtusiflorus Ehrh. ex Hoffm. **7**: 151, 167
 var. *laxus* M.Mandon & Foucaud **7**: 167
 var. *rubellus* Erdner **7**: 167
 var. *schillingeri* G.Fischer **7**: 167
 [Spielart] *coarctatus* G.Mey. **7**: 167
 B [forma principalis] *condensatus* Cout. **7**: 167
occidentalis [Coville] Wiegand **8**: 20, 28, **36**, 159
ochraceus Buchenau **7**: 4, 75, **86**, 89, 290
ochrocoleus L.A.S.Johnson **8**: 60, 63, **127**, 128, 182
 Juncus continued
odoratus (Torr.) Steud. **7**: 48
oehleri Graebn. **8**: 91
ohwianus Kao **7**: 226
oliganthus Phil. **7**: 257
oligocephalus Satake & Ohwi **7**: 140
olympicus Schott, Nyman & Kotschy **7**: 269
orchonicus Novikov **8**: 19, **48**, 164
oreganus S.Watson **7**: 205
orientalis (Snogerup) Filim. **7**: 12
orizabae Liebm. **8**: 72
oronensis Fernald. **8**: 18
 ×*oronensis* Fernald **8**: 56
orthophyllus Coville **7**: 29, **53**, 54, 284
 f. *congestus* (Suksd.) H.St.John **7**: 53
 var. *congestus* Suksd. **7**: 53
oxycarpus E.Mey. ex Kunth **7**: 30, 151, 155, **238**, 319
 subsp. *australis* Weim. **7**: 238
 subsp. *sparganioides* Weim. **7**: 238
 var. *microcephalus* Adamson **7**: 238
oxymeris Engelm. **7**: **137**, 139, 303
pacificus (Engelm.) B.D.Jacks. **8**: 76
palensis Maly **7**: 180
pallescens Lam. **7**: 157, **187**, 188, 196, 310
 var. *achalensis* (Barros) Novara **7**: 187
pallescens Wahlenb. **6**: 97
pallidus R.Br. **8**: 60, 128, **129**, 144, 182
 var. *triandrus* Cheeseman **8**: 132
pallidus Hoppe **8**: 103
palustris Gromov **8**: 145
paniculatus Hoppe ex Schult. & Schult.f. **8**: 104
 subsp. *depauperatus* (Ten.) Nyman **8**: 104
papillosus Franch. & Sav. **7**: 153, **228**, 317
 var. *virens* (Buchenau) Vorosch. **7**: 228
paradoxus E.Mey. **7**: 217
parous Rydb. **7**: 141

SPECIES PLANTARUM CUMULATIVE INDEX

- parryi* Engelm. **8**: 58, **78**, 79, 170
parviflorus Ehrh. **6**: 49, 188
parviflorus Poir. **8**: 147
parvulus E.Mey. ex Buchenau **7**: 73
patens E.Mey. **8**: 60, 82, **83**, 170
Juncus continued
paucicapitatus Buchenau **7**: 205
pauciflorus R.Br. **8**: 60, **125**, 134, 181
 var. *cheesemani* Buchenau **8**: 122
 var. *gunnii* (Hook.f.) Buchenau **8**: 125
pauciflorus auct. fl. sinens. p.p., non R.Br. **8**: 100
pauciflorus Kirk **7**: 40
pauciflorus Moench ex Schleich. **8**: 64
pau Sennen **7**: 14
pauperculus O.Schwarz **8**: 80
pauperculus Raf. **8**: 56
pediformis Chaix **6**: 68, 86
pelocarpus E.Mey. **7**: 152, 157, **163**, 166, 306
 f. *submersus* Fassett **7**: 165
 var. *crassicaudex* Engelm. **7**: 165
 var. *fluitans* Buchenau **7**: 165
 var. *sabulonensis* H.St.John **7**: 165
 var. *subtilis* (E.Mey.) Engelm. **7**: 165
perparvus K.F.Wu **7**: 132
perpusillus (Fern.-Carv. & Navarro) Rivas Mart., Fern.Gonz. & Sánchez Mata **8**: 5
perpusillus Sam. **7**: 78, **101**, 293
persicus Boiss. **8**: 19, 49, **53**, 55
 subsp. *libanoticus* (Thiébaut) Novikov & Snogerup **8**: **54**, 55, 165
 subsp. *persicus* **8**: **54**, 165
 subsp. *vvedenskii* (V.I.Krecz.) Novikov **8**: 54
peruvianus H.Pfeiff. **8**: 74
pervetus Fernald **7**: 152, **168**, 306
petrophilus ms **7**: 101
phaeanthus L.A.S.Johnson **8**: 61, **129**, 134, 182
phaeocarpus A.M.Lu & Z.Y.Zhang **7**: 82
phaeocephalus Engelm. **7**: 137, **142**
 var. *glomeratus* Engelm. **7**: 142
 var. *gracilis* Engelm. **7**: 224
 var. *paniculatus* Engelm. **7**: **142**, 144, 303
 var. *phaeocephalus* **7**: **142**, 303
phalereus Gand. **7**: 9
Juncus continued
pictus Steud. **7**: 58, **72**, 73, 288
pilosus L. **6**: 170
 subsp. *maximus* (Reichard) Ehrh. **6**: 33
 var. *vernalis* (Reichard) Pers. **6**: 170
 A. [unranked] *fascicularis* Schrank **6**: 33
 B. *cymosus* Schrank **6**: 170
 C. *glabrescens* Schrank **6**: 48
pisuergae Losa & P.Monts. **7**: 235
philippii Lojac. **8**: 146
phyllophorus Lojac. **8**: 146
pictus F.Phil. **8**: 74
planifolius R.Br. **7**: 28, 39, 40, **41**, 280

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *chathamensis* Buchenau **7**: 41
 var. *demissus* (Steud.) Buchenau **7**: 41
 var. *humilis* Ostenf. **7**: 41
 var. *tenellus* Benth. **7**: 41
platycaulos Humb., Bonpl. & Kunth **8**: 38
platyphyllus (Wiegand) Fernald **8**: 32
plebeius auct. non R.Br. **8**: 40
plebeius R.Br. **8**: 2, 9
pohlii Steud. **7**: 196
polyanthemus Buchenau **8**: 62, 115, **130**, 144, 182
 var. *cheesemani* (Buchenau) Buchenau **8**: 122
 var. *major* J.M.Black **8**: 145
polycephalus D.Don ex Hook. **7**: 249
polycephalus Michx. **7**: 137, **144**, 147, 304
 var. *crassifolius* Michx. **7**: 144
 var. *depauperatus* Torr. **7**: 218
 var. *paradoxus* (E.Mey.) Torr. **7**: 217
 var. *pumilus* Hook. **7**: 269
 var. *tenuifolius* Michx. **7**: 144
 var. [β] *tenuifolius* Michx. **7**: 208
polytrichos E.Mey. & Buchenau **7**: 73
pondii A.W.Wood **7**: 217
 Juncus continued
ponticus Steven **7**: 14
potaninii Buchenau **7**: 75, 77, **130**
 subsp. *potaninii* **7**: **132**, 302
 subsp. *woroschilovii* (Nechaev & Novikov) Novikov **7**: **132**, 302
pringlei Fernald **8**: 21
prismatocarpus R.Br. **7**: 137, **146**
 subsp. *leschenaultii* (Laharpe) Kirschner **7**: 146, **148**, 149, 150, 304
 subsp. *prismatocarpus* **7**: **148**, 149, 150, 304
 subsp. *teretifolius* K.F.Wu **7**: 226
 subvar. *pluritubulosus* Buchenau **7**: 149
 subvar. *thermalis* Buchenau **7**: 149
 subvar. *unitubulosus* Buchenau **7**: 226
 subvar. *viviparus* Koidz. **7**: 149
 var. *genuinus* Buchenau **7**: 146
 var. *leschenaultii* (Laharpe) Buchenau **7**: 148
prismatocarpus s. lat. **7**: 149
procerus Bianca **7**: 16
procerus E.Mey. **8**: 63, 115, 131, **132**, 139, 183
prolifer Humb., Bonpl. & Kunth **8**: 9
prominens (Buchenau) Miyabe & Kudo **7**: 28, 49, **51**, 53, 284
proximus Steud. **7**: 187
 Juncus continued
przewalskii Buchenau **7**: 77, 94, **102**, 104, 105, 135, 293
 var. *discolor* Sam. **7**: 102
psammophilus L.A.S.Johnson **8**: 59, 121, **132**, 183
pseudacutus Pau **7**: 14
pseudocastaneus (Lingelsh.) Sam. **7**: 126
pseudokrameri Satake **7**: 226
pumilus Raf. **8**: 17
punctorius L.f. **7**: 152, **170**, 171, 306
 subsp. *mauritanicus* Trab. **7**: 170

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *exaltatus* (Decne.) Buchenau **7**: 170
 var. *mauritanicus* **7**: 170
 var. *mauritanicus* (Trab.) Buchenau & Trab. **7**: 170
 var. *schimperi* (A.Rich.) Buchenau **7**: 170
pusillus Buchenau **7**: 156, **255**, 324
pygmaeus Rich. ex Thuill. **7**: 59, 151, 152, **159**, 160, 305
 f. *lacustris* (Lange) Fern.-Carv. **7**: 159
 f. *submersus* H.Glück **7**: 159
 var. *bicephalus* (Viv.) Buchenau **7**: 159
 var. *brachycarpus* P.Candargy **7**: 159
 var. *lacustris* Lange **7**: 159
 var. *umbelloides* Holkema **7**: 159
pylaii Laharpe **8**: 61, **87**, 98, 142, 172
pyramidatus Laharpe **7**: 236
 var. *kotschyi* (Boiss.) Boiss. **7**: 236
pyrenaicus Timb.-Lagr. & Jeanb. **8**: 70
pyrenaicus Cadevall & Pau **7**: 98
 Juncus continued
quartinianus A.Rich. **7**: 238
radicans Schlecht. **7**: 218
radula Buchenau **8**: 59, **133**, 134, 144, 183
 var. *laevior* Buchenau **8**: 133
 var. *typicus* Buchenau **8**: 133
ramboi Barros **8**: 59, **111**
 f. *explicatus* Barros **8**: 111
 subsp. *colombianus* Balslev **8**: **111**, 178
 subsp. *ramboi* **8**: **111**, 178
ranarius Songeon & E.P.Perrier **8**: 3, **14**, 16, 17, 154
 var. *ossoraicus* Novikov **8**: 15
rariflorus Hartm. **7**: 243
 var. *obtusatus* Hartm. **7**: 243
ratkowskyanus L.A.S.Johnson **7**: 154, **262**, 325
rechingeri Snogerup **8**: 2, **3**, 150
recurvatus Conrad ex Raf. **8**: 56
regelii Buchenau **7**: 28, **41**, 43, 280
remotiflorus L.A.S.Johnson **8**: 60, 62, 128, **133**, 144, 184
repens Michx. **7**: 1, 27, 28, **42**, 281
repens Nolte **7**: 252
repens Req. **7**: 235
requienii Parl. **7**: 156, 158, **246**, 321
retroflexus Rafn **7**: 167
revolutus R.Br. **8**: 19, 23, **39**, 161
rhiphaenus Pau & Font-Quer **8**: 4
rhotangensis Goel & Aswal **7**: 76, 110, **111**, 129, 295
richardsonianus Schult. & Schult.f. **7**: 244
rigidus Desf. **7**: 5, **16**, 19, 276
rivularis Poepp. ex Steud. **7**: 45
robustus (Engelm.) Coville **7**: 219
robustus S.Watson **7**: 8
rochelianus Schult. & Schult.f. **7**: 180
roemerianus Scheele **7**: 5, **22**, 24, 277
rohtangensis **7**: 111, 112
rostkovii E.Mey. **7**: 212
rostratus Buchenau **7**: 239

SPECIES PLANTARUM CUMULATIVE INDEX

- ×royeri* P.Fourn. **8**: 56
rubens Lam. **8**: 147
rudis Kunth **7**: 186
rufus Miel. ex Huebener **7**: 231
rugosus Steud. **7**: 232
rugulosus Engelm. **7**: 225
ruhmeri Asch. & Graebn. **8**: 142
rupestris Kunth **7**: 58, **72**, 288
 f. *gracilis* Buchenau **7**: 72
 f. *robusta* Buchenau **7**: 72
 var. *schlechteri* (Buchenau) Adamson **7**: 73
×rusguniensis Trab. ex Maire **7**: 267
Juncus continued
saginooides Engelm. **7**: 68
salinus Durieu **8**: 145
salsuginosus Turcz. ex E.Mey. **8**: 19, **47**, 163
 subsp. *tuvanicus* Kovt. **8**: 47
 var. *tuvanicus* (Kovt.) Novikov **8**: 47
sandwithii Lourteig **7**: 155, 255, 258, **259**, 262, 324
sarophorus L.A.S.Johnson **8**: 62, 117, **135**, 184
satakei Kitag. **7**: 120
saximontanus A.Nelson **7**: 137, **140**, 141, 143, 144, 303
 f. *brunnescens* (Rydb.) F.J.Herm. **7**: 141
 var. *robustior* M.Peck **7**: 141
scabriusculus Kunth **7**: 58, **70**, 287
 var. *subglandulosus* (Steud.) Buchenau **7**: 70
scheuchzerioides Gaudich. **7**: 152, 155, **254**, 255, 256, 323
 var. *inconspicuus* (d'Urv.) Hook.f. **7**: 254
schimperii Hochst. ex A.Rich. **7**: 170
schischkinii Kryl. & Sumn. **7**: 97
schlagintweitii Buchenau **7**: 123
schlechteri Buchenau **7**: 72, 73
schoenoides Mérat **7**: 269
scirpoides Lam. **7**: 144, 154, **208**, 209, 314
 subvar. *major* Engelm. **7**: 211
 subvar. *minor* Engelm. **7**: 144
 var. *carolinianus* Coville **7**: 208
 var. *compositus* R.M.Harper **7**: 208
 var. *echinatus* [Elliott] Engelm. **7**: 208
 var. *genuinus* Buchenau **7**: 208
 var. *macrostemon* (Laharpe) Engelm. **7**: 208
 var. *meridionalis* Buchenau **7**: 201
 var. *polycephalus* (Michx.) Engelm. **7**: 144
 A. [unranked] *macrostylus* Engelm. **7**: 208
 B. [unranked] *brachystylus* Engelm. **7**: 208
scalovicus Asch. & Graebn. **8**: 141
scalovicus auct. non Asch. & Graebn. **8**: 141
schranckii K.Moll **8**: 41
Juncus continued
secundiflorus Raf. **8**: 56
secundus Beauv. ex Poir. **8**: 20, **31**, 35, 55, 157
sellowianus Kunth **7**: 186
semisolidus L.A.S.Johnson **8**: 62, 63, 115, **135**, 184
septangulus Peterm. **7**: 178

SPECIES PLANTARUM CUMULATIVE INDEX

- serratus* L.f. **5**: 2
setaceus auct. non Rostk. **8**: 25
setaceus Rostk. **8**: 71
setchuensis Buchenau **8**: 61, 97, **100**, 101, 144, 174
 f. *compactus* (Satake) Satake **8**: 100
 var. *compactus* Satake **8**: 100
 var. *effusoides* Buchenau **8**: 58, 100
setifolius Ehrh. **7**: 162
setosus (Coville) Small **7**: 48
sherei Miyam. & H.Ohba **7**: 78, 101, **104**, 293
siculus Tineo **8**: 145
sikkimensis Hook.f. **7**: 75, 79, 116, **126**, 129, 300
 var. *helvolus* K.F.Wu **7**: 126
 var. *longiflorus* A.Camus **7**: 126
 var. *monocephalus* Hook.f. **7**: 111
 var. *pseudocastaneus* Lingelsh. **7**: 126
similis Buchenau **7**: 38
sinensis Gay ex Laharpe **7**: 148
singularis Steud. **7**: 27, 57
slwookoorum S.B.Young **7**: 221
smithii Engelm. **8**: 83
smithii Kunth **8**: 33
socotranus (Buchenau) Snogerup **7**: 5, **14**, 15, 275
sonderianus Buchenau **7**: 29, **34**, 36, 57, 278
soranthus Schrenk **8**: 19, **48**, 164
sorrentinii Parl. **8**: 3, 12, **14**, 154
 var. *bicephalus* Lojac. **8**: 14
sosnowskyi Novikov **7**: 239, 240
spadiceus All. **6**: 53
spadiceus Schreb. **7**: 231
spadiceus Vill. **6**: 26
spanianthus Steud. **8**: 20
sparganiifolius Boiss. & Kotschy ex Buchenau **7**: 27, 28, **29**, 277
spectabilis Rendle **7**: 77, **94**, 290
sphacelatus Decne. **7**: 75, 79, **124**, 125, 135, 300
 var. *himalensis* (Klotzsch) Jafri **7**: 123
sphaerocarpus Nees **8**: 2, 7, 152
 var. *amuricus* (Maxim.) Buchenau **8**: 7
sphaerocephalus K.F.Wu **7**: 226
sphagnetorum (Buchenau) Adamson **7**: 36
sphenostemon Buchenau **7**: 101
Juncus continued
spicatus L. **6**: 62, 188
spinosus Forssk. **7**: 6
 var. *congestus* (L.B.Hall) Druce **7**: 14
sprengelii Nees ex Buchenau **7**: 71
 var. *gracilior* Buchenau **7**: 71
 var. *robustior* Buchenau **7**: 71
sprengelii Willd. **8**: 40
spretus J.A.Schult. & J.H.Schult. **7**: 20
spumosus Noltie **7**: 79, 85, **118**, 297
squarrosus L. **8**: 18, 19, **40**, 41, 42, 161
 subsp. *ellmanii* (C.E.Hubb., Sandwith & Turrill) Maire & Weiller **8**: 41
 var. *glomeratus* Hartm. **8**: 40

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *longibracteatus* Zapal. **8**: 41
stellatus Willd. ex Kunth **7**: 235
stenopetalus Adamson **7**: 58, **71**, 287
stenophyllus Steud. **7**: 36
stipulatus Nees & Meyen **7**: 156, **257**
 var. *chilensis* (Gay) Kirschner **7**: **257**, 260, 324
 var. *corralensis* (Phil.) Buchenau **7**: 257
 var. *stipulatus* **7**: **257**, 258, 324
stoechadanthos Brot. **6**: 23
stolonifer Wohll. **7**: 249
striatus Schousb. ex E.Mey. **7**: 3, 153, **183**, 267, 268, 309
 subsp. *lagenarius* (Laharpe) Arcang. **7**: 235
 var. *capitulatus* Lojac. **7**: 183
 var. *diffusus* Willk. & Lange **7**: 235
 var. *lagenarius* (Laharpe) Parl. **7**: 235
 var. *macrocephalus* Coss. & Durieu **7**: 268
 var. *pauciflorus* Tineo ex Parl. **7**: 235
 var. *prolifer* Parl. **7**: 183
 var. *pygmaeus* Lojac. **7**: 183
 var. *radicans* Lojac. **7**: 183
strictus Lucé **8**: 56
 ×*stuckeyi* Reinking **7**: 264
stygius L. **7**: 76, 78, **129**
 subsp. *americanus* (Buchenau) Hultén **7**: 129, **130**, 301
 subsp. *stygius* **7**: 129, **130**, 131, 301
 var. *americanus* Buchenau **7**: 130
subarticulatus Zakirov & Novopokr. **7**: 252
subcaudatus (Engelm.) Coville & S.F.Blake **7**: 153, **175**, 307
 var. *planisepalus* Fernald **7**: 175
subcompressus Zakirov & Novopokr. **8**: 54
subcuneatus C.E.Moss ex Adamson **7**: 33
 var. *latifolius* Adamson **7**: 33
 var. *minor* Adamson **7**: 33
 Juncus continued
subglandulosus Steud. **7**: 70
subglaucus L.A.S.Johnson **8**: 62, 63, 115, **136**, 139, 184
subglobosus C.E.Moss ex Adamson **7**: 33
subglobosus K.F.Wu **8**: 8
subincurvus Steud. **7**: 45
submonocephalus Steud. **7**: 33
subnodulosus Schrank **7**: 2, 3, 151, 152, **167**, 169, 171, 267–269, 306
 f. *coarctatus* Sóo **7**: 167
 var. *condensatus* (Cout.) Fern-Carv. **7**: 167
suboxycarpus Adamson **7**: 238
subsecundus N.A.Wakef. **8**: 60, 62, 121, **137**, 142, 144, 184
subtenuis Herter **8**: 33
subtilis E.Mey. **7**: 152, 157, **165**, 306
subtriflorus (E.Mey.) Coville **8**: 58, 80
 Juncus continued
subulatus Forssk. **8**: **145**, 185
 f. *salinus* (Durieu) Maire **8**: 145
 subsp. *siculus* (Tineo) Richt. **8**: 145
subuliflorus Drejer **8**: 85
 f. *laxus* (Beck) Reichg. **8**: 85

SPECIES PLANTARUM CUMULATIVE INDEX

- f. *leersii* (T.Marsson) Reichg. **8**: 85
 f. *praeflorens* (Ade & Vollm.) Reichg. **8**: 85
subulitepalus Balslev **7**: 154, 197, **202**, 312
subverticillatus Wulfen **7**: 162
 β [unranked] *uliginosus* Gaudin **7**: 161
 var. *fluitans* (Lam.) Wallr. **7**: 162
 var. *supinus* (Moench) Wallr. **7**: 161
sudeticus Willd. **6**: 106
suksdorfii Rydb. **7**: 224
sulcatus Hochst. **7**: 36
sundaicus Ridl. **8**: 98
supiniformis Engelm. **7**: 153, 155, 157, **205**, 206, 313
supinus Moench. **7**: 151, 161
 b. *erectus* E.Lehm. **7**: 270
 f. *confervaceus* (St.-Lag.) Buchenau **7**: 162
 f. *fluitans* (Lam.) Neuman **7**: 162
 f. *nanus* Peterm. **7**: 162
 f. *submersus* Glück **7**: 162
 subsp. *bulbosus* (L.) K.Richt. **7**: 161
 subsp. *fluitans* (Lam.) K. Richt. **7**: 162
 subsp. *kochii* (F.W.Schultz) Nyman **7**: 162
 subsp. *uliginosus* (Roth) K.Richt. **7**: 161
 subsp. *welwitschii* (Steud.) K.Richt. **7**: 162
 var. *aquatilis* Gren. & Godr. **7**: 162
 var. *confervaceus* (St.-Lag.) Rouy **7**: 162
 var. *cylindricus* Husn. **7**: 162
 var. *erectus* Neilr. **7**: 162
 var. *fluitans* (Lam.) Fr. **7**: 162
 var. *fluitans* Neilr. **7**: 162
 var. *kochii* (F.W.Schultz) Syme **7**: 162
 var. *nigritellus* (Macreight) F.W.Schultz **7**: 249
 var. *nodosus* Lange **7**: 162
 var. *pygmaeus* T.Marsson **7**: 162
 var. *repens* Gren. & Godr. **7**: 161
 var. *repens* Neilr. **7**: 162
 var. *terrestris* Lange **7**: 162
 var. *uliginosus* (Roth) Fr. **7**: 161
 var. *viviparus* (Relhan) Willk. & Lange **7**: 161
 var. *welwitschii* (Hochst. ex Steud.) Cout. **7**: 162
 race *husnotii* Rouy **7**: 162
 race *kochii* Rouy **7**: 162
 Rasse 2. [unranked] *geniculatus* Asch. & Graebn. **7**: 162
 Rasse A. *eusupinus* Asch. & Graebn. **7**: 161
 Rasse b. [unranked] *confervaceus* (St.-Lag.) Asch. & Graebn. **7**: 162
 ×*surrejanus* Druce ex Stace & Lambinon **7**: 264
 ×*sylvaticoides* H.Lév. **7**: 268
sylvaticus auct. non (L.) Reichard **7**: 232
sylvaticus Huds. **6**: 32
sylvaticus (L.) Reichard **7**: 167
 f. *divaricatus* Heuffel **7**: 178
 subsp. *rugosus* (Steud.) Nyman **7**: 232
 subvar. *pallescens* (W.D.J.Koch) Rouy **7**: 231
 var. *brachiatus* Lojac. **7**: 232
 var. *congestus* Lange **7**: 231

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *macrocephalus* W.D.J.Koch **7**: 231
 var. *major* Parl. **7**: 231
 var. *multiflorus* Rochel **7**: 180
 var. *pallescens* W.D.J.Koch **7**: 231
 var. *paniculatus* Lojac. **7**: 232
 var. *virescens* Lojac. **7**: 232
 var. *viviparus* Lange ex Willk. & Lange **7**: 231
 race *brevirostris* [Nees] Rouy **7**: 230
 [unranked] *virescens* Döll **7**: 231
sylvaticus Muhl. **7**: 217
 Juncus continued
takasagomontanus Satake **7**: 134
tanguticus Sam **7**: 92, 104
taonanensis Satake & Kitag. **8**: 18, **53**, 165
tasmanicus Engelm. **7**: 49
tatewakii Satake **7**: 249
tenageia Ehrh. ex L.f. **8**: 2, **4**
 f. *depauperatus* Cout. **8**: 5
 f. *nanus* Cout. **8**: 5
 f. *pauciflorus* Albert **8**: 5
 subsp. *acicularis* (H.Roux) Bonnier & Layens **8**: 7
 subsp. *perpusillus* Fern.-Carv. & Navarro **8**: **5**, 151
 subsp. *sphaerocarpus* (Nees) Trab. **8**: 7
 subsp. *tenageia* **8**: **5**, 6, 151
 var. *brunneus* Neilr. **8**: 4
 var. *minutus* Esteve & Prieto **8**: 5
 var. *rhiphaenus* (Pau & Font-Quer) Maire **8**: 4
 var. *sphaerocarpus* (Nees) Cariot & St.-Lager **8**: 7
 ε [unranked] *filiformis* Gaudin **8**: 5
 β [unranked] *intermedius* Gaudin **8**: 7
 β [unranked] *pallidus* Neilr. **8**: 7
 δ [unranked] *racemosus* Gaudin **8**: 5
 γ [unranked] *strictus* Gaudin **8**: 5
tenageia L. **7**: 1
tenax Banks & Solander ex A.Russell [& P.Russell] **7**: 12; **8**: 103
tenax Poir. **8**: 103
 var. *glaucus* (Sibth.) Poir. **8**: 103
tenax Solander **8**: 137
tenellus S.Geuns **7**: 59
tenuifolius Steud. **8**: 21
tenuis Willd. **8**: 20, **33**, 34, 35, 55–57, 158
 f. *discretiflorus* (F.J.Herm.) Fernald **8**: 35
 f. *williamsii* (Fernald) F.J.Herm. **8**: 33
 subsp. *bicornis* (Michx.) P.Fourn. **8**: 33
 subsp. *dudleyi* (Wiegand) P.Fourn. **8**: 38
 var. *anthelatus* Wiegand **8**: 35
 var. *bicornis* (Michx.) E.Mey. **8**: 33
 var. *congestus* Engelm. **8**: 36
 var. *dichotomus* (Elliott) Alph.Wood **8**: 32
 var. *dudleyi* (Wiegand) F.J.Herm. **8**: 38
 var. *germanorum* (Steud.) Rouy **8**: 33
 var. *laxiflorus* Fiek **8**: 33
 var. *multicornis* E.Mey. **8**: 33
 var. *nakaii* Satake **8**: 33

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *occidentalis* Coville **8**: 36
 var. *platycaulos* (Humb., Bonpl. & Kunth) Buchenau **8**: 38, 39
 var. *platyphyllus* (Wiegand) Cory **8**: 32
 var. *secundus* (Poir.) Engelm. **8**: 31
 var. *unicornis* E.Mey. **8**: 32
 var. *uniflorus* Farw. **8**: 38
 var. *williamsii* Fernald **8**: 33
- Juncus continued
- terminifolius* Anonymous **8**: 146
texanus (Engelm.) Coville **7**: 156, **214**, 314
textilis Buchenau **8**: 60, **101**, 141, 175
thomassii Ten. **7**: 153, **180**, 181, 182, 270, 308
 subsp. *palensis* Maly **7**: 180
 var. *laxiusculus* Zapal. **7**: 180
 B. [unranked] *melanocephalus* (Friv.) Asch. & Graebn. **7**: 180
thompsonianus L.A.S.Johnson **7**: 156, **262**, 268, 325
thomsonii Buchenau **7**: 78, **96**, 291
 var. *fulvus* K.F.Wu **7**: 96
tibeticus T.V.Egorova **7**: 119
tiehmii Ertter **7**: 59, 65, **66**, 286
timotensis Barros **7**: 186
tingitanus Maire & Weiller **7**: 152, **161**, 305
tobdeniorum Noltie **8**: 60, 62, **102**, 175
togakushiensis H.Lév. **7**: 146
 f. *viviparus* (Satake) Satake **7**: 146
 var. *viviparus* Satake **7**: 146
tokubuchii Miyabe & Kudô **7**: 177
tommasinii Parl. **7**: 8
torreyi Coville **7**: 158, **213**, 215, 264, 314
 f. *brevipes* Farw. **7**: 213
 f. *longipes* Farw. **7**: 213
 var. *globularis* Farw. **7**: 213
 var. *paniculatus* Farw. **7**: 213
 var. *prolifer* Lunell **7**: 213
trachyphyllus Miyam. & H.Ohba **7**: 78, 102, **106**, 108, 294
tracyi Rydb. **7**: 141
 f. *utahensis* (R.F.Martin) F.J.Herm. **7**: 141
 ×*transiens* Druce ex Lousley **8**: 56
transsilvanicus Schur **8**: 107
tratangensis Satake **7**: 86, 89
- Juncus continued
- triandrus* Gouan **7**: 59
tricephalus J.Gay ex Laharpe **7**: 250
triceps Rostk. **7**: 120
 var. *koreanus* (Ohwi) Satake **7**: 120
trichodes Steud. **8**: 57
trichophyllus W.W.Sm. **7**: 76, 77, 91, **96**, 106, 135, 291
trifidus L. **8**: 18, 37, **43**, 44, 162
 subsp. *carolinianus* Hämet-Ahti **8**: 43, 44
 subsp. *hostii* Hartm. **8**: 41
 subsp. *monanthos* (Jacq.) K.Richt. **8**: 41
 var. *fastigiatus* Tausch **8**: 43
 var. *foliosus* Neilr. **8**: 41
 var. *medius* Rouy **8**: 43

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *monanthos* (Jacq.) Oeder **8**: 41
 var. *pleianthos* Bluff & Fingerh. **8**: 43
 var. *sessiliflorus* Tausch **8**: 43
 var. *triflorus* Krylov **8**: 43
 var. *uniflorus* Tausch **8**: 43
 var. *vaginatus* Neilr. **8**: 43
 b. [unranked] *curvatus* Asch. & Graebn. **8**: 43
triflorus Ohwi **7**: 134
triformis Engelm. **7**: 58, **60**, 62, 285
 var. *brachystylus* Engelm. **7**: 64
 var. *stylosus* Engelm. **7**: 60
 var. *uniflorus* Engelm. **7**: 68
 Juncus continued
triglumis L. **6**: 106; **7**: 75, 77, 94, **97**, 135
 f. *acutiusculus* (Norman) Neuman **7**: 98
 subsp. *albescens* (Lange) Hultén **7**: 98, **99**, 292
 subsp. *triglumis* **7**: 3, **98**, 100, 292
 subsp. *wakhaniensis* Snogerup **7**: 98
 var. *acutiusculus* Norman **7**: 98
 var. *albescens* Lange **7**: 99
 var. *copelandii* Buchenau **7**: 98
 var. *fuscatus* [Turcz. ex] Regel **7**: 98
 var. *nigricans* Regel **7**: 98
 var. *schischkinii* (Kryl. & Sumn.) Novikov **7**: 97
 var. *typicus* Buchenau **7**: 97
trigonocarpus Steud. **7**: 152, 172, **173**, 307
trinervis Liebm. **7**: 195
 var. *elatus* Liebm. **7**: 195
 var. *minor* Liebm. **7**: 195
triphylus Raf. **8**: 56
tristanianus Hemsl. **8**: 33
truncatus Rydb. **7**: 224
turczaninowii (Buchenau) Freyn **7**: 254
 var. *jeholensis* (Satake) K.F.Wu & Y.C.Ma **7**: 254
turkestanicus V.I.Krecz. & Gontsch. **8**: 3, **13**, 17, 154
tweedyi Rydb. **7**: 174
tyraicus (Pacz.) V.I.Krecz. & Gontsch. **7**: 9
uliginosus Roth **7**: 161
 var. *fluitans* (Lam.) Spenn. **7**: 162
 var. *minor* Hook. **7**: 161
 var. *subtilis* (E.Mey.) Hook. **7**: 165
 var. *supinus* (Moench) Spenn. **7**: 161
 [Spielart] *fluitans* G.Mey. **7**: 162
 [Spielart] *repens* G.Mey. **7**: 161
umbellatus Adamson **7**: 37
umbellifer H.Lév. & Vaniot **7**: 228
uncialis Greene **7**: 58, **67**, 69, 287
unibracteatus Griff. **7**: 148
uniflorus W.W.Sm. **7**: 75, 76, 91, **111**, 112, 295
unifolius A.M.Lu & Z.Y.Zhang **7**: 116
uruguensis Griseb. **8**: 18, 59, **112**, 113, 178
urvillei Steud. **8**: 21
usitatus L.A.S.Johnson **8**: 63, 115, 136, **138**, 144, 185
 Juncus continued

SPECIES PLANTARUM CUMULATIVE INDEX

- ustulatus* Buchenau **7**: 201
ustulatus Hoppe **7**: 240
 β [unranked] *alpinus* (Gaudin) Gaudin **7**: 239
 β [unranked] *rariflorus* (Hartm.) Lange **7**: 243
 var. *alpestris* (Hartm.) Hartm. **7**: 243
utahensis R.F.Martin **7**: 141
vacillans Steud. **8**: 57
vaginatus R.Br. **8**: 60, 128, 130, **137**, 184
vaillantii Thuill. **8**: 5
 ×*valbrayi* H.Lév. **7**: 267, 268
valdiviae Steud. **8**: 132
validus Coville **7**: 154, **211**
 var. *fasciatus* M.C.Johnst. **7**: 211, **212**, 314
 var. *validus* **7**: 210, 211, **212**, 314
vallicola (Rydb.) Rydb. **8**: 73
vallis-demonis Lojac. **7**: 251
valvatus Link **7**: 154, **234**, 268, 318
 subsp. *conimbrigensis* A.Fern. & R.B.Fern. **7**: 234
 var. *caricinus* (Durieu) Coss. & Durieu **7**: 234
 var. *echinuloides* (Brot.) Coss. & Durieu **7**: 234
variegatus Caruel **7**: 27
vaseyi Engelm. **8**: 18, **27**, 28, 56, 156
venturianus Castellón **8**: 18, **25**, 156
vernalis Reichard **6**: 170
verticillatus **7**: 162
virens Buchenau **7**: 153, **228**, 317
virgatus Raf. **8**: 56
viridifolius Adamson **7**: 31
viviparus Conrad **7**: 163
viviparus Relhan **7**: 161
vvedenskii V.I.Krecz. **8**: 54
Juncus continued
wallichianus J.Gay ex Laharpe **7**: 149, 155, 184, **225**, 316
warakensis Nábělek **8**: 105
webbians V.I.Krecz. **7**: 235
welwitschii Hochst. ex Steud. **7**: 162
woroschilovii Nechaev & Novikov **7**: 132
wulfenii Miel. ex Saut. **7**: 269
xantholepis Steud. **7**: 41
xiphioides E.Mey. **7**: 135, 137, **138**, 303
 var. *auratus* Engelm. **7**: 138
 var. *littoralis* Engelm. **7**: 138
 var. *macranthus* Engelm. **7**: 140
 var. *montanus* Engelm. **7**: 140
 var. *triandrus* Engelm. **7**: 140
yakeisidakensis Satake **7**: 135, 149
yanshanuensis Novikov **7**: 226
yokoscensis (Franch. & Sav.) Satake **8**: 77, 110
 var. *laxus* Satake **8**: 77
yoskisquei Goel **7**: 80
yunnanensis A.Camus **7**: 89
zebrinus André **8**: 89
zeilanicus Houtt. **8**: 147

SPECIES PLANTARUM CUMULATIVE INDEX

- Kaplan, Zdeněk **6**
 Kirschner, Jan **5; 6; 7; 8**
 Klainedoxa Pierre ex Engl. **1: 1, 5**
 buesgenii Engl. **1: 5**
 cuprea Tiegh. **1: 5**
 dybowskii Tiegh. **1: 5**
 elliptica Vermoesen **1: 6**
 gabonensis Pierre ex Engl. **1: 4, 5, 8, 22**
 var. *microphylla* Pellegr. **1: 5**
 var. *oblongifolia auct. non* Engl. **1: 6**
 var. *oblongifolia* Engl. **1: 5**
 var. *trillesii* (Pierre ex Tiegh.) Aubrév. **1: 6**
 grandifolia Engl. **1: 16**
 lanceifolia Vermoesen **1: 5**
 lanceolata Baill. ex Tiegh. **1: 20**
 latifolia Pierre ex Tiegh. **1: 20**
 lecomtei Tiegh. **1: 5**
 longifolia Pierre ex Tiegh. **1: 20**
 macrocarpa Tiegh. **1: 5**
 macrophylla Pierre ex Tiegh. **1: 20**
 microphylla (Pellegr.) A.H.Gentry **1: 5**
 mildbraedii Engl. **1: 6**
 oblongifolia (Engl.) Vermoesen **1: 5**
 oblongifolia Stapf ex Broun & R.E.Massey **1: 5**
 ovalifolia Vermoesen **1: 5**
 polyphylla Mildbr. **1: 5**
 sphaerocarpa Tiegh. **1: 20**
 spinosa Tiegh. **1: 5**
 thollonii Pierre ex Tiegh. **1: 20**
 trillesii auct. non Tiegh. **1: 6**
 trillesii Pierre ex Tiegh. **1: 5, 6, 7, 22**
 tripyrenea Tiegh. **1: 20**
 zenkeri Tiegh. **1: 5**
 Kostermanthus Prance **9: 3; 10: 4, 172**
 heteropetala (Scort. ex King) Prance **172**
 heteropetalus (Scort. ex King) Prance **173, 174, 175, 177, 257**
 malayanus (Kosterm.) Prance **175, 177, 258**
 robustus Prance **175, 176, 258**

 Lauraceae **10: 193; 12: 40**
 Leguminosae **10: 193**
Lepidocarpa Korth. **9: 198**
 costata Korth. **9: 233**
 ovalis Korth. **9: 227**
Lepionurus Blume **12: 1, 2, 9, 11**
 javanicus G.Don **12: 10**
 latisquamus Gagnep. **12: 17**
 longipes Gagnep. **12: 18**
 macrostachyus Gagnep. **12: 17**
 oblongifolius (Griff.) Mast. **12: 10**
 var. *angustifolius* Ridl. **12: 10**
 oxylepis Gagnep. **12: 17**
 pubescens Ridl. **12: 11**
 sylvestris Blume **12: 9, 10, 58**

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *lanceolata* Valetton **12**: 10
Leptonium Griff. **12**: 9
oblongifolium Griff. **12**: 9, 10
Licania Aubl. **9**: 3, **12**
sect. *Batheogyne* Benth. **9**: 65
sect. *Cymosa* Prance **9**: 13, 26, 28, **125**
sect. *Hirsuta* Prance **9**: 13, 22, **101**
sect. *Hymenopus* Benth. **9**: 13, 22, 23, 25, **105**, 108
sect. *Leptobalanus* Benth. **9**: 13, 18, 22, **65**
sect. *Licania* **9**: 13, 22, 28, **141**
sect. *Microdesmia* Benth. **9**: 13, 21, **90**
sect. *Moquilea* (Aubl.) Prance **9**: 13, 14, **35**
sect. *Pulverulenta* Prance **9**: 13, 27, **134**
subg. *Angelesia* (Korth.) Prance & F.White **9**: 13, 21, 23, **98**
subg. *Licania* **9**: 13, **100**
subg. *Moquilea* (Aubl.) Prance **9**: 13, **35**
subg. *Parinariopsis* Huber **9**: 12, 13, **96**
adolphoduckei Prance **9**: 23, **106**, **107**, 108, 269
affinis Fritsch **9**: 28, **138**, 282
affinis Kuntze **9**: 70
alba (Bernoulli) Cuatrec. **9**: 12, 29, **146**, 286
albiflora Fanshawe & Maguire **9**: 20, **85**, 261
amapaensis Prance **9**: 21, **92**, 264
angelesia Blume **9**: 98
angustata Prance **9**: 16, **55**, 250
anisophylla Standl. **9**: 155
anneae Prance **9**: 17, **56**, **57**, 250
aperta Benth. **9**: 70
apetala (E.Mey.) Fritsch **9**: 18, 20, 65, **68**
var. *aperta* (Benth.) Prance **9**: 68, **69**, **70**, 256
var. *apetala* **9**: **68**, 255
var. *pendula* (Benth.) Fritsch **9**: 68
apiculata Prance **9**: 31, **154**, 290
aracaensis Prance **9**: 31, **156**, **157**, 292
arachnoidea Fanshawe & Maguire **9**: 12, 24, **108**, 269
araneosa Taub. **9**: 21, **94**, 265
arborea Seem. **9**: 21, **91**, 263
arianae Prance **9**: 26, **126**, 277
aspera Standl. **9**: 84
aubletiana (Blume) Lemée **10**: 2
axilliflora (Sagot) Hochr. **9**: 163
Licania continued
bahiensis Prance **9**: 30, 33, **167**, 295
balansae Guillaumin **9**: 190
belemii Prance **9**: 34, **174**, 298
bellingtonii Prance **9**: 30, **149**, 288
belloi Prance **9**: 15, 48, **49**, 247
benthamii Hook.f. **9**: 114
biglandulosa Griseb. ex Urb. **9**: 114, 239
blackii Prance **9**: 33, **169**, 296
boliviensis Prance **9**: 14, **38**, 243
bothynophylla Mart. **9**: 88
boyanii Tutin **9**: 27, **134**, 280
bracteata Prance **9**: 32, **158**, 292

SPECIES PLANTARUM CUMULATIVE INDEX

- bracteosa* Fritsch **9**: 96
britteniana Fritsch **9**: 62, 63
brittoniana Fritsch **9**: 18, **62**, 63, 253
bullata Prance **9**: 19, **73**, 256
bullatifolia Cuatrec. **9**: 91
buxifolia Sandwith **9**: 27, **135**, 281
cabreræ Prance **9**: 15, **46**, 246
caldasiana Cuatrec. **9**: 30, **151**
calvescens Cuatrec. **9**: 22, **82**, 260
canescens Benoist **9**: 28, **141**, 283
capinensis Huber **9**: 96
caracasana Klotzsch ex Hook.f. **9**: 70
cardiophylla Prance **9**: 20, **86**, 261
cariæ A. Cardozo **9**: 14, **58**, 251
caudata Prance **9**: 24, **110**, 270
cecidiphora Prance **9**: 13, **63**, 254
celativenia Standl. **10**: 193
celiæ Prance **9**: 14, 15, **41**, 245
chiriquiensis Prance **9**: 18, **60**, 252
chocoensis Cuatrec. **9**: 21, **95**, 265
cidii Prance **9**: 33, **170**, 297
columbarum Stehlé, M. Stehlé & Quentin **10**: 193
compacta Fritsch **9**: 30, **150**, 288
conduplicata Klotzsch **10**: 192
conferruminata Prance **9**: 24, **112**, 271
cordata Prance **9**: 28, **143**, 284
coriacea Benth. **9**: 27, 28, 134, **136**, 281
 var. *nitida* (Hook.f.) Fritsch **9**: 156
corniculata Prance **9**: 15, **39**, 244
costaricensis Standl. & Steyerm. **9**: 22, **101**, 267
costata Spruce ex Hook.f. **9**: 114
couepiifolia Prance **9**: 28, **142**, 284
crassifolia Benth. **9**: 164
crassivenia Spruce ex Hook.f. **9**: 29, **145**, 286
cruegeriana Urb. **9**: 35, **173**, 298
cuatrecasasii Prance **9**: 19, **78**, 258
cuprea Sandwith **9**: 26, **126**, 277
cuspidata (Rusby) Prance **9**: 19, **75**, 257
cuyabenensis Prance **9**: 27, **137**, 282
cyathodes Benoist **9**: 25, **123**, 276
cymosa Fritsch **9**: 26, **130**, 279
Licania continued
dahlgrenii Standl. **9**: 70
davillifolia Benoist **9**: 28, **140**, 289
dealbata Hook.f. **9**: 12, 26, **127**, 277
densiflora Kleinhoonte **9**: 12, 26, **125**, 276
diegogomezii Prance **9**: 19, 79, **80**, 259
diemenia Blume **9**: 178
discolor Pilg. **9**: 31, **153**, 290
divaricata Benth. **9**: 24, 105, **111**, 271
dodsonii Prance **9**: 16, 54, **53**, 249
duckei Maguire **9**: 129
durifolia Cuatrec. **9**: 15, **39**, 244
egensis Fritsch **9**: 89

SPECIES PLANTARUM CUMULATIVE INDEX

- egleri Prance **9**: 17, **59**, 251
elaeosperma (Mildbr.) Prance & F. White **9**: 175
elata (Pilg.) Pilg. ex L.I. Williams **9**: 63
 elliptica Standl. **9**: 28, **140**, 283
 emarginata Spruce ex Hook.f. **9**: 22, 25, **80**, 81, 259
 espinae Prance **9**: 17, **51**, 248
exiguifolia Standl. **10**: 45
 fanshawei Prance **9**: 25, **122**, 275
 fasciculata Prance **9**: 14, **46**, 246
 ferreirae Prance **9**: 34, **173**, 298
 filomenoi Prance **9**: 15, **41**, 42, 244
flavicans Klotzsch **9**: 150
floribunda Benth. **9**: 68
 foldatsii Prance **9**: 28, **143**, 285
 foveolata Prance **9**: 20, **87**, 262
 fritschii Prance **9**: 18, **62**, 253
 fuchsii Prance **9**: 20, **86**, 262
 furfuracea Prance **9**: 27, **132**, 133, 280
 fusicarpa (Kosterm.) Prance **9**: 22, 23, **100**, 266
galibica Benoist **9**: 131
 gardneri (Hook.f.) Fritsch **9**: 19, **74**, 257
 gentryi Prance **9**: 14, **45**, 246
gerontogea Schltr. **9**: 187
glabra Mart. ex Hook.f. **9**: 114
 glabriflora Prance **9**: 24, **112**, 2271
 glauca Cuatrec. **9**: 28, **139**, 283
 glazioviana Warm. **9**: 25, **120**, 274
 gonzalezii Miranda **9**: 17, **58**, 251
 gracilipes Taub. **9**: 26, **129**, **239**, 278
gracilis Kleinhoonte **9**: 148
gracilis Taub. **9**: 129
 grandibracteata Prance **9**: 15, **43**, 44, 245
 granvillei Prance **9**: 20, **70**, 71, 256
grisea Kleinhoonte **9**: 132
 guatemalensis Lundell **9**: 17, **61**, 252
 guianensis (Aubl.) Griseb. **9**: 16, 35, **50**, 248
guianensis Klotzsch **9**: 113
 Licania continued
 harlingii Prance **9**: 34, **171**, 172, 298
 hebantha Mart. ex Hook.f. **9**: 29, **144**, 285
 hedbergii Prance **9**: 14, **47**, 247
helvola Spruce ex Hook.f. **9**: 155
 heteromorpha Benth. **9**: 23, 25, **113**
 var. *divaricata* (Benth.) Fritsch **9**: 111
 var. *glabra* (Mart. ex Hook.f.) Prance **9**: **114**, 272
 var. *grandifolia* Benoist **9**: 113
 var. *heteromorpha* **9**: **114**, 272
 var. *perplexans* Sandwith **9**: 114, **116**, 273
 var. *revoluta* Prance **9**: 114, **116**, 273
 var. *subcordata* Fritsch **9**: 114, **115**, 272
 hirsuta Prance **9**: 22, **101**, 267
 hispida Prance **9**: 22, **103**, 104, 268
 hitchcockii Maguire **9**: 29, **147**, 287
 hoehnei Pilg. **9**: 34, **171**, 297

SPECIES PLANTARUM CUMULATIVE INDEX

- hookeri* Fritsch **9**: 89
 var. *obtusata* Huber **9**: 89
hostmannii Fritsch **9**: 145
huberiana Maguire **9**: 96
humilis Cham. & Schltdl. **9**: 20, **87**, 262
hylaea Cuatrec. **9**: 70
hypargyrea Malme **9**: 149
hypoleuca Benth. **9**: 26, 27, 125, **132**
 var. *foveolata* Prance **9**: 132, **134**, 280
 var. *hypoleuca* **9**: **132**, 280
imbaimadaiensis Prance **9**: 17, **59**, 251
impressa Prance **9**: 26, **126**, 277
incana Aubl. **9**: 12, 32, **164**, 294
 var. *axilliflora* Sagot **9**: 163
indurata Pilg. **9**: 34, **171**, 297
intrapetiolaris Spruce ex Hook.f. **9**: 24, **113**, 272
 var. *brevis* J.F.Macbr. **9**: 113
irwinii Prance **9**: 25, **122**, 275
jaramilloi Prance **9**: 17, **62**, 253
jefensis Prance **9**: 19, 20, **75**, 76, 258
jimenezii Prance **9**: 29, **146**, 286
joseramosii Prance **9**: 22, **82**, 260
kallunkiae Prance **9**: 18, **61**, 252
kanukuensis Standl. **9**: 125
klugii Prance **9**: 16, **50**, 248
krukovii Standl. **9**: 23, **102**, 267
kunthiana Hook.f. **9**: 29, 30, 34, **149**, 288
kuntzeana Urb. **9**: 70, 239
Licania continued
laevigata Prance **9**: 24, 108, **115**, **116**, 273
lamentanda Prance **9**: 34, **160**, **161**, 293
lanceolata Prance **9**: 32, 33, **160**, 293
lasseri Maguire **9**: 23, **102**, 267
lata J.F.Macbr. **9**: 18, 19, **67**, 255
latifolia Benth. ex Hook.f. **9**: 23, 101, **103**, 268
latistipula Prance **9**: 24, **111**, 271
laurifolia Huber **9**: 124
laxa Fanshawe & Maguire **9**: 124
laxiflora Fritsch **9**: 30, **148**, 287
leptostachya Benth. **9**: 32, **163**, 294
 var. *axilliflora* (Sagot) Fritsch **9**: 163
 var. *crassifolia* (Benth.) Benoist **9**: 164
leucosepala Griseb. **9**: 17, **53**, 249
licaniiflora (Sagot) S.F.Blake **9**: 12, 21, 36, **96**, 266
lifouana Däniker **9**: 189
littoralis Warm. **9**: 25, **120**, **121**
 var. *cuneata* Kuhl. **9**: **122**, 275
 var. *littoralis* **9**: **122**, 274
longicuspidata Prance **9**: 14, **47**, 247
longifolia Benoist **9**: 146, 239
longipedicellata Ducke **9**: 16, **51**, 248
longipetala Prance **9**: 18, **64**, 254
longistyla (Hook.f.) Fritsch **9**: 12, 20, **85**, 261
lucida J.F.Macbr. **9**: 168

SPECIES PLANTARUM CUMULATIVE INDEX

- macrocarpa* Cuatrec. **9**: 15, **45**, 245
macrophylla Benth. **9**: 12, 24, **109**, 270
macrophylla Klotzsch **9**: 148
maguirei Prance **9**: 19, **74**, 257
majuscula Sagot **9**: 22, 29, **145**, 286
maranhensis Prance **9**: 17, **61**, 253
maritima Prance **9**: 15, **38**, 243
marleneae Prance **9**: 25, **123**, 275
mattogrossensis Pilg. **9**: 74, 239
maxima Prance **9**: 33, **168**, 298
Licania continued
megalophylla Prance **9**: 16, **55**, 250
membranacea Sagot ex Laness. **9**: 27, **131**, 279
mexicana Lundell **9**: 13, **78**, 259
michauxii Prance **9**: 12, 14, 16, **35**, 36, 242
micrantha Miq. **9**: 31, **155**
 subsp. *atabapoensis* Prance **9**: **155**, 291
 subsp. *micrantha* **9**: **155**, 290
 var. *triandra* (Mart. ex Hook.f.) Fritsch **9**: 152
microcarpa Hook.f. **9**: 132
microphylla Fanshawe & Maguire **9**: 31, **152**, 289
miltonii Prance **9**: 24, **110**, 270
minuscula Cuatrec. **9**: 23, **105**, 268
minutiflora Cuatrec. **9**: 105
minutiflora (Sagot) Fritsch **9**: 18, **59**, 105, 252
mollis Benth. **9**: 22, 29, 33, **168**, 296
montana Prance **9**: 15, **47**, 246
morii Prance **9**: 19, **77**, 258
myristicoides Benth. **9**: 84
myrsinoides (Schltr.) Kosterm. **9**: 194
naviculistipula Prance **9**: 28, **142**, 284
nelsonii Prance **9**: 32, **164**, *165*, 295
niloi Prance **9**: 27, **136**, 281
nitida Hook.f. **9**: 31, **156**, 291
oblongifolia Standl. **9**: 24, **109**, 270
obovata Benth. ex Hook.f. **9**: 103
obovatifolia Maguire **9**: 96
obtusifolia Fritsch **9**: 13, 141, **174**
occultans Prance **9**: 24, **116**, *117*, 273
octandra (Hoffmanns. ex Roem. & Schult.) Kuntze **9**: 12, 20, 65, **88**
 subsp. *grandifolia* Prance **9**: 88, **90**, 263
 subsp. *octandra* **9**: **88**, 262
 subsp. *pallida* (Hook.f.) Prance **9**: 88, **89**, 263
octandra (Hoffmanns.) Pilg. **9**: 88
odorata Klotzsch **10**: 192
oligantha A.C.Sm. **9**: 8
operculipetala Standl. & L.O.Williams **9**: 23, **105**, 268
orbicularis Spruce ex Hook.f. **9**: 27, **135**, 281
organensis (Miers) Fritsch **9**: 162
ovalifolia Kleinhoonte **9**: 30, **150**, 288
Licania continued
pachystachya Kleinhoonte **9**: 159
pakaraimensis Prance **9**: 23, **108**, 269
palawanensis Prance **9**: 22, 23, *99*, **100**, 266

SPECIES PLANTARUM CUMULATIVE INDEX

- pallida* Britton **9**: 35, 62, 63
pallida (Hook.f.) Kuntze **9**: 89
pallida Spruce ex Hook.f. **9**: 128
pallida Spruce ex Sagot **9**: 26, 32, 62, 89, **128**, 278
pallidula Standl. **9**: 136
paniculata Fanshawe & Maguire **9**: 140
papuana (Baker f.) Kosterm. **9**: 192
paraensis Prance **9**: 33, **166**, **167**, 295
parinarioides Huber **9**: 96
 var. *latifolia* Maguire **9**: 96
parviflora Benth. **9**: 32, 33, **159**, 292
 f. *brevifolia* Fritsch **9**: 159
 f. *longifolia* Fritsch **9**: 159
 var. *conduplicata* Maguire **9**: 134
 var. *grandifolia* Hook.f. **9**: 167
 var. *pallida* Hook.f. **9**: 128
 var. *subfalcata* Spruce ex Hook.f. **9**: 159
 var. *submembranacea* Maguire **9**: 149
parviflora (Blume) Lemée **9**: 174
parvifolia Huber **9**: 18, **73**, 257
parvifolia Pittier **9**: 134
parvifructa Fanshawe & Maguire **9**: 26, **129**, 278
pendula Benth. **9**: 68
persaudii Fanshawe & Maguire **9**: 20, **83**, 260
petrensis Prance **9**: 80
piresii Prance **9**: 27, **131**, 279
pittieri Prance **9**: 32, **162**, 293
platypus (Hemsl.) Fritsch **9**: 17, **57**, 250
poepigii Fritsch **9**: 124
polita Spruce ex Hook.f. **9**: 25, **124**, 276
 f. *angustifolia* Fritsch **9**: 124, 239
prismatocarpa Spruce ex Hook.f. **9**: 25, **119**, 274
pruinosa Benoist **9**: 31, **155**, 291
pubiflora Benth. **9**: 70
pulchravenia Killip & Cautrec. **9**: 152
pyrifolia Griseb. **9**: 16, **52**, 249
Licania continued
 reticulata Prance **9**: 23, **107**, 108, 269
 retifolia S.F.Blake **9**: 16, **37**, 243
 retusa Pilg. **9**: 91
 rhamnoides Guillaumin **9**: 192
 riedelii Prance **9**: 31, **158**, 292
 rigida Benth. **9**: 21, **90**, 263
 riparia (Gleason) Standl. **9**: 60
 riverae Prance **9**: 16, **37**, 243
 robusta Sagot **9**: 32, **159**, 293
 rodriguesii Prance **9**: 34, **170**, 297
 rondonii Pilg. **9**: 60
 roraimensis Standl. **9**: 13, **155**, 291
 rufescens Klotzsch **9**: 148
 rufescens Klotzsch ex Fritsch **9**: 30, 34, **148**, 287
 salicifolia Cuatrec. **9**: 21, **93**, 265
 salzmännii (Hook.f.) Fritsch **9**: 16, **49**, 247
 sandwithii Prance **9**: 29, **147**, 287

SPECIES PLANTARUM CUMULATIVE INDEX

- santosii* Prance **9**: 26, **128**, 278
savannarum Prance **9**: 30, **151**, 289
scabra Benth. ex Hook.f. **9**: 84
schomburgkiana Klotzsch **9**: 138
sclerophylla (Hook.f.) Fritsch **9**: 20, **84**, 261
 var. *myristicoides* (Hook.f.) Fritsch **9**: 84
 var. *scabra* (Hook.f.) Fritsch **9**: 84
seleriana Loes. **9**: 91
sellowiana Klotzsch ex Hook.f. **9**: 88
silvae Prance **9**: 25, **124**, 276
silvatica Glaz. **9**: 95
silvatica Glaz. ex Prance **9**: 21, **95**, 265
sothersiae Prance **9**: 25, **118**, **119**, 274
sparsipilis S.F.Blake **9**: 19, **77**, 258
spicata Hook.f. **9**: 32, 34, **162**, 294
splendens (Korth.) Prance **9**: 12, 22, 23, 97, **98**, 266
splendens (Korth.) Prance & Kosterm. **9**: 98
sprucei (Hook.f.) Fritsch **9**: 12, 20, **83**, 260
stahelii Kleinhoonte **9**: 150
Licania continued
stenocarpa Standl. **9**: 89
stevensii Prance **9**: 19, **80**, 259
stewardii Prance **9**: 30, **151**, 289
steyermarii Maguire **9**: 29, 30, **144**, 285
stricta Kleinhoonte **9**: 32, **163**, 294
subarachnophylla Cuatrec. **9**: 21, **92**, 264
subcordata Fritsch **9**: 115
subrotundata Maguire **9**: 29, 30, **144**, 285
surinamensis Klotzsch **10**: 192
tachirensis Prance **9**: 17, **65**, 66, 254
takutuensis Standl. **9**: 89
tambopatensis Prance **9**: 21, **93**, 94, 264
teixeirae Prance **9**: 27, **138**, 139, 282
tepuiensis Prance **9**: 13, **174**, 299
ternatensis Hook.f. **9**: 130
ternatensis Hook.f. ex Duss **9**: 27, **130**, 239, 279
tocantina Prance **9**: 31, **153**, 290
tomentosa (Benth.) Fritsch **9**: 16, **52**, 249
 var. *angustifolia* Hook.f. **9**: 52
 var. *latifolia* Hook.f. **9**: 52
tontoutensis (Guillaumin) Kosterm. **9**: 190
triandra Mart. ex Hook.f. **9**: 31, **152**, 289
trigonioides J.F.Macbr. **9**: 28, **142**, 284
turbinata Benth. **9**: 18, **67**, 255
turiuva Cham. & Schldtl. **9**: 88
ulei Taub. **9**: 87, 239
undulata Prance **9**: 19, 72, **73**, 256
unguiculata Prance **9**: 18, **64**, 254
urceolaris Hook.f. **9**: 28, **137**, 282
utilis (Hook.f.) Fritsch **9**: 88
vasquezii Prance **9**: 15, **43**, 245
vaupesiana Killip & Cuatrec. **9**: 33, **167**, 295
velata Cuatrec. **9**: 15, 21, **91**, 264
velutina Prance **9**: 33, **169**, 296

SPECIES PLANTARUM CUMULATIVE INDEX

- veneralis Cuatrec. **9**: 15, **38**, 40, 244
venosa Rusby **9**: 146
 wilson-brownei Maguire **9**: 96
 wurdackii Prance **9**: 18, **65**, 255
 Linder, H. Peter **5**
 Lomaria
 eriosopus Kunze **2**: 2
 Loranthus
 anomalus M.E.Jones **12**: 51
 Lowry, Porter P. II **13**, **14**
 Luciola
 forsteri (Sm.) Sm. **6**: 166
 Luzula DC. **6**: 2, **18**, 63, 149, 160
 sect. *Alpinae* Chrtek & Křisa **6**: vii, 19, **57**
 sect. *Anthelaea* Griseb. **6**: 19, **21**, 38, 164
 sect. *Anthelophora* (C.Koch) Satake **6**: 164
 sect. *Apterodes* Rouy **6**: 91
 sect. *Atlanticae* Kirschner **6**: vii, 19, **37**
 sect. *Dichotoma* Satake **6**: 164
 sect. *Diprophyllatae* Satake **6**: 19, 38, **39**, 83, 84, 164, 188
 sect. *Effusae* K.F.Wu **6**: 39
 sect. *Glabratae* Chrtek & Křisa **6**: 39
 sect. *Gymnodes* Griseb. **6**: 18, 91
 sect. *Luzula* **6**: vii, 19, 86, **91**, 105, 125, 128, 143, 152, 164
 sect. *Nodulosae* Chrtek & Křisa **6**: 19, **38**
 sect. *Parviflorae* K.F.Wu **6**: 39
 sect. *Pterodes* Griseb. **6**: 164
 sect. *Spicatae* K.F.Wu **6**: 57
 sect. *Thyranochlamydeae* Satake **6**: 19, **83**, 188
 sect. *Triprophyllatae* Satake **6**: 20
 ser. *Effusae* Satake **6**: 39
 ser. *Inaequales* K.F.Wu **6**: 91
 ser. *Japonicae* Satake **6**: 164
 ser. *Rostratae* Satake **6**: 164
 ser. *Rufescentes* Satake **6**: 164
 ser. *Spadiceae* Satake **6**: 39
 subg. *Anthelaea* (Griseb.) Buchenau **6**: 21, 188
 subg. *Gymnodes* (Griseb.) Buchenau **6**: 91
 subg. *Luzula* **6**: **21**
 subg. *Marlenia* Ebinger **6**: 19, **20**
 subg. *Pterodes* (Griseb.) Buchenau **6**: vii, 18, 19, **164**, 185
 [subg.] B. *Stachyophora* C.Koch **6**: 21
 subsect. *Alpinae* (Chrtek & Křisa) Kovtonyuk **6**: 57
 subsect. *Anthelaea* Novikov **6**: 21
 subsect. *Caricinae* Novikov **6**: 91
 subsect. *Confusae* Kovt. **6**: 83
 subsect. *Luzulinae* Novikov **6**: 164
 subsect. *Nivales* Kovt. **6**: 83
 subsect. *Nodulosae* (Chrtek & Křisa) Novikov **6**: 38
 subsect. *Parviflorae* Kovt. **6**: 39
 subsect. *Pilosae* Noviko **6**: 164
 subsect. *Pumilae* Novikov **6**: 91
 subsect. *Rufescentes* Novikov **6**: 164
 subsect. *Sibiricae* Novikov **6**: 91

SPECIES PLANTARUM CUMULATIVE INDEX

- subsect. *Thyranochlamydeae* Novikov **6**: 83
 subsect. *Tundricolae* Kovt. **6**: 83
 subsect. *Ulea* Novikov **6**: 91
 [unranked] *Anthelophora* C.Koch **6**: 164, 188
abchasica Novikov **6**: 95, 97, 102, **124**, 213
abyssinica Parl. **6**: 96, **119**, 126, 212
 var. *kilimandscharica* Engl. **6**: 119
 var. *simensis* (Hochst.) Buchenau **6**: 119
 var. *volkensis* (Buchenau) Engl. **6**: 119
acuminata Raf. **6**: 165, **172**
 subsp. *acuminata* **6**: **172**, 226
 subsp. *carolinae* (S.Watson) Z.Kaplan **6**: 172, **174**, 226
 var. *carolinae* (S.Watson) Fernald **6**: 174
acutifolia H.Nordensk. **6**: 19, 93, **149**, 151
 subsp. *acutifolia* **6**: **150**, 219
 subsp. *nana* Edgar **6**: **150**, 219
africana Drège ex Steud. **6**: 97, **122**, 212
albida (Hoffm.) DC. **6**: 28
 subvar. *macrantha* (Beck) Rouy **6**: 27
 subvar. *rubella* (Hoppe ex Mert. & W.D.J.Koch) Rouy **6**: 30
 var. *cuprina* Rochel **6**: 30
 var. *erythranthema* Wallr. **6**: 30
 var. *fuliginosa* (Asch.) Beck **6**: 30
 var. *leucanthema* Wallr. **6**: 28
 var. *macrantha* Beck **6**: 27
 var. *parviflora* Döll **6**: 27
 var. *rubella* Hoppe ex Mert. & W.D.J.Koch **6**: 30
 var. *versicolor* Bluff & Fingerh. **6**: 30
alopecurus Desv. **6**: 58, **74**, 80, 203
alpestris H.Nordensk. **6**: 92, **147**, **149**, 219
alpigena Schur **6**: 30
alpina Hoppe **6**: 37, 97, **100**, 116, 118, 187, 208
alpinopilosa (Chaix) Breistr. **6**: 36, 37, 40, **53**
 subsp. *alpinopilosa* **6**: **53**, 199
 subsp. *candollei* (E.Mey.) Rothm. **6**: 54
 subsp. *deflexa* (Kožuharov) Kirschner **6**: 53, 54, **56**, 199
 subsp. *obscura* S.E.Fröhner **6**: 53, **54**, **55**, 56, 199
 subsp. *velenovskyi* Chrtek & Křisa **6**: 56
althii Herbich **6**: 106
 Luzula continued
ambigua Soó **6**: 110
angustifolia C.Koch **6**: 123
angustifolia Poir. **7**: 46
angustifolia Wender. **6**: 28
 subsp. *rubella* (Hoppe ex Mert. & W.D.J.Koch) K.Richt. **6**: 30
 var. *rubella* (Hoppe ex Mert. & W.D.J.Koch) Garecke **6**: 30
antarctica Hook.f. **6**: 57, **80**, 204
arctica Blytt **6**: 90, 188
 subsp. *latifolia* (Buchenau) Porsild **6**: 84
 var. *latifolia* (Buchenau) Nilsson ex Buchenau **6**: 84
 var. *typica* Buchenau **6**: 90
arcuata (Wahlenb.) Sw. **6**: 83, **86**, 90
 f. *capillaris* Laest. **6**: 86
 f. *confusa* (Lindeb.) Kjellm. **6**: 89

SPECIES PLANTARUM CUMULATIVE INDEX

- f. latifolia* Kjellm. **6**: 84
f. latifolia Laest. **6**: 91
f. subnivalis Laest. **6**: 91
 subsp. *arcuata* **6**: **86**, 87, 91, 206
 subsp. *confusa* (Lindeb.) O.C.Dahl **6**: 89
 subsp. *unalaschkensis* (Buchenau) Hultén **6**: 86, **88**, 89, 91, 206
 var. *hookeriana* Trautv. **6**: 90
 var. *hyperborea* (R.Br.) Rink **6**: 89
 var. *kamtschadalarum* Sam. **6**: 88
 var. *lanuginosa* Rupr. **6**: 186
 var. *unalaschkensis* Buchenau **6**: 88, 188
 β [unranked] *major* Hook. **6**: 46
arida Steud. **6**: 51
atlantica Braun-Blanq. **6**: 20, **37**, 195
atrata Edgar **6**: 92, 149, **150**, 219
aurea (Pourr.) Timb.-Lagr. **6**: 26
australasica Steud. **6**: 92, 94, 133, **145**, 148, 151
 subsp. *australasica* **6**: **145**, 218
 subsp. *dura* (Edgar) M.E.Jansen **6**: 145, **146**, 147, 218
australasica auct. non Steud. **6**: 148
azorica H.C.Watson **6**: 22
badia K.F.Wu **6**: 113
banksiana E.Mey. **6**: 94, **137**, 140
 var. *acra* Edgar **6**: 137, **138**, 217
 var. *banksiana* **6**: 137, **138**, 140, 216
 var. *migrata* (Buchenau) Edgar **6**: 138, **140**, 141, 217
 var. *orina* Edgar **6**: 138, **139**, 140, 217
 var. *rhadina* (Buchenau) Edgar **6**: 137, **139**, 217
barbata Liebm. **6**: 161
beeringiana Gjaerev. **6**: 84
beringensis Tolm. **6**: 88
berthelotii Nees ex Kunth **6**: 20
 ×*bogdanii* Kirschner **6**: 116
boliviensis Buchenau **6**: 78
bomiensis K.F.Wu **6**: 96, 97, **125**, 213
borealis Fr. **6**: 44
 ×*bornmuelleriana* Kük. **6**: 37
 ×*borreri* Bromf. ex Bab. **6**: 185
brachycarpa (Satake) Satake **6**: 176
brachyphylla Phil. **6**: 58, **74**, 76, 82, 203
brevifolia (Rostk.) Poir. **6**: 23
 ×*buchenau* P.Fourn. **6**: 37
bulbosa (A.W.Wood) Smyth & L.C.Smyth **6**: 93, **157**, 158, 221
bulgarica Chrtek & Křisa **6**: 67
 subsp. *pindica* (Hauskn.) Chrtek & Křisa **6**: 62
Luzula continued
caespitosa (E.Mey.) Steud. **6**: 58, **69**, 82, 188, 202
 subsp. *iberica* P.Monts. **6**: 69
 subsp. *sanabriae* P.Monts. **6**: 69
calabra Ten. **6**: 93, **100**, 208
callosa Raf. **6**: 187
campestris (L.) DC. **6**: 18, 93, 102, **104**, 105, 116, 117
 f. althii (Herbich) I.Grint. **6**: 106
 f. collina (G.Mey.) Buchenau **6**: 104

SPECIES PLANTARUM CUMULATIVE INDEX

- [?] f. *hornemannii* Blytt **6**: 117
 f. *vulgaris* I.Grint. **6**: 104
 subsp. *alpestris* (Beyer) Kožuharov **6**: 100
 subsp. *alpestris* (G.Mey.) Čelak. **6**: 106
 subsp. *campestris* **6**: 101, 103, **104**, 105, 106, 209
 subsp. *carpetana* Rivas Mart. **6**: 109
 subsp. *congesta* (Thuill.) K.Richt. **6**: 108
 subsp. *erecta* P.Fourn. **6**: 110
 subsp. *iberica* P.Monts. **6**: 105
 subsp. *longistyla* Čelak. **6**: 104
 subsp. *mannii* (Buchenau) Weim **6**: 118
 subsp. *multiflora* (Ehrh.) Schübl. & M.Martens **6**: 109
 subsp. *nevadensis* P.Monts. **6**: 104, **105**, 209
 subsp. *pallescens* (Sw.) Čelak. **6**: 97
 subsp. *pulchella* Čelak. **6**: 97
 subsp. *sudetica* (Willd.) Čelak. **6**: 106
 subsp. *taurica* V.I.Krecz. **6**: 102
 subsp. *vulgaris* P.Fourn. **6**: 104
 subvar. *pallescens* (Sw.) E.Mey. **6**: 97
 var. *acadiensis* Fernald **6**: 110
 var. *alpestris* (Beyer) Vollm. **6**: 100
 var. *alpina* Gaudin **6**: 106
 var. *atrofusca* Maly **6**: 102
 var. *australasica* (Steud.) Buchenau **6**: 145
 var. *banksiana* (E.Mey.) Buchenau **6**: 137
 var. *bulbosa* Buchenau **6**: 143, 145, 188
 var. *bulbosa* A.W.Wood **6**: 157
 var. *calabra* (Ten.) Buchenau **6**: 100
 var. *capitata* Miq. ex Franch. & Sav. **6**: 126
 var. *collina* G.Mey. **6**: 104
 var. *columbiana* H.St.John **6**: 156, 160
 var. *comosa* (E.Mey.) Fernald & Wiegand **6**: 155
 var. *congesta* (Thuill.) Bicheno **6**: 108
 var. *crinita* (Hook.f.) Buchenau **6**: 130
 var. *debilis* Velen. **6**: 102
 var. *echinata* (Small) Fernald & Wiegand **6**: 157
 var. *elata* Schltld. **6**: 104, 188
 var. *erectiuscula* Kožuharov **6**: 186
 var. *flaccida* Buchenau **6**: 142, 143
 var. *floribunda* Buchenau **6**: 140
 var. *frigida* Buchenau **6**: 111
 var. *glabrata* Hillebr. **6**: 159
 var. *gracilis* S.Carter **6**: 119
 var. *groenlandica* Laest. **6**: 117
 var. *hawaiiensis* (Buchenau) O.Deg. & Fosberg **6**: 158
 var. *insularis* Briq. **6**: 105, 188
 var. *intermedia* **6**: 109
 var. *luteola* (Asch. & Graebner) V.I.Krecz. **6**: 105
 var. *lutescens* Koidz. **6**: 127, 188
 var. *macrantha* (S.Watson) Fernald & Wiegand **6**: 155
 var. *macrospica* Kožuharov **6**: 186
 var. *major* Bluff & Fingerh. **6**: 117
 var. *mannii* Buchenau **6**: 118
 var. *migrata* Buchenau **6**: 140

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *minor* Bluff & Fingerh. **6**: 104
 var. *minor* (Satake) Welsh **6**: 153
 var. *nemorosa* (Hornem.) Neilr. **6**: 110
 var. *nivalis* Laest. **6**: 90, 188
 var. *oahuensis* O.Deg. & Fosberg **6**: 160
 var. *ostenii* Mattf. **6**: 163
 var. *pallens* Merino **6**: 108
 var. *pallescens* Husn. **6**: 110, 188
 var. *pallescens* (Sw.) Wahlenb. **6**: 97
 var. *pallida* Hook.f. **6**: 136
 var. *pauciflora* Buchenau **6**: 126, 188
 var. *petrieana* Buchenau **6**: 131
 var. *picta* (A.Rich.) Hook.f. **6**: 135
 var. *pumila* Schltld. **6**: 104, 188
 var. *subspicata* Laest. **6**: 117
 var. *rectirama* Murr **6**: 105
 var. *terana* P.Monts. **6**: 105
 var. *tristachya* (Desv.) Buchenau **6**: 161
 var. *ulei* (Buchenau) Barros **6**: 163
 var. *vallesiaca* Beauverd **6**: 100
 var. *welwitschii* Cout. **6**: 186
 var. *yakusimensis* Masam. **6**: 128
 proles *insularis* (Briq.) Rouy **6**: 105
 [Rasse] *pallens* Asch. & Graebn. **6**: 110, 188
 a. [unranked] *genuina* Asch. **6**: 104
 a. [unranked] *pseudonemorosa* Schur **6**: 117
 α [unranked] *vulgaris* Gaudin **6**: 104
 A.II.a.2. [unranked] *luteola* Asch. & Graebn. **6**: 105
 β [unranked] *latifolia* Gaudin **6**: 100
 c. [Spielart] *alpestris* G.Mey. **6**: 106
 γ [unranked] *nigricans* Gaudin **6**: 106
 δ [unranked] *nemorosa* (Hornem.) Gaudin **6**: 110
 d. [Spielart] *sudetica* G.Mey. **6**: 106
- Luzula continued
- campestris* H.Lév. **6**: 105
canariensis Poir. **6**: 22, **24**, 193
capillaris Steud. **6**: 157
capitata (Miq. ex Franch. & Sav.) Kom. **6**: 93, **126**, 163, 213
caricina E.Mey. **6**: 91, 93, 126, **160**, *162*, 223
carolinae S.Watson **6**: 174
 var. *saluensis* (Fernald) Fernald **6**: 172
carpatica Kitt. ex Kanitz **6**: 54
caspiaca Rupr. ex Bordz. **6**: 168
castellanosii Barros **6**: 70, 73
cechica Domin **6**: 170
celata Edgar **6**: 57, **61**, 200
chabertii Rouy **6**: 105
changaica Novikov **6**: 184, 185
cheesemanii Buchenau **6**: 133
chilensis Nees & Meyen ex Kunth **6**: 53, 58, **75**, *76*, *77*, *78*, *82*, 203
 f. *frequentior* Barros **6**: 74, 188
 f. *longifolia* Barros **6**: 75
 f. *pauciflora* (Phil.) Fuentes **6**: 161
 f. *psilophylla* (Phil.) Fuentes **6**: 82

SPECIES PLANTARUM CUMULATIVE INDEX

- f. rigida* (Phil.) Fuentes **6**: 75
 var. *pallida* Buchenau ex Fuentes **6**: 82
chinensis N.E.Br. **6**: 52
colensoi Hook.f. **6**: 92, **134**, 141, 216
 var. *macrostemon* Buchenau **6**: 134
comosa E.Mey. **6**: 93, **155**, 156, 160
 subsp. *sitchensis* V.I.Krecz **6**: 153
 var. *comosa* **6**: **156**, 221
 var. *congesta* S.Watson **6**: 156
 var. *laxa* Buchenau **6**: 155, **156**, 221
 var. *macrantha* S.Watson **6**: 155, 188
 var. *subsessilis* S.Watson **6**: 155, 188
compacta Desf. **6**: 188
compacta (E.Mey.) Dalla Torre & Sarnth. **6**: 63
confusa Lindeb. **6**: 83, 85, 88, **89**, 91, 188, 207
 f. *latifolia* Buchenau **6**: 84
 f. *normalis* Krylov **6**: 89
 f. *subspicata* (Lange) Krylov **6**: 89
 var. *subspicata* Lange **6**: 89
congesta (Thuill.) Lej. **6**: 93, 94, **108**, 116, 123, 210
conglomerata Mielichhofer **6**: 64
correae Barros **6**: 74, 75
crenulata Buchenau **6**: 92, **131**, 215
crinita Hook.f. **6**: 94, **130**, 152
 var. *crinita* **6**: 130, **131**, 215
 var. *petrieana* (Buchenau) Edgar **6**: 130, **131**, 141, 215
cusickii Gand. **6**: 64
 ×*danica* H.Nordensk. & Kirschner **6**: 116
decipiens Edgar **6**: 93, **134**, 216
decolor Webb & Berthel. **6**: 167
deflexa Kožuharov **6**: 56
densiflora (H.Nordensk.) Edgar **6**: 95, 123, 142, **143**, *144*, 145, 152, 218
denticulata Liebm. **6**: 40, **41**, 43, 196
depauperata Beyer **6**: 187
desvauxii Kunth **6**: 40, **48**, 197
divaricata S.Watson **6**: 40, **45**, 197
divulgata Kirschner **6**: 93, **102**, 116, 209
 Luzula continued
echinata (Small) F.J.Herm. **6**: 93, **157**, 158, 221
 var. *mesochorea* F.J.Herm. **6**: 157
ecuadoriensis Balslev **6**: 57, **69**, 71, 202
effusa Buchenau **6**: 39, 41, **51**, 57
 var. *chinensis* (N.E.Br.) K.F.Wu **6**: **52**, 199
 var. *effusa* **6**: **52**, 199
elata Satake **6**: 181
 var. *nasuensis* Satake **6**: 181
elegans Guthnick ex E.Mey. **6**: 22, 188
elegans Lowe **6**: **20**, 38, 193
erecta Desv. **6**: 110
 subsp. *nigricans* (Gaudin) Berher **6**: 106
 subsp. *pallescens* (Sw.) Nym. **6**: 97
 var. *congesta* (Thuill.) Desv. **6**: 108
 var. *micrantha* Schltdl. **6**: 98
 var. *pallens* (Asch. & Graebn.) Rouy **6**: 110

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *pallescens* (Sw.) Nolte ex Sond. **6**: 97
 proles *congesta* (Thuill.) Rouy **6**: 108
 proles *nigricans* (Gaudin) Rouy **6**: 106
 proles *pyrenaica* Sennen **6**: 110
excelsa Buchenau **6**: 57, **70**, 72, 73, 202
fallax Kirschner **6**: 92, **101**, 116, 209
fastigiata E.Mey. **6**: 50, 51
 ×*favratii* K.Richt. **6**: 36
flaccida (Buchenau) Edgar **6**: 92, **142**, 143, *144*, 152, 217
flavescens (Host) Gaudin **6**: 169
 [var.] *murrea* (P.Fourn.) P.Fourn. **6**: 169
formosana Ohwi **6**: 165, **175**, 226
forsteri (Sm.) DC. **6**: 18, 164, 165, **166**, 170, 185–187
 subsp. *baetica* P.Monts. **6**: 167
 subsp. *cantabrica* P.Monts. **6**: 167
 subsp. *caspica* Novikov **6**: 167, **168**, 169, 224
 subsp. *catalaunica* P.Monts. **6**: 167
 subsp. *forsteri* **6**: **167**, 224
 subsp. *rhizomata* (Ebinger) Z.Kaplan **6**: 167, **168**, 169, 224
 var. *latifolia* Bordz. **6**: 168
 var. *macrantha* Kožuharov **6**: 186
 var. *media* Kožuharov **6**: 186
 var. *pallida* Parl. **6**: 167
 var. *rhizomata* Ebinger **6**: 168
 B. [unranked] *flaccida* Asch. & Graebn. **6**: 167
 II. [unranked] *atrofusca* Asch. & Graebn. **6**: 167
forsteri s. lat. **6**: 169
frigida (Buchenau) Sam. **6**: 111
frigida s. lat. **6**: 160
fuscata Schur **6**: 30
 ×*gayana* Font Quer & Rothm. **6**: 82
gesneri Bubani **6**: 166, 167
gigantea Desv. **6**: 39, **40**, *42*, 195
 var. *vulcanica* Woodson **6**: 41
glabrata (Hoppe) Desv. **6**: 39, 40, 46, **48**, 197
 subsp. *deflexa* (Kozhukh.) Kozhukh. **6**: 56
 subsp. *desvauxii* (Kunth) K.Richt. **6**: 48
 var. *desvauxii* (Kunth) Buchenau **6**: 48
 var. *hitchcockii* (Hämet-Ahti) Dorn **6**: 46
 var. *vera* Buchenau **6**: 48
 proles *desvauxii* (Kunth) P.Fourn. **6**: 48
glabrescens (Schränk) Dalla Torre & Sarnth. **6**: 48
glomerata Miel. ex Huebener **6**: 64, 188
graeca (Chaub. & Bory) Kunth **6**: 38
groenlandica Böcher **6**: 95, 96, **153**, 154, 188, 220
 var. *fuscoatra* Böcher **6**: 153
 Luzula continued
 ×*hasleri* Murr **6**: 36
haussknechtiana Freyn & Sint. **6**: 32
hawaiiensis Buchenau **6**: 92, 94, 96, 97, **158**
 var. *glabrata* (Hillebr.) O.Deg. & I.Deg. **6**: 158, **159**, 222
 var. *hawaiiensis* **6**: 158, **159**, 222
 var. *oahuensis* (O.Deg. & Fosberg) O.Deg. & I.Deg. **6**: 158, **160**, 223
 ×*heddae* Kirschner **6**: 117

SPECIES PLANTARUM CUMULATIVE INDEX

- henriquesii* Degen **6**: 33
 ×*hermannii-muelleri* Asch. & Graebn. **6**: 36
hieronymi Buchenau & Griseb. **6**: 70
 f. *bonariensis* Barros **6**: 70
 var. *pusilla* Castillon **6**: 70
hispanica Chrtek & Křísa **6**: 67
hitchcockii Hämet-Ahti 40, **6**: 46, 47, 197
hostii Desv. **6**: 169
 subsp. *murrea* (P.Fourn.) P.Fourn. **6**: 169
 var. *murrea* P.Fourn. **6**: 169
humilis Buchenau **6**: 77
 ×*hybrida* H.Lindb. ex Kirschner **6**: 117
hyperborea R.Br. **6**: 89
 var. *extensa* Scheutz **6**: 89
 var. *latifolia* (Buchenau) B.Boivin **6**: 84
 var. *major* Hook. **6**: 186
 var. *minor* Hook. **6**: 91
inaequalis K.F.Wu **6**: 128
indica Kirschner **6**: 96, **123**, 213
insularis (Briq.) Prain **6**: 105
insularis (Skotts.) Skotts. **6**: 73
intermedia Baumg. **6**: 48
intermedia Figert **6**: 110
intermedia (Thuill.) Spenn. **6**: 110
 var. *congesta* (Thuill.) Spenn. **6**: 108
 var. *multiflora* (Ehrh.) Spenn. **6**: 109
interrupta Desv. **6**: 77, 161
italica Parl. **6**: 67
japonica Buchenau **6**: 164, 175–177, 183
jilongensis K.F.Wu **6**: 109
jimboi Miyabe & Kudo **6**: 164, 165, 176, **179**, 183
 subsp. *atrotepala* Z.Kaplan **6**: 179, **181**, 183, 227
 subsp. *jimboi* **6**: 174, 179, **181**, 182, 183, 227
 var. *integra* Satake **6**: 176
 ×*johannis-principis* Murr **6**: 37
johnstonii Buchenau **6**: 165, **166**, 224
 Luzula continued
juncoides Poir. **7**: 46
kamtschadalarum (Sam.) Gorodkov ex Krylov **6**: 88
kjellmaniana Miyabe & Kudo **6**: 83, **84**, 87, 205
 subsp. *frigida* (Buchenau) Schljakov **6**: 111
 subsp. *sibirica* (V.I.Krecz.) Schljakov **6**: 113
 var. *kobayasii* (Satake) Satake **6**: 153
kobayasii Satake **6**: 97, **153**, 220
 var. *minor* Satake **6**: 153
labradorica Raf. **6**: 187
labradorica Steud. **6**: 51
lactea (Link) E.Mey. **6**: 21, **23**, 24
 subsp. *velutina* (Lange) Nyman **6**: 24
 var. *lactea* **6**: **23**, 193
 var. *velutina* (Lange) Cout. **6**: 23, **24**, 193
laetevirens Liebm. **6**: 41
latifolia Liebm. **6**: 41
leiboldii Buchenau **6**: 58, **77**, 82, 203

SPECIES PLANTARUM CUMULATIVE INDEX

- ×*lepetitiana* Beyer **6**: 36
- leptophylla Buchenau & Petrie **6**: 92, **130**, 141, 214
- ×*levieri* Asch. & Graebn. **6**: 36
- longiflora Benth. **6**: 94, **151**, 188, 219
- lutea (All.) DC. **6**: 21, **26**, 37, 194
 - subsp. *pyrenaica* P.Monts. **6**: 26, 27
- lutescens (Koidz.) Kirschner & Miyam. **6**: 93, **127**, 214
- luzulina (Vill.) Racib. **6**: 164, 165, **169**, 171, 185, 186, 225
- luzuloides (Lam.) Dandy & E.Willm. **6**: 21, 22, **27**, 36, 170
 - subsp. *cuprina* Chrtek & Křisa **6**: 30
 - subsp. luzuloides **6**: **28**, 29, 194
 - subsp. rubella (Hoppe ex Mert. & W.D.J.Koch) Holub **6**: 28, **30**, 31, 37, 194
 - subsp. *rubella* (Mert. & W.D.J.Koch) Holub **6**: 37
 - subsp. *tenacissima* Vivant **6**: 30
 - var. *erythranthema* (Wallr.) I.Grint. **6**: 30
 - var. *parviflora* (Döll) I.Grint. **6**: 27
- macrocarpa* (Buchenau) Nakai **6**: 184
 - var. *laxa* Nakai **6**: 184, 186
- macrotricha* Steud. **6**: 119
- macusaniensis* Steud. ex Buchenau **6**: 78, 82
- mannii (Buchenau) Kirschner & Cheek **6**: 95, 96, **118**
 - subsp. *gracilis* (S.Carter) Kirschner & Cheek 118, **119**, 121, 212
 - subsp. mannii **6**: **118**, 120, 212
- ×*marceloi* Rivas Mart. **6**: 82
- masafuerana Skottsb. **6**: 58, 59, **73**, 203
- maxima* (Reichard) DC. **6**: 21, 33
 - subsp. *sicula* (Parl.) Nym. **6**: 35
 - subsp. *sieberii* (Tausch) P.Fourn. **6**: 35
 - var. *gracilis* (Rostr. ex Beeby) Husn. **6**: 33
 - var. *latifolia* (Wulfen) Čelak. **6**: 33
 - β [unranked] *angustifolia* Čelak. **6**: 35
- ×*media* Kirschner **6**: 116
- melanocarpa
 - var. *fastigiata* (E.Mey.) E.Mey. **6**: 50
- mendocina Barros **6**: 58, **73**, 188, 203
- meridionalis H.Nordensk. **6**: 92, 123, **142**, 145, 152, 217
 - var. *densiflora* H.Nordensk. **6**: 143
 - var. *flaccida* (Buchenau) H.Nordensk. **6**: 142
- micrantha* Buchenau **6**: 133
 - var. *triandra* (Buchenau) Cheeseman **6**: 133
- migrata* (Buchenau) Ostenf. **6**: 140
- Luzula continued
- modesta Buchenau **6**: 92, **148**, 151, 152, 188, 218
- multiflora (Ehrh.) Lej. **6**: 92, 97, 100, 106, **109**, 114, 116, 128, 160
 - f. *congesta* (Thuill.) Neuman **6**: 108
 - f. *conglobata* Krylov & Serg. **6**: 113
 - f. *umbelliformis* Krylov & Serg. **6**: 113
 - f. *umbrosa* Neuman **6**: 110, 188
 - subsp. *asiatica* Krylov & Serg. **6**: 113
 - subsp. *calabra* (Ten.) Arcang. **6**: 100
 - subsp. *caucasica* V.I.Krecz. **6**: 102
 - subsp. *congesta* (Thuill.) Arcang. **6**: 108
 - subsp. *frigida* (Buchen.) V.I.Krecz. **6**: 110, **111**, 113, 114, 211
 - subsp. *hibernica* Kirschner & T.C.G.Rich **6**: 109, **114**, 115, 212

SPECIES PLANTARUM CUMULATIVE INDEX

- subsp. *incrassata* V.I.Krecz. **6**: 117
 subsp. *kjellmaniana* (Miyabe & Kudo) Tolm. **6**: 84
 subsp. *kobayasii* (Satake) Hultén **6**: 153
 subsp. *monticola* Kirschner **6**: 109, **116**, 212
 subsp. *multiflora* **6**: 103, 104, **110**, 112, 113, 128, 210
 subsp. *nigricans* (Gaudin) Neuman **6**: 106
 subsp. *occidentalis* V.I.Krecz. **6**: 110
 subsp. *pallescens* (Sw.) Reichg. **6**: 98
 subsp. *pseudosudetica* V.I.Krecz. **6**: 123
 subsp. *pyrenaica* (Sennen) P.Monts. **6**: 110
 subsp. *sibirica* V.I.Krecz. **6**: 110, **113**, 114, 211
 subsp. *snogerupii* Kirschner **6**: 109, **114**, 211
 subsp. *sudetica* (Willd.) Arcang. **6**: 106
 subsp. *taurica* (V.I.Krecz.) Novikov **6**: 102
 subsp. *tenella* (E.Mey.) Kožuharov **6**: 110
 subsp. *thianschanica* V.I.Krecz. **6**: 117
 subsp. *thracica* Kožuharov **6**: 186
 var. *acadiensis* (Fernald) Fernald **6**: 110
 var. *alpestris* Beyer **6**: 100, 118
 var. *alpina* (Hoppe) Willk. **6**: 100
 var. *bulbosa* (A.W.Wood) F.J.Herm. **6**: 157
 var. *calabra* (Ten.) Parl. **6**: 100
 var. *colchica* V.I.Krecz. **6**: 117
 var. *congesta* (Thuill.) W.D.J.Koch **6**: 108
 var. *contracta* Böcher **6**: 111
 var. *flexuosa* Beyer **6**: 110, 188
 var. *gracilis* Buchenau ex V.I.Krecz. **6**: 118
 var. *intermedia* Koidz. **6**: 109, 188
 var. *kjellmaniana* (Miyabe & Kudo) Sam. **6**: 84
 var. *kjellmannioides* R.L.Taylor & MacBryde **6**: 113
 var. *kobayasii* (Satake) Sam. **6**: 153
 var. *lutescens* (Koidz.) Satake **6**: 127
 var. *minor* Bluff & Fingerh. **6**: 98
 var. *minor* (Satake) R.L.Taylor & MacBryde **6**: 153
 var. *minuta* Krylov & Serg. **6**: 113
 var. *nigricans* (Gaudin) W.D.J.Koch **6**: 106
 var. *pallescens* Bluff & Fingerh. **6**: 117
 var. *pallescens* (Sw.) W.D.J.Koch **6**: 97
 var. *pallida* Parl. **6**: 186
 var. *sudetica* (Willd.) Parl. **6**: 106
 var. *tenuis* Satake **6**: 109
 var. *uliginosa* Gremler **6**: 110
multiflora s. lat. **6**: 123, 127, 153, 156
murrea (P.Fourn.) A.W.Hill **6**: 169
 Luzula continued
neglecta Kunth **6**: 50
nemorosa Hornem. **6**: 110
nemorosa (Lam.) Dulac **6**: 170
nemorosa (Pollich) E.Mey. **6**: 28
 f. *aggregata* Kožuharov **6**: 30
 f. *grandiflora* Kožuharov **6**: 30
 f. *rosea* Kožuharov **6**: 30
 f. *rubella* (Hoppe ex Mert. & W.D.J.Koch) Racib. **6**: 30
 var. *colorata* E.Mey. **6**: 30

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *erythranthema* (Wallr.) Hayek **6**: 30
 var. *gracilis* E.Mey. **6**: 26
 var. *parviflora* (Döll) Asch. & Graebn. **6**: 27
 var. *rubella* (Mert. & W.D.J.Koch) Garcke **6**: 30
 A.I. [unranked] *macrantha* (Beck) Asch. & Graebn. **6**: 27
 A.II.a. [unranked] *leucanthema* (Wallr.) Asch. & Graebn. **6**: 28
 A.II.a.2. [unranked] *laxa* Asch. & Graebn. **6**: 28
 A.II.b. [unranked] *cuprina* Asch. & Graebn. **6**: 30
 B.II. [unranked] *hylogiton* Asch. & Graebn. **6**: 27
 [unranked] *fuliginosa* Asch. **6**: 30
nigricans Desv. **6**: 106
nipponica (Satake) Kirschner & Miyam. **6**: 95, **128**, 214
nivalis (Laest.) Spreng. **6**: 19, 83, 89, **90**, 186, 207
nivea (Nathh.) DC. **6**: 21, **25**, 36, 194
 subsp. *albida* (Hoffm.) Bonnier & Layens **6**: 28
 subsp. *pedemontana* (Boiss. & Reut.) Bonnier & Layens **6**: 26
 subvar. *livida* (Desv.) Rouy **6**: 25
 subvar. *rubella* (Mert. & W.D.J.Koch) Rouy **6**: 25
 var. *angustata* (Asch. & Graebn.) Rouy **6**: 25
 var. *livida* Desv. **6**: 25
 var. *minuta* Beyer **6**: 25
 var. *rubella* Mert. & W.D.J.Koch **6**: 25
 var. *rubescens* Favrat **6**: 25
 b. [unranked] *angustata* Asch. & Graebn. **6**: 25
nodulosa E.Mey. **6**: **38**, 195
 var. *graeca* (Chaub. & Bory) R.Maire **6**: 38
 var. *mauretanica* R.Maire & Trab. **6**: 38
novae-cambriae Gand. **6**: 92, **146**, 148, 152, 218
nutans (Vill.) Duval-Jouve **6**: 68
obscura (S.E.Fröhner) Novikov **6**: 54
obtusata Steud. **6**: 63, 64
oldfieldi Hook.f. **6**: 145
 subsp. *dura* Edgar **6**: 146
 var. *angustifolia* H.Nordensk. **6**: 146
oligantha Sam. **6**: 94, **126**, 128, 214
 f. *atrata* Satake **6**: 126
orestera Sharsm. **6**: 95, 96, 97, **154**, 160, 220
ostenii (Mattf.) Herter **6**: 96, 97, **163**, 224
ovata Edgar **6**: 94, 95, 145, **146**, *147*, 150, 218
pallescens Sw. **6**: 92, **97**, *99*, 101, 116, 117, 123, 188, 208
 var. *arenaria* V.I.Krecz. **6**: 98
 var. *castanescens* K.F.Wu **6**: **128**
 var. *communis* V.I.Krecz. **6**: 98
 var. *ruderalis* V.I.Krecz. **6**: 98
 var. *umbrosa* Čelak. **6**: 98, 188
 var. *umbrosa* V.I.Krecz. **6**: 98
pallidula Kirschner **6**: 98
paniculata Desv. **6**: 40
 Luzula continued
 papuana M.E.Jansen **6**: 94, **129**, 214
 parviflora (Ehrh.) Desv. **6**: 39, 40, 44, **49**, 56, 57
 f. *melanocarpa* (Michx.) Neuman **6**: 51
 subsp. *divaricata* (S.Watson) Hultén **6**: 45
 subsp. *fastigiata* (E.Mey.) Hämet-Ahti **6**: 49, **50**, 198

SPECIES PLANTARUM CUMULATIVE INDEX

- subsp. *melanocarpa* (Michx.) Hämet-Ahti **6**: 49, **51**, 187, 198
 subsp. *melanocarpa* (Michx.) Tolm. **6**: 51
 subsp. *parviflora* **6**: 47, 49, **50**, 198
 subsp. *yezoensis* (Satake) Hultén **6**: 46
 var. *densiflora* Lange **6**: 49
 var. *denticulata* (Liebm.) Buchenau **6**: 41
 var. *divaricata* (S.Watson) Boivin **6**: 45
 var. *fastigiata* (E.Mey.) Buchenau **6**: 50
 var. *intermedia* Wahlenb. **6**: 48
 var. *melanocarpa* (Michx.) A.Gray **6**: 51
 var. *sparsiflora* Lange **6**: 49
 var. *subcongesta* (S.Watson) Buchenau **6**: 83
 var. *yezoensis* Satake **6**: 46
parvula Barros **6**: 80, 82
patagonica Speg. **6**: 74, 75
pauciflora Phil. **6**: 161, 188
pedemontana Boiss. & Reut. **6**: 22, **26**, 36, 194
pediformis (Chaix) DC. **6**: 58, **68**, 82, 202
 subsp. *caespitosa* (E.Mey.) Guinea **6**: 69
 var. *caespitosa* E.Mey. **6**: 69
peruviana Desv. **6**: 57, **78**, 204
 var. *longispica* Barros **6**: 78
 ×*pfaffii* Murr **6**: 37
philippinensis M.E.Jansen **6**: 94, **129**, 214
picta A.Rich. **6**: 94, **135**, 140
 var. *banksiana* (E.Mey.) Buchenau **6**: 137
 var. *cheesemanii* Buchenau **6**: 135
 var. *limosa* Edgar **6**: 135, **137**, 141, 216
 var. *pallida* (Hook.f.) Edgar **6**: 135, **136**, 140, 216
 var. *picta* **6**: **135**, 140, 216
 var. *typica* Buchenau **6**: 135
pilosa (L.) Sm. **6**: 170
pilosa (L.) Willd. **6**: 37, 164, 165, **170**, 173, 185, 186, 225
 f. *pallida* A.Dyring **6**: 170
 f. *ślendziński* Racib. **6**: 170
 subsp. *borreri* (Bab.) K.Richt. **6**: 185
 var. *americana* Schult. & Schult.f. **6**: 172
 var. *brevicapsula* Kožuharov **6**: 186
 var. *carolinae* (S.Watson) Boivin **6**: 174
 var. *macrocarpa* (Buchenau) Boivin **6**: 184
 var. *plumosa* (E.Mey.) Franch. **6**: 175
 var. *rufescens* (Fisch. ex E.Mey.) Boivin **6**: 183
 var. *saltuensis* (Fernald) Boivin **6**: 174
 var. *simplex* Sond. **6**: 170
 b. [unranked] *prolifera* Döll **6**: 170
pilosa sensu Torrey **6**: 172
pindica (Hausskn.) Chrtek & Křisa **6**: 58, **62**, 200
piperi (Coville) M.E.Jones **6**: 40, 44, **45**, 47, 56, 197
Luzula continued
plumosa E.Mey. **6**: 165, **175**, 176, 177, 181, 183, 185
 subsp. *dilatata* Z.Kaplan **6**: 176, **177**, 179, 180, 226
 subsp. *plumosa* **6**: **176**, 177, 178, 183–185, 226
 subsp. *reflexa* (Ebinger) Z.Kaplan **6**: 176, **179**, 226
 var. *albida* Satake **6**: 176

SPECIES PLANTARUM CUMULATIVE INDEX

- var. *brachycarpa* Satake **6**: 176
 var. *brevipes* (Franch. & Sav.) Ebinger **6**: 176, 177
 var. *macrocarpa* (Buchenau) Ohwi **6**: 177, 184
 var. *reflexa* Ebinger **6**: 179
 var. *sphaerosperma* Satake **6**: 176
plumosa s. lat. **6**: 179
poimena W.M.Curtis **6**: 92, **151**, 219
pseudosudetica V.I.Krecz. **6**: 123
 var. *turcica* (Chrtek & Křisa) Novikov **6**: 124
psilophylla Phil. **6**: 82
pumila Hook.f. **6**: 91, 92, **133**, 141, 215
purpurea E.Mey. **6**: 20
purpurea H.C.Watson **6**: 22
purpurea Link ex E.Mey. **6**: 20
purpureosplendens Seub. **6**: 21, **22**, 23, 193
racemosa Desv. **6**: 58, 59, **77**, 78–82, 188, 204
 f. *brachyphylla* (Phil.) Fuentes **6**: 74
 f. *humilis* (Buchenau) Buchenau **6**: 77
 subsp. *insularis* Skottsbo. **6**: 73, 188
 var. *humilis* (Buchenau) T.C.E.Fr. **6**: 77
 var. *traversii* Buchenau **6**: 59
 var. *ulophylla* Buchenau **6**: 59
rhadina Buchenau **6**: 139
rigida Phil. **6**: 75, 77
 ×*romanica* J.Dvořák & Vorel **6**: 185
rostrata Buchenau **6**: 164, 176, 181, 183
 subsp. *darjeelingensis* Satake **6**: 176
 var. *jimboi* (Miyabe & Kudo) Ebinger **6**: 179
 var. *rostrata sensu* J.E.Ebinger **6**: 181, 183
rufa Edgar **6**: 94, **132**, 141
 var. *albicomans* Edgar **6**: 132, **133**, 215
 var. *rufa* **6**: **132**, 215
rufescens Fisch. ex E.Mey. **6**: 164, 165, 176, 177, **183**, 185
 var. *brevipes* Franch. & Sav. **6**: 176
 var. *macrocarpa* Buchenau **6**: 183, **184**, 185, 228
 var. *rufescens* **6**: 178, 183, **184**, 227
ruiz-lealii Barros **6**: 58, **80**, 82, 205
saltuensis Fernald **6**: 172, 174
 ×*schultorum* Dalla Torre & Sarnth. **6**: 36
 Luzula continued
 seubertii Lowe **6**: 21, **22**, 188, 193
 sibirica (V.I.Krecz.) V.I.Krecz. **6**: 91, 113
 ×*sichuanensis* K.F.Wu **6**: 56
 sicula Parl. **6**: 35
 sieberi Tausch **6**: 35, 188
 subsp. *sicula* (Parl.) Pignatti **6**: 35
 ×*somedana* Fern.-Carv. & Fern.Prieto **6**: 82
spadicea DC. **6**: 26, 53, 54
 f. *carpatica* (Kitt. ex Kanitz) I.Grint. **6**: 54
 f. *compacta* Kožuharov **6**: 56
 f. *laxiflora* (Desv.) I.Grint. **6**: 53
 f. *melanocarpa* (Michx.) I.Grint. **6**: 51
 f. *parviflora* (Ehrh.) I.Grint. **6**: 50
 f. *pumila* Kožuharov **6**: 56

SPECIES PLANTARUM CUMULATIVE INDEX

- subsp. *candollei* (E.Mey.) K.Richt. **6**: 54
 var. *allionii* E.Mey. **6**: 53
 var. *aucta* Schur **6**: 51
 var. *barbata* Neilr. **6**: 53
 var. *candollei* E.Mey. **6**: 54
 var. *davidovii* Kožuharov **6**: 56
 var. *desvauxii* (Kunth) E.Mey. **6**: 48
 var. *divaricata* (S.Watson) Buchenau **6**: 45
 var. *glabrata* (Hoppe) E.Mey. **6**: 48
 var. *kunthii* E.Mey. **6**: 44
 var. *laxiflora* Desv. **6**: 53
 var. *melanocarpa* (Michx.) E.Mey. **6**: 51
 var. *parviflora* (Ehrh.) E.Mey. **6**: 49
 var. *sarplaninae* Rohlena **6**: 56
 var. *subcongesta* S.Watson **6**: 83
 var. *velenovskyi* Kožuharov **6**: 56
 A.b. [unranked] *carpatica* (Kitt. ex Kanitz) Asch. & Graebn. **6**: 54
 β [unranked] *elatior* Gaudin **6**: 53
 Luzula continued
 spicata (L.) DC. **6**: 57, 59, **62**, 63, 82, 118
 f. *compacta* (E.Mey.) I.Grint. **6**: 63
 f. *italica* (Parl.) H.Lindb. **6**: 67
 f. *minima* I.Grint. **6**: 64
 f. *petraea* Laest. ex Neuman **6**: 64
 subsp. *bulgarica* (Chrtek & Křisa) Gamisans **6**: 67
 subsp. *conglomerata* (W.D.J.Koch) Murr **6**: 63, **64**, 65, 66, 201
 subsp. *italica* (Parl.) Arcang. **6**: 62, 63, **67**, 68, 202
 subsp. *mongolica* Novikov **6**: 63, **66**, 201
 subsp. *montsignatica* P.Monts. **6**: 64, 66
 subsp. *mutabilis* Chrtek & Křisa **6**: 64
 subsp. *nevadensis* P.Monts. **6**: 63, **67**, 202
 subsp. *pindica* (Hausskn.) Gamisans **6**: 62
 subsp. *saximontana* Á.Löve & D.Löve **6**: **6**: 64
 subsp. *spicata* **6**: **63**, 64, 66, 201
 var. *compacta* E.Mey. **6**: 63
 var. *conglomerata* W.D.J.Koch **6**: 64
 var. *erecta* E.Mey. **6**: 119
 var. *interrupta* E.Mey. **6**: 77
 var. *italica* (Parl.) Rouy **6**: 67
 var. *kjellmanii* Nath. **6**: 89
 var. *kunawurensis* D.Don **6**: 66
 var. *latifolia* Losa **6**: 108
 var. *major* Lange **6**: 63
 var. *nova* Smiley **6**: 64
 var. *petraea* Laest. **6**: 63
 var. *relaxa* Krylov **6**: 63
 var. *simensis* Hochst. **6**: 119
 var. *tenella* E.Mey. **6**: 110
 a. [unranked] *subpediformis* Schur **6**: 64
 β [unranked] *pindica* Hausskn. **6**: 62
 stenophylla Steud. **6**: 95, 96, **123**, 124, 125, 213
stilbocarpa Kirschner & Křisa **6**: 67
 subcapitata (Rydb.) H.D.Harr. **6**: 39, **44**, 45, 197
subclavata Colenso **6**: 136

SPECIES PLANTARUM CUMULATIVE INDEX

- subcongesta* (S.Watson) Jeps. **6**: 83, 85, 205
subpilosa V.I.Krecz. & Gontsch. **6**: 104
subsessilis (S.Watson) Buchenau **6**: 93, **155**, 156, 221
sudetica (Willd.) Schult. **6**: 95, 96, **106**, *107*, 117, 124, 154, 209
 var. *frigida* (Buchenau) Fernald **6**: 111
 var. *microstachya* Satake **6**: 128
 var. *nipponica* Satake **6**: 128
 var. *pauciflora* (Buchenau) Nakai **6**: 126
 proles *alpina* (Hoppe) Asch. & Graebn. **6**: 100
 [Rasse] *pallescens* (Sw.) Asch. & Graebn. **6**: 97
sylvatica (Huds.) Gaudin **6**: 22, **32**, 36, 37, 170
 f. *altissima* Kožuharov **6**: 32
 subsp. *cantabrica* P.Monts. **6**: 35
 subsp. *croatica* Beyer **6**: 32
 subsp. *henriquesii* (Degen) Pirajá **6**: 32, **33**, 82, 195
 subsp. *sicula* (Parl.) K.Richt. **6**: 32, **35**, 195
 subsp. *sieberi* (Tausch) K.Richt. **6**: 33, **35**, 36, 37, 195
 subsp. *sylvatica* **6**: **33**, *34*, 36, 194
 var. *croatica* (Beyer) Buchenau **6**: 32
 var. *dertosensis* P.Monts. **6**: 32
 var. *gracilis* Rostr. ex Beeby **6**: 33
 var. *henriquesii* (Degen) Pau **6**: 33
 var. *latifolia* (Wulfen) Buchenau **6**: 33
 var. *paularensis* Pau **6**: 35
 var. *sieberi* (Tausch) Buchenau **6**: 35
 A.I.a.2. [unranked] *pallida* Asch. & Graebn. **6**: 33
 A.I.a.b. [unranked] *pulchra* Asch. & Graebn. **6**: 32
Luzula continued
taiwaniana Satake **6**: 96, **125**, 126, 213
taurica (V.I.Krecz.) Novikov **6**: 97, **102**, 103, 125, 209
tenella (E.Mey.) R.Hinterh. & J.Hinterh. **6**: 110
tolmatchewii Kuvaev **6**: 90
traversii (Buchenau) Cheeseman **6**: 58, **59**
 var. *tenuis* Edgar **6**: **61**, 200
 var. *traversii* **6**: **61**, 200
triandra Buchenau **6**: 133
tristachya Desv. **6**: 94, **161**, 223
tundricola Gorodkov ex V.N.Vassil. **6**: 83, 84
turcica Chrtek & Křisa **6**: 123
ulei Buchenau **6**: 91, 95, *162*, **163**, 164, 224
ulophylla (Buchenau) Cockayne & Laing **6**: 57, **59**, *60*, 82, 199
unalaschkensis (Buchenau) Satake **6**: 83, 88
 subsp. *kamtschdalarum* (Sam.) Tolm. **6**: 88
variabilis Buchenau **6**: 53
velutina Lange **6**: 24
vernalis (Reichard) DC. **6**: 170
 subsp. *forsteri* (Sm.) Bonnier & Layens **6**: 166
villosa Wikstr. **6**: 74
 ×*vinesii* Murr **6**: 186
vinogradovii Sipliv. **6**: 113
volkensis Buchenau **6**: 119
vulcanica Liebm. **6**: 57, **79**, *81*, 204
vulgaris Buchenau **6**: 104
wahlenbergii Rupr. **6**: 39, 40, **44**, 89, 187, 196

SPECIES PLANTARUM CUMULATIVE INDEX

- f. americana* Kurz **6**: 46
 subsp. *piperi* (Coville) Hultén **6**: 45
 ×*wettsteinii* Buchenau **6**: 141
 ×*winderiae* Murr **6**: 118
- Maba**
sudanensis A.Chev. **9**: 7
- Magnistipula** Engl. **9**: 3; **10**: **178**
 sect. *Animalculum* F.White **10**: 179, **183**
 sect. *Magnistipula* **10**: 179, **180**
 sect. *Peregrinator* F.White **10**: 179, **184**
 subg. *Magnistipula* **10**: 178, **179**
 subg. *Pellegriniella* (Hauman) Prance **10**: 178, **190**
 subg. *Tolmiella* F.White **10**: 178, **191**
bangweolensis (R.E.Fr.) R.A.Graham **10**: 187
bimarsupiata Letouzey **10**: 179, **183**, 259
butayei De Wild. **10**: 179, 184, **185**
 subsp. *bangweolensis* (R.E.Fr.) F.White **10**: 182, 186, **187**, 188, 190, 260
 subsp. *butayei* **10**: **186**, 189, 259
 subsp. *glabriuscula* (Hauman) Champl. **10**: 186, **187**, 260
 subsp. *greenwayi* (Brenan) F.White **10**: 186, **187**, 260
 subsp. *ituriensis* Champl. **10**: 186, **189**, 260
 subsp. *montana* (Hauman) F.White **10**: 186, **189**, 260
 subsp. *sargosii* (Pellegr.) F.White **10**: 186, 187, **189**, 260
 subsp. *tisserantii* (Aubrév. & Pellegr.) F.White **10**: 186, **190**, 261
 subsp. *transitoria* F.White **10**: 185, 187
 subsp. *youngii* (Mendes) F.White **10**: 186, **190**, 261
 var. *greenwayi* (Brenan) R.A.Graham **10**: 187
cerebriformis (Capuron) F.White **10**: 178, 188, 191, **192**, 261
conrauana Engl. **10**: 178, 179, **181**, 182, 258
cuneatifolia Hauman **10**: 179, **181**, 258
cupheiflora Mildbr. **10**: 179, 182, **184**
 subsp. *cupheiflora* **10**: **184**, 259
 subsp. *leonensis* F.White **10**: **184**, 259
devriesii Breteler **10**: 179, **180**, 258
eglandulosa (Greenway) R.A.Graham **10**: 185
fleuryana (A.Chev.) Hauman **10**: 180
glaberrima Engl. **10**: 179, **183**, 188, 259
katangensis (Hauman) Mendes **10**: 187
pallidiflora Engl. **10**: 180, 197
sapinii De Wild. **10**: 179, **185**, 259
tamenaka (Capuron) F.White **10**: 178, 188, **191**, 192, 261
tessmannii (Engl.) Prance **10**: 178, **190**, 261
youngii Mendes **10**: 190
zenkeri Engl. **10**: 179, **180**, 258
- Malpghiales** **9**: 1, 2
Malulucban Blanco **12**: 3
Mampata Adans. ex Steud. **9**: 198
- Mangifera**
gabonensis Aubry-Lecomte ex O'Rorke **1**: 11
- Manuscript preparation and presentation for *Species Plantarum* **Intro**: 8, 9
Maranthes Blume **9**: 3; **10**: **56**
aubrevillei (Pellegr.) Prance **10**: 57, **58**, 219
chrysophylla (Oliv.) Prance **10**: 57, **58**

SPECIES PLANTARUM CUMULATIVE INDEX

- subsp. *chrysophylla* **10**: 58, 220
 subsp. *coriacea* F.White **10**: 57, 58, **59**, 220
corymbosa Blume **10**: 58, **59**, 220
corymbosa non Blume **10**: 63
floribunda (Baker) F.White **10**: 57, 60, **61**, 220
gabunensis (Engl.) Prance **10**: 57, **61**, 220
glabra (Oliv.) Prance **10**: 57, 60, **62**, 63, 220
 var. *gilletii* (De Wild.) Mendes **10**: 62
goetzeniana (Engl.) Prance **10**: 57, **63**, 221
kerstingii (Engl.) Prance **10**: 57, **63**, 221
multiflora Korth. **10**: 59
panamensis (Standl.) Prance & F.White **10**: 57, **63**, 64, 221
polyandra (Benth.) Prance **10**: 58, **65**, 221
 subsp. *floribunda* (Bak.) Prance **10**: 61
robusta (Oliv.) Prance **10**: 58, **65**, 222
sanagensis F.White **10**: 57, **65**, 222
speciosa Korth. ex Miq. **10**: 59
Marsippospermum Desv. **6**: 2, **5**
 calyculatum Desv. **6**: 5
 gracile (Hook.f.) Buchenau **6**: 5, 6, 7, 191
 var. *novae-zelandiae* (Buchanan) Buchenau **6**: 8
 grandiflorum (L.f.) Hook. **6**: 5, 7, 190
 var. *philippii* Buchenau **6**: 6
 philippii (Buchenau) Hauman **6**: 5, 6, 191
 reichei Buchenau **6**: 5, 7, **8**, 191
Mattuschkaea Schreb. **11**: 2
Mattuschkia J.F.Gmel. **11**: 2
 aquatica (Walter) J.F.Gmel. **11**: 2
 Meliaceae **12**: 29
Melientha Pierre **12**: 1, 2, 7
 acuminata Merr. **12**: 7
 longistaminea W.Z.Li **12**: 6
 suavis Pierre **12**: 7, 18
 subsp. *macrocarpa* Hiepko **12**: 7, **9**, 58
 subsp. *suavis* **12**: 7, 8, 58
 Menispermaceae **4**: 1
 subfam. Schisandroideae Raf. **4**: 1
 trib. Schisandreae DC. **4**: 1
 Microschoenus
 duthiei C.B.Clarke **7**: 110
 Miyamoto, Futoshi **6**; **7**
 Monimiaceae Juss. **14**: 1
 Moraceae **10**: 193
Moquilea Aubl. **9**: 35
 sect. *Cyclandrophora* (Hassk.) Endl. **10**: 66
 subg. *Acioa* (Aubl.) Blume **10**: 1
 subg. *Microbalanus* Blume **9**: 141
 aubletiana Blume **10**: 2
 bothynophylla (Mart.) Hook.f. **9**: 88
 bracteosa (Benth.) Walp. **10**: 25
 chrysocalyx Poepp. **10**: 40
 comosa (Benth.) Walp. **10**: 47
 couepia Steud. **10**: 11
 cuspidata Rusby **9**: 75

SPECIES PLANTARUM CUMULATIVE INDEX

- elata* Pilg. **9**: 63, 239
eliti (Mart. & Zucc.) Walp. **10**: 28
floribunda (Benth.) Hook.f. **9**: 68
gardneri Hook.f. **9**: 74
glandulosa (Miq.) Walp. **10**: 12
grandiflora Mart. & Zucc. **10**: 32
guianensis Aubl. **9**: 35, 50
humilis (Cham. & Schldtl.) Hook.f. **9**: 87
inaequalis Poepp. ex Fritsch **10**: 26
kunthiana Mart. & Zucc. **10**: 47
kuntzeana (Urb.) R.O.Williams **9**: 70
leucosepala (Griseb.) R.O.Williams **9**: 53
licaniaeflora Sagot **9**: 96
licaniiflora Sagot **9**: 96
longistyla Hook.f. **9**: 85
macrocarpa Pittier **9**: 52
mattogrossensis (Pilg.) Malme **9**: 74
minutiflora Sagot **9**: 59
multiflora (Benth.) Walp. **10**: 46
organensis Miers **9**: 162
orinocensis Rusby **9**: 68
pallida Hook.f. **9**: 89
paraensis Mart. & Zucc. **10**: 13
parilla (DC.) Steud. **10**: 17
parillo (DC.) Steud. **10**: 17
parviflora Blume **9**: 141, 174
pendula (Benth.) Hook.f. **9**: 68
platypus Hemsl. **9**: 57
pyrifolia (Griseb.) R.O.Williams **9**: 52
riparia Gleason **9**: 60
rufa Barb.Rodr. **10**: 25, 51
salzmannii Hook.f. **9**: 49
sclerophylla Hook.f. **9**: 84
 var. *myristicoides* Hook.f. **9**: 84, 239
 var. *pohliana* Hook.f. **9**: 84
 var. *scabra* Hook.f. **9**: 84, 239
sprucei Hook.f. **9**: 83
steudeliana (Miq.) Walp. **10**: 45
tomentosa Benth. **9**: 52
turbinata (Benth.) Hook.f. **9**: 67
turiuva (Cham. & Schldtl.) Hook.f. **9**: 88
uti Mart. & Zucc. **10**: 28, 197
utilis Hook.f. **9**: 88
Munro, Sioban L. **5**
Mysinaceae **12**: 29

- Nallogia* Baill. **12**: 3
 gaudichaudiana Baill. **12**: 3, 4
Naravel **9**: 199
Naravelia **9**: 199
Nemorinia Fourr. **6**: 18, 164
 flavescens (Host) Fourr. **6**: 169
 forsteri (Sm.) Fourr. **6**: 166
 vernalis (Reichard) Fourr. **6**: 170

SPECIES PLANTARUM CUMULATIVE INDEX

- Neocarya (DC.) Prance **9**: 3, **195**
 macrophylla (Sabine) Prance **9**: **195**, 196, 197, 303
Neou Adans. ex Juss. **9**: 195
 Noltie, Henry J. **7**
 Novara, Lazaro J. **6**; **7**; **8**
 Novikov, Vladimir S. **6**; **7**; **8**
 Nymphaea L. **11**: 1
- Olacaceae **12**: 1
 trib. Agonandreae **12**: 1, 21
 trib. Opilieae **12**: 1
 Olacineae **12**: 1
 Olax
 sumatrana Miq. **12**: 38
 Opilia **12**: 1, 2, 11, **23**
 sect. *Lepionurus* (Blume) Baill. **12**: 9
 sect. *Opiliastrum* Baill. **12**: 3
 subg. *Urobotrya* (Stapf) Engl. **12**: 11
 acuminata Wall. **12**: 10
 afzelii Engl. **12**: 13
 amentacea Roxb. **12**: **23**, 25, 60
 var. *tomentella* Oliv. **12**: 23
 angiensis De Wild. **12**: 24
 angolensis Exell & Mendonça **12**: 26
 angustifolia (Stapf) Engl. **12**: 13
 bruneelii De Wild. **12**: 16, 17
 campestris Engl. **12**: **26**
 var. *campestris* **12**: 26, 27, 28, 60
 var. *glabra* Hiepko **12**: 26, **27**, 60
 var. *strobilifera* (Hutch. & E.A.Bruce) Hiepko **12**: 26, **27**, 28, 61
 celtidifolia (Guill. & Perr.) Endl. ex Walp **12**: 23, 24
 var. *sphaerocarpa* Chiov. **12**: 24
 var. *tomentella* (Oliv.) G.Ll.Lucas **12**: 23
 congolana Baill. **12**: 12
 cumingiana Baill. **12**: 4
 fragrans Elmer **12**: 23
 javanica Miq. **12**: 23
 latifolia (Stapf) Engl. **12**: 13
 macrocarpa Pierre & Engl. **12**: 13
 manillana Baill. **12**: 3
 mildbraedii Engl. **12**: 29
 minutiflora (Stapf) Engl. **12**: 13
 obovata Peter **12**: 29
 odorata Spreng. **12**: 29
 odoratissima Zipp. ex Miq. **12**: 29
 pentidis Blume **12**: 23
 ruwenzoriensis De Wild. **12**: 24
 sadebeckii Engl. **12**: 30
 senegalensis Baill. **12**: 23
 sparsiflora Engl. **12**: 16
 stapfiana (Hutch. & Dalziel) Sleumer **12**: 13
 strobilifera Hutch. & E.A.Bruce **12**: 27
 thorelii Gagnep. **12**: 23
 tomentella (Oliv.) Engl. **12**: 23

SPECIES PLANTARUM CUMULATIVE INDEX

- trinervia* (Stapf) Engl. **12**: 13
umbellulata Baill. **12**: 30
 var. *marquesii* Engl. **12**: 30
 Opiliaceae **12**: 1, 2
 trib. Agonandreae **12**: 1, 21
 trib. Opilieae **12**: 1
 Oxychloë Phil. **6**: 2, **9**
 andina Phil. **6**: **9**, 11, 191
 bisexualis Kuntze **6**: **9**, **10**, 12, 188, 191
 brevifolia (Phil.) Buchenau **6**: 13
 castellanosii Barros **6**: **9**, **10**, 191
 clandestina (Phil.) Hauman **6**: 13
 haumaniana (Barros) Barros **6**: **9**, **12**, 192
 mendocina Barros **6**: **9**, **12**, 192
 simulans Barros **6**: 10

 Paracryphia Baker f. **13**: 1, **2**
 alticola (Schltr.) Steenis **13**: 1, **2**, 3, 6
 var. *suaveolens* (Baker f.) Steenis **13**: 2
 suaveolens Baker f. **13**: 2
 Paracryphiaceae **13**: **1**
 Parastemon A.DC. **9**: 3, **177**
 grandifructus Prance **9**: 177, **180**, 303
 spicatus Ridl. **9**: 178
 urophyllus (Wall. ex A.DC.) A.DC. **9**: **177**, 179, 299
 versteeghii Merr. & L.M.Perry **9**: 177, **178**, 299
 Parinari Aubl. **9**: 3, **198**, 199
 sect. *Anareolata* Kosterm. **9**: 199, 204, **205**, **239**
 sect. *Cyclandrophora* (Hassk.) Müll.Hal. **10**: 66
 sect. *Exitelia* (Blume) Müll.Hal. **10**: 56
 sect. *Neocarya* DC. **9**: 195
 sect. *Parinari* **9**: 199, 204, **207**
 sect. *Petrocarya* DC. **9**: 198
 sect. *Sarcostegia* Benth. **10**: 56
 subg. *Cyclandrophora* (Hassk.) Blume **10**: 66
 subg. *Exitelia* Blume **10**: 56
 subg. *Macrocarya* Miq. **10**: 66
 subg. *Neocarya* (DC.) Blume **9**: 195
 subg. *Pellegriniella* Hauman **10**: 190
 subg. *Petrocarya* (DC.) Miq. **9**: 198
 subg. *Sarcostegia* (Benth.) Miq. **10**: 56
 albida Craib **9**: 229
 alvimii Prance **9**: 199, 202, **209**, 210, 305
 amazonica Mart. ex Hook.f. **9**: 233
 amboinensis Teijsm. & Binn. **10**: 69
 anamensis Hance **9**: 201, 205, **229**, 311
 argenteosericea Kosterm. **9**: 198, 199, 204, **205**, 303
 ashtonii Kosterm. **9**: 229
 asperula Miq. **10**: 70
 aubrevillei Pellegr. **10**: 58
 bangweolensis R.E.Fr. **10**: 187
 baoulensis A.Chev. **10**: 65
 barbata Ducke **9**: 185
 benna Scott-Elliot **9**: 180

SPECIES PLANTARUM CUMULATIVE INDEX

- bequaertii* De Wild. **10**: 61
 var. *longistaminea* Hauman **10**: 61
bicolor Merr. **9**: 234
boivinii Fritsch **10**: 161
borneensis Merr. **9**: 223
brachystachya Benth. **9**: 232
brasiliensis (Schott) Hook.f. **9**: 201, 203, **225**, 310
 Parinari *continued*
campestris Aubl. **9**: 198, 199, 202, 207, **211**, 305
canarioides Kosterm. **9**: 198, 199, 204, **205**, 304
canescens Gleason **10**: 20
capensis Harv. **9**: 200, 203, **212**
 f. *obtusifolia* Cavaco **9**: 212
 subsp. *capensis* **9**: **212**, 305
 subsp. *incohata* F.White **9**: 212, **214**, 306
 subsp. *latifolia* (Oliv.) R.A.Graham **9**: 212
 var. *latifolia* Oliv. **9**: 212, 239
cardiophylla Ducke **9**: 200, 202, **218**, 307
chapelieri Baill. **9**: 226
chocoensis Prance **9**: 201, 203, **224**, 309
chrysophylla Oliv. **10**: 58
coccinea Elmer **10**: 193
congensis Didr. **9**: 200, 203, **219**, 220, 308
congoensis Engl. **9**: 221
congolana T.Durand & H.Durand **9**: 198, 200, 203, **221**, 308
cordata Hook.f. **9**: 183
coriacea Benth. **9**: 183; **10**: 190
corymbosa (Blume) Miq. **10**: 59
costata (Korth.) Blume **9**: 201, 202, 204, 205, **233**
 subsp. *costata* **9**: **234**, 313
 subsp. *polyneura* (Miq.) Prance **9**: 234, **235**, 313
 subsp. *rubiginosa* (Ridl.) Prance **9**: **234**, 313
 var. *rubiginosa* Ridl. **9**: 234
curatellifolia Planch. ex Benth. **1**: 20; **9**: 201, 203, 208, **226**, 310
 subsp. *mobola* (Oliv.) R.A.Graham **9**: 226
 var. *fruticulosa* R.E.Fr. **9**: 212, 239
curranii Merr. **10**: 69
dillenifolia R.Br. **10**: 193
elata King **10**: 68
elliottii Engl. **9**: 232
elliptica Kosterm. **10**: 70
elliptica Teijsm. & Binn. **10**: 70
elmeri Merr. **9**: 198, 199, 204, **206**, 304
emirnensis Baker **10**: 193
euadenia Kosterm. **10**: 193
excelsa Sabine **9**: 202, 203, 209, **232**, 313
 subsp. *holstii* (Engl.) R.A.Graham **9**: 232
 var. *fulvescens* Engl. **9**: 232
 Parinari *continued*
fleuryana (A.Chev.) Aubrév. **10**: 180
floribunda Baker **10**: 61
fragilis Teijsm. & Binn. **9**: 98
gabunensis Engl. **10**: 61
 var. *mayumbensis* De Wild. **10**: 62, 197

SPECIES PLANTARUM CUMULATIVE INDEX

- gardineri* Hemsl. **9**: 226
gardneri Hook.f. **9**: 185; **10**: 190
gigantea Kosterm. **9**: 201, 204, **224**, 309
gilletii De Wild. **10**: 62
glaberrima (Hassk.) Hassk. **10**: 68
glabra Oliv. **10**: 62
 var. *gilletii* (De Wild.) Hauman **10**: 62
glazioviana Warm. **9**: 232, 239
goetzeniana Engl. **10**: 63
gracilis Kuhlm. **9**: 186
griffithiana Benth. **10**: 59
guianensis (Aubl.) Lemée **10**: 193
guyanensis Fritsch **10**: 141
hahlii Warb. **10**: 68
helferi Hook.f. **9**: 234
heteropetala Scort. ex King **10**: 175
holstii Engl. **9**: 232
 var. *longifolia* Engl. ex De Wild. **9**: 233
hostmannii Fritsch **10**: 45
hypochrysea Mildbr. ex Letouzey & F.White **9**: 199, 203, **209**, 304
indica (Bedd.) Bedd. **10**: 75
insularum A.Gray **9**: 201, 204, **231**, 312
iodocalyx Mildbr. **10**: 59
jackiana Benth. **10**: 70
Parinari *continued*
kerstingii Engl. **10**: 63
kerstingii sensu Aubrév. **10**: 63
klaineana Pierre **10**: 62
klainei Aubrév. **10**: 62
klugii Prance **9**: 201, 203, **230**, 312
krukovii Gleason **10**: 13
kunstleri King **10**: 175, 197
lanceolata Teijsm. & Binn. **10**: 68
latifolia M.R.Hend. **10**: 72
latifolia (Oliv.) Exell **9**: 212
latifrons Kosterm. **10**: 72
laurina A.Gray **10**: 68
laxiflora Ducke **9**: 233, 239
 var. *lata* Ducke **9**: 233
leontopithecii Prance **9**: 200, 202, **215**, **216**, 306
littoralis Prance **9**: 200, 202, **214**, 306
lucidissima Standl. **9**: 207
macrophylla Sabine **9**: 195
macrophylla Teijsm. & Binn. **10**: 68
maguirei Prance **9**: 200, 202, **214**, 306
maingayi King **10**: 70, 197
maranthes Blume **10**: 59
margarata A.Gray **10**: 68
metallica Kosterm. **9**: 201, 204, **225**, 310
mildbraedii Engl. **9**: 232
mindanaensis Perkins **10**: 69
minus Baill. ex Aubrév. **9**: 221
minutiflora Baker f. **9**: 190
mobola Oliv. **9**: 226

SPECIES PLANTARUM CUMULATIVE INDEX

- montana* Aubl. **9**: 200, 202, **216**, 217, 307
montana Engl. **10**: 62, 197
multiflora (Korth.) Miq. **10**: 59
myriandra Merr. **10**: 175
myrsinoides Schltr. **9**: 194
nalaensis De Wild. **9**: 233
nannodes Kosterm. **10**: 72
neocaledonica Baker f. **9**: 187
nitida Hook.f. **9**: 98, 239
nonda F.Muell. ex Benth. **9**: 200, 204, **221**, 308
 Parinari *continued*
oblongifolia Hook.f. **9**: 200, 204, **223**, 224, 309
obtusifolia Hook.f. **9**: 199, 202, **211**, 213, 305
occidentalis Prance **9**: 201, 203, **230**, 311
ovalis (Korth.) Blume ex Miq. **9**: 227
pachyphylla Rusby **9**: 202, 203, **232**, 312
pajura Benoist **9**: 216
palauensis Kaneh. **10**: 59
papuana C.T.White **9**: 200, 204, **222**
 subsp. *papuana* **9**: **222**, 308
 subsp. *salomonensis* (C.T.White) Prance **9**: **222**, 308
 subsp. *whitei* Prance **9**: 222, **223**, 308
parilis J.F.Macbr. **9**: 200, 203, **224**, 309
parva Kosterm. **9**: 198, 199, 204, **207**, 304
parvifolia Sandwith **9**: 200, 202, **218**, 307
petiolata Malm **10**: 59
philippinensis Elmer **9**: 98
pilosa Standl. **10**: 21
poggei Engl. **10**: 66
pohlii Hook.f. **9**: 225
polyandra Benth. **10**: 65
 subsp. *floribunda* (Bak.) R.A.Graham **10**: 61
 var. *argentea* Aubrév. **10**: 65
 var. *cinerea* Engl. **10**: 65, 197
 var. *pleiocarpa* Engl. **10**: 65, 197
 var. *villosa* Aubrév. **10**: 65
polystachya Poepp. ex Fritsch **10**: 26
polyneura Miq. **9**: 235
prancei Kosterm. **9**: 201, 204, **226**, 310
pumila Mildbr. **9**: 212
racemosa Merr. **10**: 69
racemosa S.Vidal **10**: 59
rigida Kosterm. **9**: 201, 204, **229**, 311
riparia R.E.Fries **9**: 232
robusta Oliv. **10**: 65
 var. *klainei* Aubrév. & Pellegr. **10**: 62
rodolphii Huber **9**: 199, 202, **207**, 208, 304
romeroi Prance **9**: 200, 203, **219**, 307
rubiginosa (Ridl.) Ridl. **9**: 234
 Parinari *continued*
salicifolia (C.Presl) Miq. **10**: 59
salicifolia Engl. **9**: 232
salomonensis C.T.White **9**: 222
sargosii Pellegr. **10**: 189

SPECIES PLANTARUM CUMULATIVE INDEX

- scabra* Hassk. **10**: 68, 197
 var. *lanceolata* Koord. & Valetton **10**: 68
 var. *macrophylla* Teijsm. & Binn. ex Koord. & Valetton **10**: 68
senegalensis DC. **9**: 195
senegalensis Perr. ex DC. **9**: 195
spicata King **10**: 70, 197
sprucei Hook. f. **9**: 202, 203, **231**, 312
subcordata Oliv. **9**: 219
subrotunda Rizzini **9**: 214
sumatrana (Jack) Benth. **9**: 201, 205, **227**, 228, 311
sylvestris M.Kuhl. **9**: 233
tenuifolia A.Chev. **9**: 232
tessmannii Engl. **10**: 190
tibatensis Engl. **10**: 62
tisserantii Aubrév. & Pellegr. **10**: 190
tontoutensis Guillaumin **9**: 190
travancorica Bedd. **10**: 75
vassonii A.Chev. **10**: 62
verdickii De Wild. **9**: 232
versicolor Engl. **10**: 180
villamilii Merr. **10**: 70
wallichiana R.Br. **9**: 223
wallichiana R.Br. ex Hook.f. **9**: 223, 239
warburgii Perkins ex Merr. **10**: 69
whytei Engl. **9**: 232
Parinarium Juss. **9**: 198, 199
 albidum Craib **9**: 229
 amazonicum Mart. ex Hook.f. **9**: 233
 amboinense Teijsm. & Binn. **10**: 69
 asperulum Miq. **10**: 70
 aubrevillei Pellegr. **10**: 58
 bangweolense R.E.Fr. **10**: 187
 barbatum Ducke **9**: 185
 benna Scott-Elliot **9**: 180
 bequaerti De Wild **10**: 61
 bicolor Merr. **9**: 234
 boivini Fritsch **10**: 161
 borneense Merr. **9**: 223
 brachystachyum Benth. **9**: 232
 brasiliense (Schott) Hook.f. **9**: 225
 canescens Gleason **10**: 20
 capense Harv. **9**: 212
 chapelieri Baill. **9**: 226
 chrysophyllum Oliv. **10**: 58
 coccinea Elmer **10**: 193
 congoense Engl. **9**: 221
 cordatum Hook.f. **9**: 183
 coriaceum Benth. **9**: 183
 corymbosum (Blume) Miq. **10**: 59
 costatum (Korth.) Blume **9**: 233
 var. *rubiginosum* Ridl. **9**: 234
 curatellifolium Planch. ex Benth. **9**: 226
 curranii Merr. **10**: 69
 dillenifolium R.Br. **10**: 193

SPECIES PLANTARUM CUMULATIVE INDEX

- elatum* King **10**: 68
elliottii Engl. **9**: 232
ellipticum Teijsm. & Binn. **10**: 70
elmeri Merr. **9**: 206
emirnense Baker **10**: 193
excelsum Sabine **9**: 232
 var. *fulvescens* Engl. **9**: 232
fleuryana (A.Chev.) Aubrév. **10**: 180
floribundum Baker **10**: 61
fragile Teijsm. & Binn. **9**: 98
Parinarium continued
 gabunense Engl. **10**: 61
 gardineri Hemsl. **9**: 226
 gardneri Hook.f. **9**: 185
 gilletii De Wild **10**: 62
 glaberrimum Haussk. **10**: 68
 glabrum Oliv. **10**: 62
 glaziovianum Warm. **9**: 232
 goetzenianum Engl. **10**: 63
 gracile Kuhl. **9**: 186
 griffithianum Benth. **10**: 59
 guyanense (Aubl.) Lemée **10**: 193
 guyanense Fritsch **10**: 141
 hahlii Warb. **10**: 68
 helferi Hook.f. **9**: 234
 heteropetalum Scort. ex King **10**: 175
 holstii Engl. **9**: 232
 var. *longifolium* Engl. ex De Wild. **9**: 233
 hostmanni Fritsch **10**: 45
 indicum (Bedd.) Bedd. **10**: 75
 ingangense Pellegr. **10**: 190
 ingangensis Pellegr. **10**: 190
 iodocalyx Mildbr. **10**: 59
 jackianum Benth. **10**: 70
 kerstingii Engl. **10**: 63
 klaineanum Pierre **10**: 62
 krukovii Gleason **10**: 13
 kunstleri King **10**: 175
 lanceolatum Teijsm. & Binn. **10**: 68
 latifolium M.R.Hend. **10**: 72
 laurinum A.Gray **10**: 68
 laxiflorum Ducke **9**: 233
 var. *latum* Ducke **9**: 233
 lucidissimum Standl. **9**: 207
 macrophyllum Sabine **9**: 195
 maingayi King **10**: 70
 maranthes Blume **10**: 59
 margaratum A.Gray **10**: 68
 milbraedi Engl. **9**: 232
 mindanaense Perkins **10**: 69
 minutiflorum Baker f. **9**: 190
 mobola Oliv. **9**: 226
 montanum Engl. **10**: 62
 multiflorum (Korth.) Miq. **10**: 59

SPECIES PLANTARUM CUMULATIVE INDEX

- myriandrum* Merr. **10**: 175
myrsinoides Schltr. **9**: 194
Parinarium continued
nalaense De Wild. **9**: 233
neocaledonicum Baker f. **9**: 187
nitidum Hook.f. **9**: 98
nonda F.Muell. ex Benth. **9**: 221
oblongifolium Hook.f. **9**: 223
ovale (Korth.) Blume ex Miq. **9**: 227
pachyphyllum Rusby **9**: 232
palauense Kaneh. **10**: 59
parile J.F.Macbr. **9**: 224
petiolatum Malm. **10**: 59
philippinense Elmer **9**: 98
poggei Engl. **10**: 66
pohlii Hook.f. **9**: 225
polyandrum Benth. **10**: 65
 var. *cinereum* Engl. **10**: 65
 var. *pleiocarpum* Engl. **10**: 65
polyneurum Miq. **9**: 235
polystachyum Poepp. ex Fritsch **10**: 26
Parinarium continued
racemosum S.Vidal **10**: 59
riparium R.E.Fries **9**: 232
robustum Oliv. **10**: 65
rodolphi Huber **9**: 207
rubiginosum (Ridl.) Ridl. **9**: 234
salicifolium C.Presl **10**: 59
salicifolium Engl. **9**: 232
sargosii Pellegr. **10**: 189
scabrum Hassk. **10**: 68
 var. *lanceolatum* Koord. & Valetton **10**: 68
spicatum King **10**: 70
sprucei Hook.f. **9**: 231
subcordatum Oliv. **9**: 219
sumatranum (Jack) Benth. **9**: 227
tenuifolium A.Chev. **9**: 232
tessmannii Engl. **10**: 190
tibatense Engl. **10**: 62
tontoutense Guillaumin **9**: 190
vassoni A.Chev. **10**: 62
verdickii De Wild. **9**: 232
versicolor Engl. **10**: 180
villamilii Merr. **10**: 70
wallichianum R.Br. ex Hook.f. **9**: 223, 224
warburgii Perkins & Merr. **10**: 69
whytei Engl. **9**: 232
Patosia Buchenau **6**: 2, **13**
 clandestina (Phil.) Buchenau **6**: **13**, 14, 192
 var. *tucumanensis* (Castillon) Barros **6**: 13
 tucumanensis Castillon **6**: 13
Pentarhopalopilia (Engl.) Hiepko **12**: 2, **29**
 madagascariensis (Cavaco & Keraudren) Hiepko **12**: 29, 31, **32**, 61
 marquesii (Engl.) Hiepko **12**: 29, **30**, 31, 61

SPECIES PLANTARUM CUMULATIVE INDEX

- perrieri (Cavaco & Keraudren) Hiepko **12**: 29, 31, **33**, 61
 umbellulata (Baill.) Hiepko **12**: 29, **30**, 31, 32, 61
Pentitidis Zipp. ex Blume **12**: 23
scandens Zipp. ex Blume **12**: 23
 Persea
laurifolia (Cuatrec.) Cuatrec. **10**: 193
Petrocarya Schreb. **9**: 198
brasiliensis Schott **9**: 225
campestris (Aubl.) Willd. **9**: 211
excelsa Jack **10**: 70
excelsa (Sabine) Steud. **9**: 198, 232
glaberrima (Hassk.) Miers **10**: 68
macrophylla (Sabine) Steud. **9**: 195
maranthes (Blume) Miers **10**: 59
montana (Aubl.) Willd. **9**: 216
scabra (Hassk.) Miers **10**: 68
senegalensis (Perr. ex DC.) Steud. **9**: 195
sumatrana Jack **9**: 227
Phylloschoenus Fourn. **7**: 1
acutiflorus (Ehrh. ex Hoffm.) Fourn. **7**: 230
lampocarpus (Ehrh. ex Hoffm.) Fourn. **7**: 249
striatus (Schousb. ex E.Mey.) Fourn. **7**: 183
supinus (Moench) Fourn. **7**: 161
 Piperaceae **11**: 1
Pleragina Arruda ex H.Kost. **10**: 5
odorata Arruda ex H.Kost. **9**: 52
rufa Arruda ex H.Kost. **10**: 5, 49
umbrosissima Arruda ex H.Kost. **9**: 90
 Polyalthia
pulchrinervia Boerl. **10**: 59
Polypara Lour. **11**: 7
cochinchinensis Lour. **11**: 7, 9
cordata (Thunb.) Kuntze **11**: 7
Potameia madagascariensis Thouars ex Spreng. **12**: 40
 Prance, Ghillean T. **9**; **10**
 Prioniaceae S.L.Munro & H.P.Linder **5**: **1**; **6**: 1
Pronium E.Mey. **5**: 1, **2**
palmita (Licht.) E.Mey. **5**: 2, 3
serratum (L.f.) Drège ex E.Mey. **5**: 1, **2**, 4, 6
Prionoschoenus [Reichenb. ex] Kuntze **5**: 2
serratus (L.f.) Kuntze **5**: 2
 Prunus
arborea (Blume) Kalkman **10**: 193
fragrans **10**: 193
Pterodes (Griseb.) Börner **6**: 164
flavescens (Host) Börner **6**: 169
forsteri (Griseb.) Börner **6**: 166
pilosus (L.) Börner **6**: 170
Pupal **9**: 199
Pupalia **9**: 199
 Pygeum
coccineum (Elmer) Elmer **10**: 193
 Restionaceae **5**: 1

SPECIES PLANTARUM CUMULATIVE INDEX

- Rhizophoraceae **9: 2**
 Rhopalopilia Pierre **12: 2, 33**
 sect. Pentarhopalopilia Engl. **12: 29**
 altescandens Mildbr. **12: 34, 35, 62**
 bequaertii (De Wild.) J.Léonard **12: 35**
 hallei Villiers **12: 34, 61**
 madagascariensis Cavaco & Keraudren **12: 32**
 marquesii (Engl.) Engl. **12: 30**
 pallens Pierre **12: 33, 34**
 var. *angustifolia* De Wild. **12: 35**
 var. *glabriflora* J.Léonard **12: 35, 62**
 var. *pallens* **12: 35, 36, 62**
 perrieri Cavaco & Keraudren **12: 33**
 poggei Engl. **12: 35**
 var. *bequaertii* De Wild. **12: 35**
 soyauxii Engl. **12: 30**
 umbellulata sensu Cavaco & Keraudren **12: 32**
 verdickii De Wild. **12: 30**
- Rhynchospora
 mairei H.Lév. **7: 89**
 micrantha Vahl. **8: 147**
- Rosaceae **9: 1; 10: 192, 193**
 subfam. *Chrysobalaneae* Arn. **9: 1**
 trib. *Chrysobalaneae* DC. **9: 1**
- Rostkovia Desv. **6: 2**
 brevifolia Phil. **6: 13**
 clandestina Phil. **6: 13**
 gracilis Hook.f. **6: 6**
 gracilis Phil. **6: 6**
 grandiflora (L.f.) Hook.f. **6: 5**
 magellanica (Lam.) Hook.f. **6: 2, 3, 4, 190**
 f. *pumila* Albov **6: 4**
 novae-zelandiae Buchanan **6: 8**
 reichei (Buchenau) Hosseus **6: 8**
 sphaerocarpa Desv. **6: 4**
 tristanensis Christoph. **6: 2, 4, 190**
- Salmasia* Bubani **10: 110**
 guianensis (Aubl.) J.F.Gmel. **10: 149**
 racemosa Willd. **10: 149**
- Salmasia* Schreb. **10: 110**
- Santalaceae **12: 1, 6, 11**
- Saul, Margaret **2**
- Saururaceae **11: 1**
- Sauruopsis* Turcz. **11: 2**
 chinensis (Lour) Turcz. **11: 2, 4**
 cumingii C.DC. **11: 4**
 var. *japonica* C.DC. **11: 4**
- Saururus **11: 1, 2**
 aquaticus Walter **11: 2**
 cavaleriei H.Lév. **11: 5**
 cernuus L. **11: 2, 11**
 f. *submersus* Glück **11: 2**
 cernuus auct. non L. **11: 4**

SPECIES PLANTARUM CUMULATIVE INDEX

- chinensis (Lour.) Baill. **11**: 3, **4**, 11
loureiri Decne. **11**: 4
lucidus Donn **11**: 2
natans L. **11**: 5
sinensis Teijsm. & Binn. **11**: 4
Schaefferia racemosa DC. **12**: 51
 Schisandraceae Blum **4**: 1
 Schisandreae DC. **4**: 1
 Schisandroideae Raf. **4**: 1
 Schoenus
 minimus T.F.Forster **7**: 59
 ‘*Schweinizia racemosa*’ **12**: 51
 Scleria
 zeylanica Poir. **8**: 147
 Scleropyrum
 aurantiacum (Lauterb. & K.Schum.) Pilg. **12**: 11
 pentandrum (Dennst.) Mabb. **12**: 6
 Simaroubaceae **1**: 1
 Simonov, Sergey S. **7**; **8**
 Smith, Gideon F. **2**; **3**
 Smrčinová, Eva **5**; **6**; **7**
 Snogerup, Sven **7**; **8**
 Sothers, Cynthia A. **9**; **10**
Spathium Lour. **11**: 2
 chinense Lour. **11**: 2, 4
 Species Plantarum
 Aim of project **Intro**: 1
 Geographical system **Intro**: 73–91
 Africa **Intro**: 76, 77
 Antarctic (including subantarctic islands) **Intro**: 90, 91
 Asia (including Malesia) **Intro**: 80, 81
 Australasia **Intro**: 82, 83
 Caribbean **Intro**: 86, 87
 Central America **Intro**: 86, 87
 Eastern Europe **Intro**: 78, 79
 Europe **Intro**: 74, 75
 Far East **Intro**: 78, 79
 Middle East **Intro**: 80, 81
 North America **Intro**: 86, 87
 Pacific **Intro**: 84, 85
 South America **Intro**: 88, 89
 Glossary **Intro**: 37–71
 Guide for contributors **Intro**: 5–36
 family treatment **Intro**: 9–17
 generic treatment **Intro**: 17–20
 species treatment **Intro**: 20–30
 illustrations **Intro**: 30, 31
 History of project **Intro**: 3, 4
 Manuscript preparation and presentation **Intro**: 8, 9
 Need for project **Intro**: 2
Sphenista Raf. **10**: 111
 peruviana (Pers.) Raf. **10**: 135
 peruviana (Ruiz & Pavon) Raf. **10**: 111
 Sphenostemonaceae **13**: 1

SPECIES PLANTARUM CUMULATIVE INDEX

- Stangeria T.Moore **2**: 1, **2**
 eriopus (Kunze) Baill. **2**: 2, 5, 8
 katzeri Regel **2**: 2
 paradoxa T.Moore **2**: 2
 f. *schizodon* (W.Bull) J.Schust. **2**: 2
 var. *katzeri* (Regel) Marloth **2**: 2
 [var.] *schizodon* (W.Bull) Regel **2**: 2
 sanderiana J.Schust. **2**: 2
 schizodon W.Bull **2**: 2
 Stangeriaceae L.A.S.Johnson **2**
 Steyn, Elsie M.A. **2**; **3**
 Steyn, Marietjie **3**
- Tachibota* Aubl. **10**: 110
 guianensis Aubl. **10**: 110, 149
 Tebbs, Margaret **9**; **10**
Tenageia (Dumort.) Fourn. **7**: 1
 bufonia (L.) Fourn. **8**: 9
 gerardii (Loisel.) Fourn. **8**: 49
 multiflora (Forssk.) Fourn. **8**: 145
 ranaria (Songeon & E.P.Perrier) Fourn. **8**: 14
 sphaerocarpa (Nees) Rchb. **8**: 7
 vaillantii (Thuill.) Rchb. **8**: 5
 Terminalia
 sp. **10**: 193
Tetanosia Rich. ex M.Roem. **12**: 23
 olacioides (Wight & Arn.) M.Roem. **12**: 23
 Theales **13**: 1
Thecacoris lucida Hutch. **12**: 29
Thelira Thouars **10**: 111
 Theobroma
 alba Bernoulli **9**: 146
 Thurniaceae **5**: 1; **6**: 1
 Trichocarya Miq. **9**: 98
 racemosa (Korth.) Miq. **9**: 178
 splendens (Korth.) Miq. **9**: 98
 Trigoniaceae **9**: 1, 2
Tristemon Raf. **7**: 1
 Tronchet, Frédéric **14**
Tsjeru-caniram Rheede ex Adans. **12**: 37
Tumboa Welw. **3**: 2
 bainesii Hook.f. **3**: 2
 strobilifera Welw. ex Hook.f. **3**: 2
- Urobotrya Stapf **12**: 1, 2, **11**, 21
 sect. *Lepionuroides* Hiepko **12**: 11, 12, **17**
 sect. *Urobotrya* **12**: **12**
 afzelii (Engl.) Stapf. ex Hutch. & Dalziel **12**: 13
 angustifolia Stapf. **12**: 13
 congolana (Baill.) Hiepko **12**: 11, **12**
 subsp. *afzelii* (Engl.) Hiepko **12**: **13**, 15, 59
 subsp. *congolana* **12**: 12, **13**, 14, 58
 floresensis Hiepko **12**: 17, **20**, 60
 latifolia Stapf. **12**: 13

SPECIES PLANTARUM CUMULATIVE INDEX

- latisquama* (Gagnep.) Hiepko **12**: 17, 18, 59
longipes (Gagnep.) Hiepko **12**: 17, 18, 59
minutiflora Stapf. **12**: 13
parviflora Hiepko **12**: 17, 20, 60
siamensis Hiepko **12**: 9, 17, 18, 19, 20, 21, 59
sparsiflora (Engl.) Hiepko **12**: 16, 17
 subsp. *bruneelii* (De Wild.) Hiepko **12**: 16, 59
 subsp. *sparsiflora* **12**: 16, 17, 59
stapfiana Hutch. & Dalziel **12**: 13
trinervia Stapf. **12**: 13
- Vantanea**
celativenia (Standl.) Cuatrec. **10**: 193
Violaceae **9**: 1
Vochy **9**: 199
Vochysia **9**: 199
Vochysiaceae **9**: 2
Voladeria
carchiensis Benoist **8**: 147
- Waldeckia* Klotzsch **10**: 192
 corymbosa Klotzsch **10**: 192
Welwitschia Hook.f. **3**: 2
 bainessii (Hook.f.) Carr. **3**: 2
 mirabilis Hook.f. **3**: 1, 2, 3–5, 7
Welwitschiaceae Markgr. **3**: 1
Wilson, Karen L. **7**; **8**
Wilton, Aaron **6**
Winteraceae **4**: 1
Wise, Rosemary **1**
- Xia Nian-he** **11**
Ximenia olacioides Wight & Arn. **12**: 23
- Yunnanopilia* C.Y.Wu & D.Z.Li **12**: 3
 longistaminea (W.Z.Li) C.Y.Wu & D.Z.Li **12**: 3, 6
- Zamzela* Raf. **10**: 111
 racemosa Raf. **10**: 111, 135
 rugosa (Thuill. ex Pers.) Raf. **10**: 169
Zika, Peter F. **8**
Zippelia Blume **11**: 1